

# START A SHIFT - Prepare belt

## 1 Open belt




## 2 Slide the device clip onto the belt




## 3 Close belt

Feed belt back through buckle



## 4 Put on belt

Release buckle, wrap belt around waist, and click buckle ends together



## 5 Select device




## 6 Slide device onto clip



# START A SHIFT - Auto pair headset

If needed

Wake up device



7

Power on SRX2



8

Hold headset and device within 6" (15 cm)

Flashing blue LED +  
3 ascending tones =  
pairing complete



9

Put on headset



10

Position microphone

1" (2 cm) from  
corner of mouth




11

Verify serial number



12


Confirm number



# START A SHIFT - Manual pair headset

If needed

Wake up device



7

Power on SRX2



8

Initiate search



Hold for 2 seconds

9

Hold headset and device within 6" (15 cm)

Flashing blue LED +  
3 ascending tones =  
pairing complete



10

Put on headset



11

Position microphone



1" (2 cm) from  
corner of mouth



12


Verify & confirm serial number

Press Play/Pause to confirm




# START A SHIFT - Wired headset

## 7 Put on headset




## 8 Position microphone


1" (2 cm) from corner of mouth




## 9 Fasten cable clips




## 10 Match port colors



## 11 Tilt connector toward device until it clicks




## 12 Power on device




# START A SHIFT - Sign on

## 13 Wake up device




## 14 Press Operator

Confirm operator name



## 15 Press Play/Pause

Power on device



## 16 Do a noise sample

0, 1, 2  
Ready




## If needed Change Operator


Press Operator button




Press + or - until "Change operator"




Press Operator button



Press + or - until you hear your name



Press Operator button



## 17 Confirm readiness

Ready



## 18 Say and confirm password



Password?

\*\*\*\*\*  
correct?

\*\*\*\*\*

Yes



# ADJUST FEATURES


## 1 Access the menu

Press Operator button



Current operator is \_\_\_\_.  
Select menu item.

## 2 Press + or - button until desired menu item



Change pitch

Change speed

Change speaker

Change task


Change operator



## 3 Press Operator button to select menu item



## 4 Press + or - button until feature is adjusted



## 5 Press Operator button to confirm



**TIP** Press the Play/Pause button at any time to cancel the action.

# CHANGE BATTERY

**1** Push down on button



**2** Lift out battery



**3** Place in empty slot



**4** Pick charged battery




**5** Insert pins-end first and push into place



# END A SHIFT - Wired headset

## 1 Power off device

Press and hold Play/Pause until LED turns red



## 2 Remove connector

Grasp connector, tilt bottom of connector away from device and lift up



## 3 Slide device out




## 4 Insert into slot


Insert device with Vocollect logo facing you and Play/Pause button on top



## 5 Detach cable clips



## 6 Remove headset





## 7 Remove belt

Release buckle





**Warning: Never pull on the cable or twist the connector to disconnect it from the device. Doing so will damage the cable and connector, and invalidate the device's warranty.**




Grasp the headset's connector, not the cable, and press the release lever.

Tilt the bottom of the connector away from the terminal and lift the connector up to disconnect it.

# END A SHIFT - Wireless headset

## 1 Power off device

Press and hold Play/Pause until LED turns red



## 2 Slide device out



## 3 Insert into slot

Insert device with Vocollect logo facing you and Play/Pause button on top




## 4 Power off headset



## 5 Remove battery

Squeeze battery release buttons on electronic module



## 6 Place in charger



## 7 Remove belt

Release buckle

