

Release Notes for Vocollect VoiceConsole® 5.0

VoiceConsole 5.0 is the first version of *VoiceConsole* to support Vocollect's latest family of voice-centric devices, the *Talkman A700 Solution*. *VoiceConsole* 5.0 is an integral part of this solution that supports:

- Faster profile loads leveraging the maintenance port on the *Talkman A700* devices
- Asset tracking for *Talkman A700* devices and batteries
- Battery health visibility for *Talkman A700* batteries
- The ability to specify advanced scanner configurations for the *Talkman A730* device
- The ability to specify a default profile so you can ensure each device is configured with the same version of *VoiceCatalyst* or *VoiceClient*
- The ability to generate a site report that contains specific information about that installation for troubleshooting purposes
- Improved navigation and usability

Features in this Release

New Device Support

This release supports the use of the *Talkman A700* product family.

The *A700* product family includes:

- *A730*: contains an integrated barcode scanner designed for short-range scanning.
- *A720* (available in early 2014): provides two connectors: one for wired headsets and one for wired peripherals or to perform maintenance functions. This configuration is similar to earlier *Talkman* devices.
- *A710*: designed for use with Bluetooth wireless headsets and peripherals.

See *Vocollect Hardware Reference* for details on these devices.

VoiceConsole 5.0 includes changes to the following areas to support these new devices:

- **Accessories page**: This page tracks *A700* batteries (BT-901 and BT-902) and the ability to view the overall health of *A700* batteries based on their age.
- **Battery threshold configuration**: You can configure battery health thresholds for standard and high-capacity batteries for *A700* devices.
- **Scanner settings for *A730* devices**: While creating a device profile for *Talkman A730* devices, the **Scanner options** tab allows you to apply different settings for the *Talkman A730* device's scanning capabilities.

See *VoiceConsole* 5.0 online help for more information.

Talkman A700 Maintenance Port and VoiceConsole

Each type of *A700* device has a USB maintenance port that is used with *VoiceConsole* for:

- enabling Supervisor Audio
- receiving debug information from the device to a computer
- loading device profiles using a cable

Note: You may have to install a driver prior to performing profile loads using a cable. The necessary driver is provided on the *VoiceConsole* 5.0 software DVD. See "Features in this Release" on page 1.

New Shipping Process for A700 Devices and Default Device Profiles

Note: Compatible only on *A700* devices running *VoiceCatalyst* 2.0 and newer or *VoiceClient* 3.9 and newer.

This release introduces a new shipping process for *Talkman A700* devices. *Talkman T-series* and *A500* devices are shipped with a specific version of *VoiceClient* or *VoiceCatalyst* loaded on the device. However, *Talkman A700* devices are shipped with only the device's operating system, loaded onto the device. This process will apply to new devices shipped to your site as well as to repaired devices that are shipped to your site either from Vocollect or a certified repair center. Note that *Talkman T-series* and *A500* devices will continue to be shipped with a specific version of *VoiceClient* or *VoiceCatalyst* loaded on the device.

This enhancement enables hardware-specific changes that must be made at the operating system level to be rolled out seamlessly. Customers will no longer be burdened with having to upgrade their version of *VoiceClient* or *VoiceCatalyst* due to these types of changes. The process to import *VoiceClient* or *VoiceCatalyst* into *VoiceConsole* will not change because these client applications will still be shipped on a DVD and imported into *VoiceConsole* as one zip file.

Vocollect has combined this new shipping process with *VoiceConsole* 5.0's new feature, default device profiles, so that customers can easily implement new or returned devices at a site. The default profile will enable customers to get their devices on the network and running in one step, so they do not have to perform extra steps to manually load their specific version of *VoiceClient* or *VoiceCatalyst* onto their devices. See *VoiceConsole* 5.0 online help for more information on default profiles.

Gather System Information

To gather information for troubleshooting purposes about your *VoiceConsole* installation, such as device, accessory, and site information, this release allows you to download this information from the **About** page. This information is also collected when the System Data job runs.

You can choose to disable this job if you do not want information from your site(s) to be collected.

Advanced Settings

New Radio Settings Available

Note: Compatible only with *A700* and *A500* devices running *VoiceCatalyst* 2.0 and newer or *VoiceClient* 3.9 and newer unless otherwise noted.

The following radio settings are now configurable on the **Network Configuration** tab when creating a device profile:

- **RF Modulation Mode:** Enables the use of 802.11bg, 802.11a or 802.11abg on *A700* and *A500* devices.
- **Power Mode:** Sets the power management mode in *A700* and *A500* devices. Selecting PSP (Power Save Polling) allows the radio card to sleep for short intervals, wake-up, send the batched data, and go back to sleep. Use of the PSP mode will provide the most efficient use of power consumption, but may reduce network connectivity performance.
- **Channel List:** Determines the frequencies that are scanned for a wireless connection.
- **802.11n Data Rates:** Enables the use of 802.11n on *A700* devices with Open and AES networks.

Advanced Radio Settings Text Box Removed

The **Advanced Radio Settings** text box, editable when creating a device profile, was removed in this release. All advanced settings should now be entered in the **Advanced Settings** text box when creating a device profile.

Loading Device Profiles from View Device Profile Page

You can now load a device profile to a device connected to *VoiceConsole* while viewing that specific device profile in addition to performing this action from the **View Device Profiles** page. Previously, this action did not exist on the **View Device Profile** page.

VoiceConsole Help Links Moved

The **Help For This Page** and **Application Help** links are now located at the top right of the screen on the same line as the breadcrumbs.

Localization of VoiceConsole Application

VoiceConsole 5.0 is available in the following languages:

- da_DK (Danish)
- de_DE (German)
- en_US (US English)
- es_ES (Spanish)
- es_MX (Latin American Spanish)
- fi_FI (Finnish)
- ko_KR (Korean)
- nl_NL (Dutch)
- no_NO (Norwegian)
- pl_PL (Polish)
- pt_BR (Brazilian Portuguese)
- pt_PT (Iberian Portuguese)

- fr_CA (Canadian French)
- fr_FR (French)
- it_IT (Italian)
- ja_JP (Japanese)
- ru_RU (Russian)
- se_SE (Swedish)
- zh_CN (Chinese [PRC])
- zh_TW (Chinese [Taiwan])

Note: *VoiceConsole's* Online Help is available in English and Japanese.

System Environments

VoiceConsole 5.0 supports the following environments. You can find detailed system requirements in the *Vocollect VoiceConsole 5.0 Implementation Guide*.

Operating System	Windows 2012 (64-bit version) Windows 2008 (64-bit version) Windows 2008 (32-bit version) Red Hat® Enterprise Linux® version 6.x (64-bit version) Red Hat Enterprise Linux version 6.x (32-bit version) Red Hat Enterprise Linux version 5.x (32-bit version) IBM AIX 7.1 IBM AIX 6.1 CentOS Linux version 6.x SUSE SLES11 (64-bit version) VMWare® ESX 4.x running a supported operating system and <i>VoiceConsole</i> Embedded Database.
Database	Microsoft SQL Server® 2012 Microsoft SQL Server 2008 Oracle® Database 11g Oracle Database 10g VoiceConsole Embedded Database (integrated)
Web Server	Apache Tomcat™ version 7.0
Clients	Microsoft Windows 7 Windows Vista Windows XP with Service Pack 3 Red Hat Linux Workstation ES for Intel processors
Browsers	Microsoft Internet Explorer® 8.x, and 9.x Mozilla® Firefox® 4.x or newer All browsers require that Java™ JRE™ 1.7 be installed and configured.

Installation

Refer to the *Vocollect VoiceConsole 5.0 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole 5.0*.

Upgrading

Note: You are still able to upgrade from a 2.x version of *VoiceConsole*, but the process involves upgrading to a previous 4.x version (earlier than 4.2) before upgrading to *VoiceConsole* 5.0. See the *Vocollect VoiceConsole 5.0 Implementation Guide* for details.

This version supports installations on certain operating system/database combinations for new installations only. Refer to the *Vocollect VoiceConsole 5.0 Implementation Guide* on the software DVD.

Upgrading from an Installation with an Embedded Database

If you are upgrading from an installation with an embedded database, you must first shutdown the embedded database by issuing the shutdown command in the Embedded Database Utility and then upgrade to *VoiceConsole* 5.0. See the *Vocollect VoiceConsole 5.0 Implementation Guide* for instructions on upgrading in this scenario.

Fixes and Enhancements

When using an embedded database, an operator was not correctly associated with a task package or voice associated using the create operator team web service.	VVC-4182
The Advanced Radio Settings text box on the Advanced Settings tab of the Create Device Profile and Edit Device Profile pages was removed. All advanced settings are now entered in the Advanced Settings text box.	VVC-3402

The following issues were fixed in Emergency Customer Shipments (ECS) and included in this release:

If <i>VoiceConsole</i> was accessed by a browser using Java JRE 1.7 on an operating system using both the German regional and time zone settings, the Serial Load utility in <i>VoiceConsole</i> was not functioning properly. This was due to an issue specific to this Java JRE in this region and time zone setting. This issue has been resolved.	VVC-4361	VC4.2 ECS003
	VVC-4360	
After extended use, the embedded database grew to an unexpected large size, causing issues. This issue is corrected in this release with a fix that initiates the defragment of database files during backups.	VVC-4282	VC4.2 ECS002
You no longer have to re-log into <i>VoiceConsole</i> after a system restart for a device to obtain a recently imported license.	VVC-4230	
During an upgrade to <i>VoiceConsole</i> 4.1, a SQL Server database upgrade may have generated errors if the database user account was set to a non-English locale. The upgrade process reported failures because of a date format mismatch, and it resulted in incorrect entries in the <code>voc_plugin_modules</code> database table.	VVC-4229	VC4.2 ECS001
	VVC-3868	

Frequent status change issues in <i>VoiceClient</i> 3.8 resulted in memory issues in <i>VoiceConsole</i> .	VVC-4059	VC4.0 ECS003
Update Task Package must cancel an active action item.	VVC-3877 VVC-4219	VC3.1.1 ECS011

General Considerations/Limitations

Issues Reported with This Release

When importing large operator lists, you may receive an error. Workaround: Split the large operator list into smaller lists of fewer than 100 operators and import each one separately.	VVC-4550
You cannot configure SSL for an embedded database with AIX due to a limitation of HSQLDB.	VVC-4529
If only a configuration file (.cci) is loaded onto a device through TouchConfig or serial loading, the device profile displayed in <i>VoiceConsole</i> is not updated. The displayed information is only updated if a full device profile is loaded. Workaround: Load a full device profile onto the device.	VVC-4471
When using Internet Explorer 8 and creating a task package using a <i>Vocollect VoiceArtisan</i> task, filtering on All locales on the Phonetic Sub tab and then selecting only one locale from the filter drop-down list may cause the browser to unexpectedly close. Workaround: Do not filter on All locales . If the browser closes, open <i>VoiceConsole</i> again.	VVC-4396
When using Internet Explorer 8 or 9, the navigation, action, and help links may be misaligned after upgrading from <i>VoiceConsole</i> 4.2. Workaround: In Internet Explorer, delete cookies and temporary internet files. Refresh the browser.	VVC-4335
When using Firefox 15 and newer, you cannot use the Copy Selection functionality to copy rows within <i>VoiceConsole</i> . Workaround: Use an earlier supported version of Firefox or another supported browser.	VVC-4281 VVC-4160
When double-byte characters are used in a Bluetooth pairing name for a device, the device's properties are not updated. Workaround: Use single-byte characters in pairing names.	VC-1297

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

Bluetooth and Pairing

<p>If Bluetooth is enabled for a device in <i>VoiceConsole</i> while the device is powered off, the setting may reset to disabled when the device is turned on.</p> <p>Workaround: Create a new device profile, load the profile to that device, and restart it.</p>	VVC-3496
<p>If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful.</p> <p>Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.</p>	VVC-2410
<p>If you activate the Discoverable and Enable manual pairings of headsets check boxes in the Bluetooth section on the Device Properties page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the Device Properties page.</p> <p>Workaround: Re-activate (check) these check boxes and click Apply on the Device Properties page.</p>	VVC-1525

Database

<p>When non-<i>VoiceConsole</i> tables exist in the same schema, upgrading from <i>VoiceConsole</i> 2.3 and earlier with SQL Server results in a database permission error.</p> <p>Workaround: Ensure only <i>VoiceConsole</i> tables exist in the <i>VoiceConsole</i> database. Also, system tables should not be present in the database in which <i>VoiceConsole</i> is installed.</p>	VVC-3229 VVC-277
<p>When a database username for SQL Server contains a space, the installation continues even if an error is received. Additionally, only the text before the space is sent to the server.</p> <p>Workaround: Do not use a space for the database username.</p>	VVC-3158
<p>If the SQL Server database collation is not set to be case-insensitive, <i>VoiceConsole</i> may not work properly. When creating a new SQL Server database, ensure you choose the proper collation for the language the system is in with <code>_CI</code> included in the collation name.</p>	VVC-2212 VVC-826
<p>You cannot use the database schema created for <i>VoiceConsole</i> for another application.</p>	N/A

Devices

<p>When assigning devices to operators, the Save Changes button is disabled on</p>	VVC-2456
---	----------

<p>the Assign Devices page.</p> <p>Workaround: Change one of the device-to-operator assignments, and then change it back to the original (correct) assignment.</p>	
<p>When loading a newly created or edited operator to a device from View Device page, the operator may not immediately appear in the list of operators or the updated operator information may not be displayed immediately in the drop-down list in the Load Operator dialog box.</p> <p>Workaround: Select the operator in the View Operators list. Select Common Operator Actions Assign devices to selected operator and click the change link on the Assign Devices page to select a device.</p>	VVC-2104
<p>If a USB hub is being used to serial load multiple devices, intermittent lockups may occur.</p> <p>Workaround: Close and reopen the browser to reinitialize the serial port.</p>	VVC-1899 VVC-956
<p>When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.</p> <p>Workaround: Ensure that you have set up the serial load correctly in <i>VoiceConsole</i> and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.</p>	N/A

Dialog Display

<p>Display Dialog functionality is not available in <i>VoiceConsole</i> using WebLogic.</p>	VVC-2576
<p>When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete.</p>	VVC-1824

EAP

<p>When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified.</p>	VVC-2720
<p>In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the Change Network Credentials page, even though the page prompts the user to change his/her credentials.</p> <p>Workaround: The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into <i>VoiceConsole</i> before they can be changed. So, after the initial set of credentials is entered into <i>VoiceConsole</i> the first time, the operator can re-enter the Change Network Credentials page via the operator login screen and change his/her credentials.</p>	VVC-2513

Installing and Upgrading

<p>While installing <i>VoiceConsole</i> in a Linux, non-English environment, you may not be able to enter data into certain fields in the installer interface. The cause of this issue is a known issue within JAVA reported by Oracle.</p> <p>Workaround: Select a different field or click a different tab, return to the field, and try to the enter data again.</p>	VVC-4134
<p>During a silent install of <i>VoiceConsole</i> in a Linux/Unix environment, the TOMCAT_USER is set to null rather than the default <i>VoiceConsole</i> user account. If a silent upgrade is then performed on this installation, the directory security is set for the root user rather than for the expected <i>VoiceConsole</i> user account. The upgraded <i>VoiceConsole</i> will not start properly.</p> <p>Workaround: Reset the directory permissions after the upgrade is complete. See the Implementation Guide section on silent installation for more assistance.</p>	VVC-3845
<p>When upgrading, if the IP address of the machine running <i>VoiceConsole</i> has changed, the previous IP address may still be used during installation regardless of the IP address you enter during installation. Installation appears to be successful, but an error displays when you open <i>VoiceConsole</i>.</p> <p>Workaround: Stop and restart Apache Tomcat before upgrading to this version of <i>VoiceConsole</i>.</p>	VVC-3231
<p>You cannot import a <i>VoiceConsole</i> 3.0 or 3.0.1 license into a newer <i>VoiceConsole</i> system. However, if you have previously installed <i>VoiceConsole</i> 3.0 or 3.0.1 and upgrade <i>VoiceConsole</i>, a previously imported 3.0 or 3.0.1 license will work in your upgraded system.</p>	VVC-2653
<p>Reinstalling <i>VoiceConsole</i> on AIX with Oracle after you have uninstalled it may corrupt the database.</p> <p>Workaround: Before reinstalling <i>VoiceConsole</i>, delete the database user associated with the previous <i>VoiceConsole</i> install, and create a new user for the reinstalled system.</p>	VVC-2648
<p>You cannot upgrade from <i>VoiceConsole</i> versions 2.2 - 2.4 to a newer version of <i>VoiceConsole</i> on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into <i>VoiceConsole</i>.</p> <p>Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the installvariables.properties file and jdbc file before running the upgrade to indicate a different database server name.</p>	VVC-2622

When installing or upgrading, a database login error occurs if <i>VoiceConsole's</i> database username and password is set to blank or contains the symbol \$.	VVC-2056 VVC-2071
<p>Workaround:</p> <ol style="list-style-type: none"> 1. Set the <i>VoiceConsole</i> database username and password to a non-blank value that does not contain the symbol \$. 2. If you are upgrading, update the jdbc.properties file in the system you are upgrading from and restart that system. If you are installing, skip this step. 3. Install <i>VoiceConsole</i>. 	
When upgrading from a previous version of <i>VoiceConsole</i> when <i>VoiceLink</i> 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, <i>VoiceConsole</i> and <i>VoiceLink</i> logs are visible in each application.	VVC-2000
<p>Workaround: Choose a location other than the default for the log file directory when upgrading <i>VoiceConsole</i>.</p>	
When upgrading from <i>VoiceConsole</i> 2.4 to this version of <i>VoiceConsole</i> , Vocollect strongly recommends you backup the database you are using for <i>VoiceConsole</i> 2.4 before upgrading to this version of <i>VoiceConsole</i> in the event you may need to go back to version 2.4.	N/A

Licensing

<i>VoiceConsole</i> will only accept a license for the same major and minor release. Newer licenses will not work with earlier versions of the product.	VVC-3790
---	----------

Logging

If device logging is disabled and you delete a previously captured device log before the logging action item is canceled, a NullPointerException occurs when the device communicates with <i>VoiceConsole</i> .	VVC-2808
<p>Workaround: After logging is disabled the first time, remove the device from view.</p>	
When viewing a printable version of the View Device Logs page for one site, the device logs in other sites in the system are also viewable.	VVC-2615

Operators and Operator Teams

While importing operator lists with 246 or more operators, you cannot manually add operators to the list via the Add operators to this list link.	VVC-3237
If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once.	VVC-2700

<p>If an operator team from one site is added to another site and an operator on the operator team in both sites is deleted from the second site, that operator is removed from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator Bob is in Site A and Operator Team 2 with Operator Mike is in Site B. Operator Team 1 is added to Site B so now Operator Bob is in both sites. Then, Operator Bob is deleted from Site B. Because of this issue, Operator Bob is removed from Operator Team 1 in Site A, but is not deleted from Site A.</p> <p>Workaround: Add the operator back onto the operator team in the original site.</p>	VVC-2685
<p>When an operator is loaded onto a device with an associated task package and the device is moved to a different site and the operator is added, the task package remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site.</p>	VVC-2593
<p>When comparing several operators or devices, the Compare Operators or Compare Devices pages display Loading indefinitely.</p> <p>Workaround: When comparing operators or devices, you can only compare up to six operators or devices at a time.</p>	VVC-1370

Task Packages

<p>Task package information for <i>VoiceClient</i>-based tasks may not update if a task package is modified in <i>VoiceConsole</i>.</p> <p>Workaround: Create a new task package with the correct information and delete the incorrect task package.</p>	VVC-2245
---	----------

Uninstalling

<p>After uninstalling this version of <i>VoiceConsole</i> and choosing the option to keep data, device logs are not created when <i>VoiceConsole</i> 3.0 or newer is installed again on the same machine.</p> <p>Workaround: Create a new folder called DeviceLogs in the <i>VoiceConsole</i> folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.</p>	VVC-1984
--	----------

Voices

<p>You cannot use the voice management features of this version of <i>VoiceConsole</i> with <i>VoiceConsole</i> 2.4-compatible <i>VoiceClient</i> 3.5 or newer firmware. You must use the <i>VoiceConsole</i> 3.0 or newer-compatible version of <i>VoiceClient</i> 3.5 or newer.</p>	N/A
---	-----

VoiceClient

After importing a <i>VoiceClient</i> 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another <i>VoiceClient</i> file. The voices cannot be used in the second site if the <i>VoiceClient</i> you imported in that site is earlier than version 3.5.	VVC-2523
Only one version of <i>VoiceClient</i> 3.5 can exist in the system. If the <i>VoiceConsole</i> 2.4-compatible version is present, you must remove it and import the <i>VoiceConsole</i> 3.0 or newer-compatible version.	N/A

VoiceConsole Differences

In <i>VoiceConsole</i> 2.4 and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in <i>VoiceConsole</i> 3.0 and newer.	N/A
---	-----

Web Browsers

When accessing certain <i>VoiceConsole</i> pages, such as Create Device Profile , Edit Device Profile and Edit Hostname , using HTTPS and Internet Explorer, a warning may display indicating a certificate error. Workaround: Continue to the page. This error is not relevant and does not affect <i>VoiceConsole</i> .	VVC-4011
When using Firefox, opening multiple languages of the Vocollect Hardware Documentation file within <i>VoiceConsole</i> results in an error. Workaround: If you must view the Hardware Documentation in multiple languages, increase Firefox's offline storage to 60MB.	VVC-3335
In Internet Explorer, you can only apply up to six filters on one list at a time. In Firefox, you can only apply up to 30 filters on one list at a time.	N/A
You should not use the back button on the navigation bar of the web browser when using <i>VoiceConsole</i> .	N/A

Web Services

When using web services to delete an operator, the service fails if the operator exists in multiple sites. The Delete Operator service works as expected when the operator only exists in a single site. Workaround: If an operator exists in multiple sites, delete the operator using the user interface rather than web services.	VVC-3847
In a <i>VoiceConsole</i> implementation with a single site, a REST request for a list of sites will return just the properties of that site rather than a list. When multiple sites are present, REST returns the list as expected. Workaround: Developers must account for this difference when using REST services to avoid getting an error.	VVC-3767

When Using Both *VoiceConsole* and *VoiceLink 3.0* or newer

<p>When upgrading from <i>VoiceConsole</i> 3.0, and <i>VoiceConsole</i> and <i>VoiceLink</i> 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls <i>VoiceLink</i>. <i>VoiceConsole</i> remains installed.</p> <p>Workaround: To uninstall <i>VoiceConsole</i>, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.</p>	VVC-1922
<p>When upgrading from <i>VoiceConsole</i> 3.0, and <i>VoiceConsole</i> and <i>VoiceLink</i> 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility.</p> <p>Workaround: To uninstall <i>VoiceConsole</i>, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.</p>	VVC-1921
<p>When upgrading this version of <i>VoiceConsole</i> along with <i>VoiceLink</i> 3.0 or newer, use a different database for <i>VoiceConsole</i> than what you are using for <i>VoiceLink</i></p>	N/A
<p>If you are installing this version of <i>VoiceConsole</i> after <i>VoiceLink</i> 3.0 or newer has been installed, log files for <i>VoiceConsole</i> are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.</p>	N/A

Third Party Licenses

The information for software packages included in this version of *VoiceConsole* is located at www.vocollect.com/sla.

Notes to the System Administrator

This section of the release notes contains information your System Administrator needs for this release.

Notes on Extensible Authentication Protocol (EAP)

VoiceConsole will be distributing credentials to devices in the device profile. Once these credentials are on the devices, the devices will use them to connect to the wireless network. Credentials only need to be entered once per site, operator or device until the credentials need to be changed. When necessary, *VoiceConsole* will manage the distribution of the new credentials.

Restricted User

The restricted user credentials loaded onto the device allow the device to connect to the network with a restricted set of credentials, identifying itself as a Vocollect device able to connect to *VoiceConsole*. The restricted user can obtain the actual credentials for the device, therefore eliminating the need for serial loading each time credentials change.

The restricted user also has the following roles:

- When the device is in the charger, the restricted user is used to log onto the network.
- Credentials are distributed through the restricted user through the Talkman® T5 Combination Charger or over the network.
- A device authenticated on the network with restricted user credentials can load tasks and operators.

Lightweight Directory Access Protocol (LDAP)

You can configure *VoiceConsole* to use LDAP to verify and change user credentials. That is, credentials entered in *VoiceConsole* will be sent to and stored on the Directory Server.

Network Administrators will still be responsible for creating network users. If an Administrator changes a network user's credentials outside of *VoiceConsole*, the changed credentials must be manually entered into *VoiceConsole*. These settings are required for the operator based configuration because each operator enters and changes his or her password and/or PIN in *VoiceConsole*. *VoiceConsole* must be able to communicate with and provide this information to the network.

Important: What You Need

If you are configuring *VoiceConsole* for EAP, you will need the following:

Field	Description
EAP Type	Which type of EAP is used
Association	Which of the three options (site-based, device-based or operator-based) are to be used

Field	Description
Type	Which type of credentials the client wants the device to use to authenticate to the network
Use PINs?	Whether the user will need to enter a PIN to get onto the network
Device Behavior	Whether the device will log off when it goes into the charger
Restricted User	The username and password or certificate of the restricted user that the device will use when it is in the charger in order to communicate to <i>VoiceConsole</i>
Site-wide PIN	The PIN that the user must enter to log onto the network

LDAP settings are optional for site- and device-based association types. They are required for the operator-based association type. If you choose to use LDAP, you will also need the following:

Field	Description
LDAP Host	The hostname of the machine on which the LDAP server is running
LDAP Port	The port on which the LDAP server is listening
LDAP Search User Username	The username that VoiceConsole will use when attempting to find the distinguished name of an operator in the Directory Service
LDAP Search User Password	The password that VoiceConsole will use when attempting to find the distinguished name of an operator in the Directory Service
LDAP Search Base	The search base that VoiceConsole will use when trying to find a particular user in the Directory Service
LDAP Searchable Attribute	The attribute that VoiceConsole will search on when trying to find a particular user in the Directory Service
LDAP Password Attribute	The attribute that VoiceConsole will modify when changing the password of a user in the Directory Service

Getting Help

Vocollect has provided complete product reference information in the online help provided with *VoiceConsole*.

For versions of *VoiceConsole* newer than 3.0, there are two links on every page of the application, except the **Home** page, to access Online Help content:

- **Help for this page:** Opens a Help topic specific to the page you are viewing. For example, if you are viewing operators and you click this link, the application displays the help topic defining the **View Operators** page and actions available on that page.
- **Application Help:** Opens the entire Help contents for the system. You can browse the table of contents to find a specific topic. You can also enter keywords and search the Help for topics containing the keywords.

Contact Information

If you have difficulty with any of the procedures described in this document, contact Vocollect Technical Support.

Note: If you purchased equipment or services through a Vocollect reseller, please contact your reseller first for support or to purchase a support plan.

For order placement, order status, returns, Return Material Authorization (RMA) status, or other customer service issues, contact Vocollect Customer Service at:

United States:

E-mail: voccustsupp@vocollect.com

Phone: 866 862 6553, Option 3, Option 2

Americas (outside U.S.), Australia, New Zealand:

E-mail: voccustsupp@vocollect.com

Phone: 412 829 8145, Option 3, Option 2

Europe, Middle East, and Africa:

E-mail:

CustomerServicesEMEA@vocollect.com

Phone: +44 (0) 1628 55 2903

Japan and Korea:

Email: japan@vocollect.com

Phone: +813 3769 5601

To return equipment for repair contact Vocollect RMA to request an RMA number:

Email: vocollect-rma@vocollect.com

For product related technical questions, system support incidents, and related technical issues, contact Vocollect Technical Support at:

United States:

E-mail: support@vocollect.com

Phone: 866 862 7877

Americas (outside U.S.), Australia, New Zealand:

E-mail: support@vocollect.com

Phone: 412 829 8145, Option 3, Option 1

Europe, Middle East, and Africa:

E-mail: emeasupport@vocollect.com

Phone: +44 (0) 1628 55 2902

Japan and Korea:

E-mail: japansupport@vocollect.com

Phone: +813 3769 5601

For sales or any other inquiry, please contact Vocollect at info@vocollect.com or 412 829 8145.

Vocollect Corporate Headquarters
703 Rodi Road
Pittsburgh, PA 15235 US
Phone: +1 412 829 8145
Fax: +1 412 829 0972
Web: <http://www.intermec.com/vocollect/solutions/connect-with-vocollect/contact-sales-consultant/index.aspx>

Vocollect Japan
Shiba 2-Chome Bldg 8F
2-2-15 Shiba, Minato-ku
Tokyo 105-0014 Japan
Phone: +813 3769 5601
Fax: +813-3769-5608

Vocollect EMEA
Gemini House
Mercury Park
Wycombe Lane, Wooburn Green
Buckinghamshire, HP10 0HH UK
Phone: +44 (0) 1628 55 2900
Email: voc_emea@vocollect.com

Vocollect Asia-Pacific Inc.
2903 Sino Plaza, 255-257
Gloucester Road
Causeway Bay
Hong Kong
Phone: +852 3915 7000
Fax: + 852 3051 8209
Phone (China): +86 10 5957
4817
Phone (Australia): +61 409
527 201
Email: apac@vocollect.com

Vocollect Singapore Pte. Ltd.
Vocollect Singapore
151 Lorong Chuan
#05-02A/03 (Lobby C)
New Tech Park
Singapore 556741
Phone (Singapore):+65 6305 2369
Phone (India):+91 124480 6738
Email: singapore@vocollect.com

Vocollect Latin America
Phone (North): +52 55 5241
4800 ext. 4915
Phone (South): +1 412 349
2477
Email:
latin_america@vocollect.com

Copyright

©Copyright 2002 - 2013 Vocollect. All rights reserved. Vocollect, Vocollect Voice, VoiceApplications, VoiceArtisan, VoiceCatalyst, VoiceConsole, VoiceDirect, VoiceExpress, VoiceLink, VoiceInterface Objects, Talkman, Hands-Free, Eyes-Free, Vocollect Adapted Speech Recognition and Voice-Directed Work are either registered trademarks or trademarks of Vocollect and/or Intermec IP Corp.

All other product names mentioned herein are trademarks or registered trademarks of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Vocollect. Reference to any product, process, publication, service, or offering of any third party by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply the endorsement or recommendation of such by Vocollect.

Published by Vocollect.

703 Rodi Road Pittsburgh, PA 15235

(412) 829-8145

fax (412) 829-0972

<http://www.vocollect.com>

Vocollect has carefully checked the information in this document and believes it to be accurate. However, Vocollect assumes no responsibility for any inaccuracies that this document may contain. In no event will Vocollect be liable for direct, indirect, special, exemplary, incidental, or consequential damages resulting from any defect or omission in this document, even if advised of the possibility of such damages.

Any alterations or inconsistent replications of this document cannot be considered accurate and are void. Vocollect may not be able to support issues related to altered documents that are not approved by subject matter experts.

In the interest of product development, Vocollect reserves the right to make improvements to the information in this document and the products that it describes at any time, without notice or obligation.

Contents: Previous Release Notes

Release Notes for Vocollect VoiceConsole® 4.2 Revision B	22
Release Notes for Vocollect VoiceConsole® 4.1.....	33
Release Notes for Vocollect VoiceConsole® 4.0.1.....	45
Release Notes for Vocollect VoiceConsole® 4.0.....	52
Release Notes for Vocollect VoiceConsole® 3.2.....	61
Release Notes for Vocollect VoiceConsole® 3.1.1.....	68
Release Notes for Vocollect VoiceConsole® 3.1.....	75
Release Notes for Vocollect VoiceConsole® 3.0.1.....	84
Release Notes for Vocollect VoiceConsole® 3.0 Revision B.....	90
Release Notes for Vocollect VoiceConsole® 3.0.....	97
Release Notes for Vocollect VoiceConsole®2.4 Revision B	103
Release Notes for Vocollect VoiceConsole®2.3.1 Revision B	105
Release Notes for Vocollect VoiceConsole®2.3.1	107
Release Notes for Vocollect VoiceConsole™ 2.3	109
Release Notes for Vocollect VoiceConsole™ 2.2	113
Release Notes for Vocollect VoiceConsole 2.1	118
Release Notes for Vocollect VoiceConsole™ 2.0.1	125
Release Notes for Vocollect VoiceConsole 2.0	130

Release Notes for Vocollect VoiceConsole® 4.2 Revision B

Note: This version of *VoiceConsole* 4.2 has been updated to include enhancements when using an embedded database, when installing and upgrading, and when validating licenses.

Vocollect Upgrade Recommendation

Due to the critical bug fixes addressed in this version of *VoiceConsole*, Vocollect strongly recommends you upgrade to *VoiceConsole* 4.2 as soon as is practical. This release contains fixes for some critical issues that have been identified in previous versions of *VoiceConsole* that can lead to potential data loss or cause *VoiceConsole* to get into a state where it becomes unresponsive.

Please refer to the *VoiceConsole* 4.2 Implementation Guide for detailed instructions on how to upgrade your system. If you are upgrading and you are running *VoiceConsole* using the embedded database, you must manually shut down the embedded database prior to upgrading, as detailed in the implementation guide.

Installation

Refer to the *Vocollect VoiceConsole 4.2 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole* 4.2.

Release Highlights

Overview

- Support for *Vocollect SRX2 Wireless Headset*
- Headset and *SRX2* battery tracking and management
- Ability to update the status of headsets within *VoiceConsole*, configure battery thresholds, and export information on headsets
- Troubleshooting improvements that coincides with the report problem featured introduced with *Vocollect VoiceCatalyst* 1.2
- Support for modular *VoiceCatalyst* .vos files (coming in *VoiceCatalyst* 2.0 available in 2013)
- Microsoft SQL 2012 database support

New Vocollect Hardware Support

This release supports the use of Vocollect's newest wireless headset, the *SRX2*.

Accessory Management

Headset Asset Management

Note: Compatible only with devices running *Vocollect VoiceCatalyst* 1.2 or newer.

With this release, you can track and manage headsets and *SRX2* headset batteries in *VoiceConsole* by viewing information about accessories (batteries and headsets) in use at your sites on the **Accessories** page. This information includes serial numbers, manufacturing date, date of first communication, and date of last communication with *VoiceConsole*.

You can also identify the status of headsets and track that status across sites. *VoiceConsole* also tracks how often a headset has been repaired and displays a total count of all headsets in a site and across your organization.

Battery Health Management

Note: Compatible only with devices running *Vocollect VoiceCatalyst* 1.2 or newer.

In this release, *VoiceConsole* displays information on *SRX2* headset battery health determined by age thresholds. If necessary, these thresholds can be configured. *VoiceConsole* generates notifications for *SRX2* headset batteries based on these thresholds that indicate a battery is good, should be replaced soon, or needs replaced immediately.

New Accessory Page Actions

This release introduces the following new actions on the **Accessories** page:

- **Update status:** Track the status of headsets within *VoiceConsole* to see whether headsets are active, lost, broken, or out for repair.

Note: Compatible only with devices running *Vocollect VoiceCatalyst* 1.2 or newer.

- **Configure battery threshold:** Defines the time before a notification is generated for an *SRX2* headset battery that should be replaced.
- **Export headset report:** Export a report as a CSV file that lists all active headsets in the system.

Troubleshooting Improvements

Note: Compatible only with devices running *Vocollect VoiceCatalyst* 1.2 or newer.

VoiceConsole now automatically stores snapshot device logs for devices when an operator reports a problem. To report a problem, an operator selects the menu option Report Problem or, if enabled by the **DisableControlFunction_Report_Problem** configurable parameter, speaks "Talkman, Report problem" and a snapshot log file is immediately sent to *VoiceConsole*. See the Release Notes for *Vocollect VoiceCatalyst* 1.2 for more information.

In addition, you can now identify operators associated with device logs for snapshot and crash-dump logs in *VoiceConsole* on the View Device Logs page and search by operator for his device logs.

Microsoft SQL 2012 Database Support

This release supports Microsoft SQL Server® 2012 Standard and Enterprise editions.

Fixed Issues

VVC-4282	After extended use, the embedded database can grow to an unexpected large size, causing issues. This issue is corrected in this release with a fix that initiates the defragment of database files during backups.
VVC-4231	The <code>vc_device_terminalmessage</code> table is now truncated as part of the <i>VoiceConsole</i> install/upgrade.
VVC-4230	You no longer have to re-log into <i>VoiceConsole</i> after a system restart for a device to obtain a recently imported license.
VVC-4035	Operators were not sorted alphabetically when spoken names were a mixture of upper and lower case letters.
VVC-4015	Task package creation with a task that contains the \$ character in its properties would fail.
VVC-3708	An embedded database password could not contain multi-byte characters.
VVC-2272	After removing a device from view and turning the device on, the device might not have associated itself with the correct device profile when the device reconnected to <i>VoiceConsole</i> .

The following issues were fixed in Emergency Customer Shipments (ECS) and included in this release:

VoiceConsole 4.1 ECS 005	The embedded database was not shut down properly after the VocollectWebApplicationVC service stopped. This may have caused data issues. [VVC-3911]
VoiceConsole 4.1 ECS 002	Operator loads onto devices in a load-balanced clustered environment would fail. [VVC-3866]
VoiceConsole 4.1 ECS 001	Many templates from various operators sent at the same time to <i>VoiceConsole</i> may have caused deadlocking errors due to various reads/writes of the same table. This ECS improves handling of near simultaneous template updates in order to prevent <i>VoiceConsole</i> from becoming unresponsive. [VVC-3951]
VoiceConsole 4.0.1 ECS 010	Several SetTime action items sent to <i>VoiceConsole</i> at once caused performance issues. [VVC-3921]
VoiceConsole 4.0.1 ECS 009	Frequent status change issues in <i>VoiceClient</i> 3.8 resulted in memory issues in <i>VoiceConsole</i> . [VVC-4077]
VoiceConsole 4.0.1 ECS 007	In a clustered environment, a task package load would fail if the task package used hostnames instead of IP addresses. [VVC-3896]
VoiceConsole 4.0.1 ECS 005	The View Operators page took an extended amount of time to load the first time and while scrolling through the page. [VVC-3867]
VoiceConsole 4.0.1 ECS 004	<i>VoiceConsole</i> took an extended amount of time to purge a large amount of records from the database. [VVC-2585]
VoiceConsole 4.0.1 ECS 003	When using operator-based EAP association, operators with a ChangeCredential action item could not be deleted. [VVC-3822]

	When using operator-based EAP association, network credentials were not copied correctly when you duplicated an operator. [VVC-3821]
VoiceConsole 3.1.1 ECS 010	In a clustered environment, the site cache may have become out of sync with the database causing <i>VoiceConsole</i> to become unresponsive. [VVC-3932]
VoiceConsole 3.1.1 ECS 006	<ul style="list-style-type: none"> • In multi-site environments, the update task process failed if the name of the task was duplicated in <i>VoiceConsole</i>. [VVC-3881, VVC-3882] • When updating a task with active action items still linked to the previous task, an undetailed error message displayed. <i>VoiceConsole</i> now displays a more detailed error message indicating the problem that occurs. [VVC-3883] • In multi-site environments, the update task process failed to delete old tasks and task packages. [VVC-3879]

Upgrading

Note: You are still able to upgrade from a 2.x version of *VoiceConsole*, but the process involves upgrading to a previous 4.x version before upgrading to *VoiceConsole* 4.2. See the *Vocollect VoiceConsole 4.2 Implementation Guide* for details.

This version supports installations on certain operating system/database combinations for new installations only. Refer to the *Vocollect VoiceConsole 4.2 Implementation Guide* on the software DVD.

Upgrading from an Installation with an Embedded Database

If you are upgrading from an installation with an embedded database, you must first shutdown the embedded database by issuing the shutdown command in the Embedded Database Utility and then upgrade to *VoiceConsole* 4.2. See the *Vocollect VoiceConsole 4.2 Implementation Guide* for instructions on upgrading in this scenario.

Upgrading with TMS Data

Direct upgrades to *VoiceConsole* 4.2 using data from *Talkman Management Software (TMS)* are not supported. You can perform an upgrade with data from *TMS* by first upgrading to *VoiceConsole* 4.0, migrating the data, then upgrading to *VoiceConsole* 4.2.

System Requirements

VoiceConsole 4.2 supports the following environments. You can find detailed system requirements in the *Vocollect VoiceConsole 4.2 Implementation Guide*.

Supported Environments

Operating System	Microsoft® Windows® 2008 (64-bit version), Standard and Enterprise
	Microsoft Windows 2008 Server (32-bit version), Standard and Enterprise

	Microsoft Windows 2003 Server (32-bit version), Standard and Enterprise
	Red Hat® Enterprise Linux® version 6.x (64-bit version)
	Red Hat Enterprise Linux version 6.x (32-bit version)
	Red Hat Enterprise Linux version 5.x (32-bit version)
	CentOS Linux version 6.x
	VMWare® ESX 4.x running a supported operating system and <i>VoiceConsole</i> Embedded Database. (x86)
Database	Microsoft SQL Server® 2012
	Microsoft SQL Server 2008
	Oracle® Database 11g
	VoiceConsole Embedded Database (integrated)
Web Server	Apache Tomcat™ version 7.0
Clients	Microsoft Windows 7
	Windows Vista
	Windows XP SP2
	Red Hat Linux Workstation ES for Intel processors
Browsers	Microsoft Internet Explorer 7.x, 8.x, 9.x
	Mozilla® Firefox® 4.x or newer
	All browsers require that Java™ JRE™ 1.6 or 1.7 be installed and configured.

Note: *VoiceConsole 4.2* no longer provides support for RedHat Linux 4.x, CentOS Linux 5.x, and Mozilla Firefox 3.x.

General Considerations/Limitations

Issues Reported with This Release

VVC- 4182 When using an embedded database, an operator was not correctly associated with a task package or voice associated using the create operator team web service.

Workaround: Use the create operator web service to associate a task package or voice with an operator or use the *VoiceConsole* application.

VVC- 4160 When using FireFox, you are unable to copy a selection from the application.

Workaround: Use Internet Explorer if you want to copy a selection.

VVC- 4134 While installing *VoiceConsole 4.2* in a Linux, non-English environment, you may not be able to enter data into certain fields in the installer interface. The cause of this issue is a known issue within JAVA [reported by Oracle](#).

Workaround: Select a different field or click a different tab, return to the field, and try to the enter data again.

VVC- 4011 When accessing certain *VoiceConsole* pages, such as **Create Device Profile**, **Edit Device Profile** and **Edit Hostname**, using HTTPS and Internet Explorer, a

warning may display indicating a certificate error.

Workaround: Continue to the page. This error is not relevant and does not affect *VoiceConsole*.

VVC-3496 If Bluetooth is enabled for a device in *VoiceConsole* while the device is powered off, the setting may reset to disabled when the device is turned on.

Workaround: In the device's device profile, add the `Bluetooth_IsEnabled=true` to advanced settings, reload the profile to that device, and restart it.

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

VVC-3868 During an upgrade to *VoiceConsole* 4.1, a database upgrade from Microsoft SQL Server or to SQL Server may generate errors if the database user account is set to a non-English locale. The upgrade process reports failures because of a date format mismatch, and it results in incorrect entries in the `voc_plugin_modules` database table.

VVC-4229

Workaround: To avoid the error and date mismatch, set the Microsoft SQL Server user locale to English before initiating the upgrade.

If the locale change cannot be performed and the installation reports serious errors at completion, perform the following steps to verify the nature of the errors.

1. Open the `Vocollect_Enterprise_Products_DBInterfaceLog.log`.
2. Look for `BatchUpdateException` messages.
3. If one or more messages report that NULL values are not allowed in the `voc_plugin_modules_auth` table, the installation errors can be ignored and the *VoiceConsole* upgrade is successful.
4. If the log contains other messages, the problem is unrelated and requires troubleshooting.

VVC-3845 During a silent install of *VoiceConsole* version 3.0 or 3.0.1 in a Linux/Unix environment, the `TOMCAT_USER` is set to null rather than the default *VoiceConsole* user account. If a silent upgrade is then performed on this installation, the directory security is set for the root user rather than for the expected *VoiceConsole* user account. The upgraded *VoiceConsole* will not start properly.

Workaround: Reset the directory permissions after the upgrade is complete. See the Implementation Guide section on silent installation for more assistance.

VVC-3847 When using web services to delete an operator, the service fails if the operator exists in multiple sites. The Delete Operator service works as expected when the operator only exists in a single site.

Workaround: Delete operators using the user interface rather than web services.

VVC-3790 *VoiceConsole* will only accept a license for the same major and minor release. Newer licenses will not work with earlier versions of the product.

VVC- In a *VoiceConsole* implementation with a single site, a REST request for a list of

3767	sites will return just the properties of that site rather than a list. When multiple sites are present, REST returns the list as expected.
	Workaround: Developers must account for this difference when using REST services to avoid getting an error.

VVC-3335	When using Mozilla Firefox®, opening multiple languages of the Vocollect Hardware Documentation file within <i>VoiceConsole</i> results in an error.
	Workaround: If you must view the Hardware Documentation in multiple languages, increase Firefox's offline storage to 60MB.

VVC-3237	While importing operator lists with 246 or more operators, you cannot manually add operators to the list via the Add operators to this list link.
-----------------	--

VVC-3229 & VVC-277	When non- <i>VoiceConsole</i> tables exist in the same schema, upgrading from <i>VoiceConsole</i> 2.3 and earlier with SQL Server results in a database permission error. Workaround: Ensure only <i>VoiceConsole</i> tables exist in the <i>VoiceConsole</i> database. Also, system tables should not be present in the database in which <i>VoiceConsole</i> is installed.
-------------------------------	--

VVC-3158	When a database username for SQL Server contains a space, the installation continues even if an error is received. Additionally, only the text before the space is sent to the server. Workaround: Do not use a space for the database username.
-----------------	--

VVC-2808	If device logging is disabled and you delete a previously captured device log before the logging action item is canceled, a <code>NullPointerException</code> occurs when the device communicates with <i>VoiceConsole</i> . Workaround: After logging is disabled the first time, remove the device from view.
-----------------	---

VVC-2720	When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified.
-----------------	---

VVC-2700	If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once.
-----------------	--

VVC-2685	If an operator team from one site is added to another site and an operator on the operator team in both sites is deleted from the second site, that operator is removed from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator 1 is in Site 1 and Operator Team 2 with Operator 2 is in Site 2. Operator Team 1 is added to Site 2 so now Operator 1 is in both sites. Then, Operator 1 is deleted from Site 2. Because of this issue, Operator 1 is removed from Operator Team 1 in Site 1, but is not deleted from Site 1. Workaround: Add the operator back onto the operator team in the original site.
-----------------	--

VVC-2615	When viewing a printable version of the View Device Logs page for one site, the device logs in other sites in the system are also viewable.
-----------------	--

VVC-2593	When an operator is loaded onto a device with an associated task package and the device is moved and the operator is added to a different site, the task package
-----------------	--

-
- remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site.
-
- VVC-2523** After importing a *VoiceClient* 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another *VoiceClient* file. The voices cannot be used in the second site if the *VoiceClient* you imported in that site is earlier than version 3.5.
-
- VVC-2513** In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the **Change Network Credentials** page, even though the page prompts the user to change his/her credentials.
- Workaround:** The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into *VoiceConsole* before they can be changed. So, after the initial set of credentials is entered into *VoiceConsole* the first time, the operator can re-enter the **Change Network Credentials** page via the operator login screen and change his/her credentials.
-
- VVC-2456** When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page.
- Workaround:** Change one of the device to operator assignments, and then change it back to the original (correct) assignment.
-
- VVC-2410** If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful.
- Workaround:** Clear the existing pairing before attempting to pair a device to a different Bluetooth device.
-
- VVC-2245** TaskBuilder task package information may not update if a task package is modified in *VoiceConsole*.
- Workaround:** Create a new task package with the correct information and delete the incorrect task package.
-
- VVC-2212 & VVC-826** If the SQL Server database collation is not set to be case-insensitive, *VoiceConsole* may not work properly. When creating a new SQL Server database, ensure you choose the proper collation for the language the system is in with `_CI` included in the collation name.
-
- VVC-2104** When loading a newly created or edited operator to a device from **View Device** page, the operator may not immediately appear in the list of operators or the updated operator information may not be displayed immediately in the drop-down list in the **Load Operator** dialog box.
- Workaround:** Select the operator in the **View Operators** list. Select **Common Operator Actions | Assign devices to selected operator** and click the **change** link on the **Assign Devices** page to select a device.
-
- VVC-1984** After uninstalling this version of *VoiceConsole* and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 or newer is installed again on the same machine.
-

	Workaround: Create a new folder called DeviceLogs in the <i>VoiceConsole</i> folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.
--	---

VVC-1235	When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled.
	Workaround: Refresh the page, and select the correct file to upload.

VVC-1525	If you activate the Discoverable and Enable manual pairings of headsets check boxes in the Bluetooth section on the Device Properties page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the Device Properties page.
	Workaround: Re-activate (check) these check boxes and click Apply on the Device Properties page.

N/A	In <i>VoiceConsole 2.4</i> and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in <i>VoiceConsole 3.0</i> and newer.
------------	---

N/A	You cannot use the database schema created for <i>VoiceConsole</i> for another application.
------------	---

N/A	When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.
	Workaround: Ensure that you have set up the serial load correctly in <i>VoiceConsole</i> and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

N/A	You cannot use the voice management features of this version of <i>VoiceConsole</i> with <i>VoiceConsole 2.4</i> -compatible <i>VoiceClient 3.5</i> or newer firmware. You must use the <i>VoiceConsole 3.0</i> or newer-compatible version of <i>VoiceClient 3.5</i> or newer.
------------	---

N/A	Only one version of <i>VoiceClient 3.5</i> can exist in the system. If the <i>VoiceConsole 2.4</i> -compatible version is present, you must remove it and import the <i>VoiceConsole 3.0</i> or newer-compatible version.
------------	---

N/A	In Internet Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
------------	---

N/A	You should not use the back button on the navigation bar of the web browser.
------------	--

Considerations for Upgrading

VVC-3231	When upgrading, if the IP address of the machine running <i>VoiceConsole</i> has changed, the previous IP address may still be used during installation regardless of the IP address you enter during installation. Installation appears to be successful, but an error displays when you open <i>VoiceConsole</i> .
	Workaround: Stop and restart Apache Tomcat before upgrading to this version of <i>VoiceConsole</i> .

VVC-2653	You cannot import a <i>VoiceConsole 3.0</i> or <i>3.0.1</i> license into a <i>VoiceConsole 3.1</i> or <i>3.1.1</i> system. However, if you have previously installed <i>VoiceConsole 3.0</i> or <i>3.0.1</i>
-----------------	--

and upgrade to *VoiceConsole* 3.1 or 3.1.1, a previously imported 3.0 or 3.0.1 license will work in your upgraded system.

VVC-2622 You cannot upgrade from *VoiceConsole* versions 2.2 - 2.4 to *VoiceConsole* 3.x on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into *VoiceConsole* 3.x.

Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the **installvariables.properties** file and **jdbc** file before running the upgrade to indicate a different database server name.

VVC-2056 & VVC-2071 When installing or upgrading, a database login error occurs if *VoiceConsole*'s database username and password is set to blank or contains the symbol \$.

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol \$.
 2. If you are upgrading, update the jdbc.properties file in the system you are upgrading from and restart that system.
If you are installing, skip this step.
 3. Install *VoiceConsole* 3.1.1.
-

VVC-2000 When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application.

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

N/A When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.

Considerations When Using Both *VoiceConsole* and *VoiceLink* 3.0 or newer

N/A When upgrading this version of *VoiceConsole* along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*

VVC-2576 Display Dialog functionality is not available in *VoiceConsole* using WebLogic.

VVC-1922 When upgrading from *VoiceConsole* 3.0, and *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed.

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at

	<InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.
--	--

VVC-1921	<p>When upgrading from <i>VoiceConsole</i> 3.0, and <i>VoiceConsole</i> and <i>VoiceLink</i> 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility.</p> <p>Workaround: To uninstall <i>VoiceConsole</i>, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.</p>
-----------------	---

VVC-1899 & VVC-956	<p>If a USB hub is being used to serial load multiple devices, intermittent lockups may occur.</p> <p>Workaround: Close and reopen the browser to reinitialize the serial port.</p>
-------------------------------	--

VVC-1824	<p>When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete.</p>
-----------------	---

VVC-1370	<p>When comparing several operators or devices, the Compare Operators or Compare Devices pages display Loading indefinitely.</p> <p>Workaround: When comparing operators or devices, you can only compare up to six operators or devices at a time.</p>
-----------------	--

N/A	<p>If you are installing this version of <i>VoiceConsole</i> after <i>VoiceLink</i> 3.0 or newer has been installed, log files for <i>VoiceConsole</i> are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.</p>
------------	--

Release Notes for Vocollect VoiceConsole® 4.1

Installation

Refer to the *Vocollect VoiceConsole 4.1 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole 4.1*.

Release Highlights

Enabling and Disabling Logging on Multiple Devices

You can now select multiple devices from the **View Devices** page and enable or disable logging on those devices on one page. The maximum simultaneous logging devices allowed is set on the system configuration page. The limit defaults to 10 on a new installation or to the next higher multiple of five on a previously installed system with more than 10 devices already logging.

Hypertext Transfer Protocol Secure (HTTPS) Support

HTTPS encrypts and decrypts data communicated to and from the *VoiceConsole* system or data displayed on certain pages, depending on how you set HTTPS during installation, as well as any information returned by the *VoiceConsole* server for these pages. The use of HTTPS protects against unauthorized users gaining access to private information.

- **HTTPS Support in VoiceConsole:** You can now enforce HTTPS for the entire *VoiceConsole* application by selecting this option during installation. If HTTPS is enabled, transfer of data over the network is encrypted making browser to server communication more secure.
- **New HTTPS Support on Certain Pages:** If you do not enable HTTPS for the full application, certain pages within *VoiceConsole* are still secured.

This release introduces HTTPS security for the **Create Device Profile**, **Edit Device Profile** and **Edit Hostname** pages to further enhance security of the information on these pages.

Support for VoiceCatalyst MP for Windows® XP

This release includes support for VoiceCatalyst MP for Windows XP (VCMP). VCMP is a version of VoiceCatalyst that runs on a stationary device running Windows XP. It is ideal for running voice applications on devices mounted at various locations in the warehouse.

VCMP devices may contain voices that are not included among VoiceConsole's default voice files. VoiceConsole detects all voices on devices in a given site and lists them with the default offerings on the **Associate Voice: Select Voice** page. If you select to associate an operator with a voice marked with an asterisk (*) on this page, you must ensure that the device has that voice installed before loading the operator.

Support for REST Services

This release supports Representational State Transfer (REST). REST is a way of getting, sending or altering information content at a URL by reading XML at the specified location. By using REST as a mechanism to facilitate remote *VoiceConsole* operations, customers and partners can develop interfaces between other client applications and *VoiceConsole's* web services. Because REST uses an HTTP protocol to retrieve and send data, users can access data by simply opening a URL.

The *Vocollect VoiceConsole 4.1 REST API Guide* is available on the product DVD and via the partner portal.

New and Updated Apache CXF Web Services

The following Apache CXF Web Services were added in this release. With the addition of new web services, almost everything which a warehouse needs to do can be automated.

- Fetch all voices: Returns all voices within the *VoiceConsole* system.

The following Apache CXF Web Services were updated in this release to include associated voice and task package data:

- Create Operator
- Update Operator
- Create Operator Team
- Update Operator Team

In addition, web service support was extended to include HTTPS security.

The *Vocollect VoiceConsole 4.1 Web Services - Apache CXF Guide* is available on the product DVD and via the partner portal.

Enhanced Device Profiles User Interface

New technology implemented for managing device profiles offers increased flexibility for custom client settings, similar to the flexibility provided with Vocollect applications based on VoiceArtisan technology. As a result of the changes, page 3 of **Create Device Profile** displays a new tabbed interface.

Fixed Issues

VVC-3818	When a VoiceArtisan-based voice application (task) file was imported to multiple sites and used to create a task package in each site, the task package files were given the same name. If a setting in one task package was edited, the change affected all task packages with the same name across sites. This issue has been resolved; the task package files are now saved using a new file naming convention and no files are overwritten.
VVC-3799, VVC-2078 & VVC- 3435	If <i>VoiceConsole</i> was accessed by a browser using Java JRE 1.6 on an operating system using both the German regional and time zone settings, the Serial Load utility in <i>VoiceConsole</i> was not functioning properly. This was due to an issue specific to this Java JRE in this region and time zone setting. This issue has been resolved.

VVC-3737	When operator export files created in a previous version of <i>VoiceConsole</i> were imported, accented characters were not preserved. Operators were unable to use the system until their names were manually corrected. This issue has been resolved: the system now detects the encoding on the files during import so that the proper character encoding can be applied.
VVC-3725	Under certain conditions, the <i>VoiceConsole</i> service was not stopping properly and could cause database corruption. This issue has been resolved with adjustments to wait time, sequencing, dependencies, and thread management code.
VVC-3688	The login and search input fields in the user interface were expanded when the Lucida Grande font was present on the user's system. This issue has been resolved; the font was removed from the UI style sheet for the affected elements.
VVC-3664	When using Internet Explorer version 8 to download a VAD task (Voice-Artisan based voice process software) via "Download" link in the user interface, the file save operation was defaulting to a ZIP file type instead of a VAD. This issue has been resolved; the browser no longer attempts to assign a file type to the VAD file.
VVC-3640	Links to devices on the View Device page were not functioning when the device ID was a value greater than 999. This issue has been resolved; the URLs for the devices are now generated and validated properly to connect to the associated device information.
VVC-3618 & VVC- 3619	When loading operators to devices from the Device Management page, clicking the "Change" link would sometimes result in a blank window. Clicking the "Change" link or "Change operator" button ten or more times would generate an error. These issues have been resolved with code updates to speed up the page display, add a loading bar to show page progress, and to display large amounts of data properly.
VVC-3593	Column widths greater than 999 characters in the user interface were causing the data tables to display incorrectly or not build at all, depending on the language setting of the browser. This issue has been resolved; the column width does not adversely affect the data display. If the width is increased or browser language changed, the data will display properly on refresh.
VVC-3590	If an operator existed in more than one site and was a member of an operator team in each site, removing the operator's team membership in one site removed the team associations in all sites. This issue has been resolved; the system now updates operator team membership per site.
VVC-3589	The system allowed blank entries to be added to the phonetic substitution data, resulting in an error message ("Could not insert over existing dictionary entry") and the task package failing to load on the device. This issue has been resolved; blank entries are now rejected.
VVC-3498	Upgrades to <i>VoiceConsole</i> versions 3.2, 4.0, or 4.0.1 were failing when the installers were unable to detect the existing installation. This issue has been resolved; the installer has been updated to handle resident registry keys for 64-bit systems.
VVC-3473	Earlier versions of Apache Tomcat deployed with <i>VoiceConsole</i> were found to cause various unexpected issues at customer sites. Tomcat has been upgraded to version 7.0.14 to address these issues.
VVC-3270 & VVC- 2249	Users with "Create user" permissions were able to create admin accounts and roles. This issue has been resolved; users with this level of permissions cannot authorize permissions for accounts with greater access than their own.
VVC-3164, VVC-2716,	When a device was removed via the user interface and a new device was entered using the same device name, the system displayed both devices in

& VVC-1870	search results. This issue has been resolved; when devices are removed via the UI, the associated records are now also purged from the database.
VVC-2883	When clearing a pairing between a Vocollect T-series device and an SRX headset, the pairing continued to display in <i>VoiceConsole</i> as "disconnected" rather than being permanently removed. This issue is resolved; clearing the pairing removes the association between device and headset and removes the display record.
VVC-2878	During installation, a UNC path (ex. \\ComputerName\Path) could not be used as the Storage Directory for the application files. When installing into a clustered environment, a UNC path could not be used as the Shared Cluster Folder. These issues have been resolved; UNC paths are now acceptable entries.
VVC-2736	When upgrading from <i>VoiceConsole</i> 2.x versions, data records that were previously deleted were migrated along with current data. This condition caused delays and failures in the upgrade process. This issue has been resolved; custom queries were added to ensure that only relevant data is migrated.
VVC-2052	When the maximum number of licensed devices was reached, a message was displayed that appeared to be an error. This issue has been resolved; the message now appears only when the license limit has been exceeded.

The following issues were fixed in Emergency Customer Shipments (ECS) and included in this release:

VoiceConsole 4.0.1 ECS 002 (VVC-3799, VVC-2078 & VVC-3435)	If <i>VoiceConsole</i> was accessed by a browser using Java JRE 1.6 on an operating system using both the German regional and time zone settings, the Serial Load utility in <i>VoiceConsole</i> was not functioning properly. This was due to an issue specific to this Java JRE in this region and time zone setting. This issue has been resolved.
VoiceConsole 4.0.1 ECS 001 (VVC-3733)	With a large number of operators, the system could take a long time retrieving the list of teams, causing devices to time out. This issue has been resolved by optimizing the queries that generate the list.
VoiceConsole 4.0 ECS 002 (VVC-3709)	Under certain scenarios, the Device Dialog Display feature would stop responding and devices were not receiving task downloads. This issue has been resolved with changes to the code used to track client communications.
VoiceConsole 4.0 ECS 001 (VVC-3631)	The time zone rules for Asia and Israel were sending incorrect dates for daylight savings time to devices, causing infrequent performance problems. This issue has been resolved with a mechanism for the user to override these rules with an XML file containing a new start and end date and time.
VoiceConsole 3.1.1 ECS 005	A configuration that was implemented to reduce the time difference allowed between device time and <i>VoiceConsole</i> system time, resulted in performance problems. When the default 120 seconds was changed to a significantly shorter interval, the system generated increased traffic with numerous simultaneous <i>SetTime</i> action items to sync the time with the devices. This issue has been resolved with a system limit on the number of <i>SetTime</i> actions that can be generated at one time.
VoiceConsole 3.1	Under specific conditions, an internal mapping framework used by

ECS 001 (VVC-3732) VoiceConsole caused OutOfMemory errors. This issue has been resolved with a code patch.

Documentation Fixes

VVC-3781 The *VoiceConsole 4.1 Implementation Guide* includes new information in chapter 8. Formerly discussing "Configuring the Tomcat Log Directory Size," the chapter now covers "Configuring VoiceConsole Logs." Refer to this chapter for instruction on setting logging location, log file size and the number of log files to retain.

Upgrading

This version supports installations on certain operating system/database combinations for new installations only. Refer to the *Vocollect VoiceConsole 4.1 Implementation Guide* on the software DVD.

Migrating to VoiceConsole Embedded Database

This release supports upgrades of previous versions of *VoiceConsole* and their supported databases to *VoiceConsole 4.1* with the Embedded Database. See the *Vocollect VoiceConsole 4.1 Implementation Guide* for detailed instructions on upgrading from an existing installation on a different computer.

Upgrading with TMS Data

Direct upgrades to *VoiceConsole 4.1* using data from Talkman Management Software (TMS) are not supported. You can perform an upgrade with data from TMS by first upgrading to *VoiceConsole 4.0*, migrating the data, then upgrading to *VoiceConsole 4.1*. See the *Vocollect VoiceConsole 4.1 Implementation Guide* for detailed instructions.

System Requirements

VoiceConsole 4.1 supports the following environments. You can find detailed system requirements in the *Vocollect VoiceConsole 4.1 Implementation Guide*.

Supported Environments

Operating System	Microsoft® Windows Server® 2008, 64-bit Windows Server 2008 R2, 64-bit Windows Server 2008, 32-bit Windows Server 2003, 32-bit Red Hat® Enterprise Linux® 5.x, 32-bit Red Hat Linux 4.x, 32-bit IBM AIX 7.x IBM AIX 6.x CentOS Linux 5.x VMWare ESX v.4.0 running a supported operating system with the <i>VoiceConsole</i> Embedded Database
Database	Microsoft SQL Server® 2008 Oracle® Database 11g

	VoiceConsole Embedded Database (integrated)
Web Server	Apache Tomcat™ version 7.0
Clients	Microsoft Windows 7 Windows Vista Windows XP SP2 Red Hat Linux Workstation ES for Intel processors
Browsers	Microsoft Internet Explorer 7.x, 8.x, 9.x Mozilla® Firefox® 3.x, 4.x

Note: *VoiceConsole 4.1* no longer provides support for Microsoft SQL Server® 2005, Oracle Database 10g, VMware ESX 3.5, and Internet Explorer 6.x.

General Considerations/Limitations

Issues Reported with This Release

VVC-3868 During an upgrade to VoiceConsole 4.1, a database upgrade from Microsoft SQL Server or to SQL Server may generate errors if the database user account is set to a non-English locale. The upgrade process reports failures because of a date format mismatch, and it results in incorrect entries in the `voc_plugin_modules` database table.

Workaround: To avoid the error and date mismatch, set the Microsoft SQL Server user locale to English before initiating the upgrade.

If the locale change cannot be performed and the installation reports serious errors at completion, perform the following steps to verify the nature of the errors.

1. Open the `Vocollect_Enterprise_Products_DBInterfaceLog.log`.
2. Look for `BatchUpdateException` messages.
3. If one or more messages report that NULL values are not allowed in the `voc_plugin_modules_auth` table, the installation errors can be ignored and the VoiceConsole upgrade is successful.
4. If the log contains other messages, the problem is unrelated and requires troubleshooting.

VVC-3847 When using web services to delete an operator, the service fails if the operator exists in multiple sites. The Delete Operator service works as expected when the operator only exists in a single site.

Workaround: Delete operators using the user interface rather than web services.

VVC-3845 During a silent install of *VoiceConsole* version 3.0 or 3.0.1 in a Linux/Unix environment, the `TOMCAT_USER` is set to null rather than the default *VoiceConsole* user account. If a silent upgrade is then performed on this installation, the directory security is set for the root user rather than for the expected *VoiceConsole* user account. The upgraded *VoiceConsole* will not start properly.

Workaround: Reset the directory permissions after the upgrade is complete. See the

Implementation Guide section on silent installation for more assistance.

VVC-3790 *VoiceConsole* will only accept a license for the same major and minor release. Newer licenses will not work with earlier versions of the product.

VVC-3767 In a *VoiceConsole* implementation with a single site, a REST request for a list of sites will return just the properties of that site rather than a list. When multiple sites are present, REST returns the list as expected.

Workaround: Developers must account for this difference when using REST services to avoid getting an error.

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

VVC-3335 When using Mozilla Firefox®, opening multiple languages of the Vocollect Hardware Documentation file within *VoiceConsole* results in an error.

Workaround: If you must view the Hardware Documentation in multiple languages, increase Firefox's offline storage to 60MB.

VVC-3237 While importing operator lists with 246 or more operators, you cannot manually add operators to the list via the **Add operators to this list** link.

VVC-3229 & VVC-277 When non-*VoiceConsole* tables exist in the same schema, upgrading from *VoiceConsole* 2.3 and earlier with SQL Server results in a database permission error.

Workaround: Ensure only *VoiceConsole* tables exist in the *VoiceConsole* database. Also, system tables should not be present in the database in which *VoiceConsole* is installed.

VVC-3158 When a database username for SQL Server contains a space, the installation continues even if an error is received. Additionally, only the text before the space is sent to the server.

Workaround: Do not use a space for the database username.

VVC-2808 If device logging is disabled and you delete a previously captured device log before the logging action item is canceled, a `NullPointerException` occurs when the device communicates with *VoiceConsole*.

Workaround: After logging is disabled the first time, remove the device from view.

N/A In *VoiceConsole* 2.4 and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in *VoiceConsole* 3.0 and newer.

VVC-2720 When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified.

VVC-2700 If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once.

VVC- If an operator team from one site is added to another site and an operator on the

2685 operator team in both sites is deleted from the second site, that operator is removed from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator 1 is in Site 1 and Operator Team 2 with Operator 2 is in Site 2. Operator Team 1 is added to Site 2 so now Operator 1 is in both sites. Then, Operator 1 is deleted from Site 2. Because of this issue, Operator 1 is removed from Operator Team 1 in Site 1, but is not deleted from Site 1.

Workaround: Add the operator back onto the operator team in the original site.

VVC-2669 If you are using *VoiceConsole* installed on a WebLogic machine with Java 1.5, the maximum number of operators you can import and export at one time is 550.

VVC-2648 Reinstalling *VoiceConsole* on AIX with Oracle after you have uninstalled it may corrupt the database.

Workaround: Before reinstalling *VoiceConsole*, delete the database user associated with the previous *VoiceConsole* install, and create a new user for the reinstalled system.

VVC-2615 When viewing a printable version of the **View Device Logs** page for one site, the device logs in other sites in the system are also viewable.

VVC-2593 When an operator is loaded onto a device with an associated task package and the device is moved and the operator is added to a different site, the task package remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site.

VVC-2523 After importing a *VoiceClient* 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another *VoiceClient* file. The voices cannot be used in the second site if the *VoiceClient* you imported in that site is earlier than version 3.5.

VVC-2513 In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the **Change Network Credentials** page, even though the page prompts the user to change his/her credentials.

Workaround: The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into *VoiceConsole* before they can be changed. So, after the initial set of credentials is entered into *VoiceConsole* the first time, the operator can re-enter the **Change Network Credentials** page via the operator login screen and change his/her credentials.

VVC-2456 When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page.

Workaround: Change one of the device to operator assignments, and then change it back to the original (correct) assignment.

VVC-2410 If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful.

Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.

VVC-2272	<p>After removing a device from view and turning the device on, the device might not associate itself with the correct device profile when the device reconnects to <i>VoiceConsole</i>.</p> <p>Workaround: Select Force Full Profile as the Profile Load Type when loading the profile to a device.</p>
VVC-2245	<p>TaskBuilder task package information may not update if a task package is modified in <i>VoiceConsole</i>.</p> <p>Workaround: Create a new task package with the correct information and delete the incorrect task package.</p>
VVC-2212 & VVC-826	<p>If the SQL Server database collation is not set to be case-insensitive, <i>VoiceConsole</i> may not work properly. When creating a new SQL Server database, ensure you choose the proper collation for the language the system is in with <code>_CI</code> included in the collation name.</p>
VVC-2104 & VVC-2102	<p>When loading a newly created or edited operator to a device from View Device page, the operator may not immediately appear in the list of operators or the updated operator information may not be displayed immediately in the drop-down list in the Load Operator dialog box.</p> <p>Workaround: Select the operator in the View Operators list. Select Common Operator Actions Assign devices to selected operator and click the change link on the Assign Devices page to select a device.</p>
N/A	<p>You cannot use the database schema created for <i>VoiceConsole</i> for another application.</p>
N/A	<p>When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.</p> <p>Workaround: Ensure that you have set up the serial load correctly in <i>VoiceConsole</i> and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.</p>
N/A	<p>You cannot use the voice management features of this version of <i>VoiceConsole</i> with <i>VoiceConsole</i> 2.4-compatible <i>VoiceClient</i> 3.5 or newer firmware. You must use the <i>VoiceConsole</i> 3.0 or newer-compatible version of <i>VoiceClient</i> 3.5 or newer.</p>
N/A	<p>Only one version of <i>VoiceClient</i> 3.5 can exist in the system. If the <i>VoiceConsole</i> 2.4-compatible version is present, you must remove it and import the <i>VoiceConsole</i> 3.0 or newer-compatible version.</p>
VVC-1984	<p>After uninstalling this version of <i>VoiceConsole</i> and choosing the option to keep data, device logs are not created when <i>VoiceConsole</i> 3.0 or newer is installed again on the same machine.</p> <p>Workaround: Create a new folder called DeviceLogs in the <i>VoiceConsole</i> folder located, by default, at <code><InstallDirectory>\VoiceConsole</code>, in Windows, and <code><InstallDirectory>/VoiceConsole</code>, in Linux.</p>
N/A	<p>In Internet Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.</p>
N/A	<p>You should not use the back button on the navigation bar of the web browser.</p>

VVC-1235 When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled.

Workaround: Refresh the page, and select the correct file to upload.

VVC-1525 If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page.

Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

Considerations for Upgrading

VVC-3231 When upgrading from *VoiceConsole* 3.1, if the IP address of the machine running *VoiceConsole* has changed, the previous IP address may still be used during installation regardless of the IP address you enter during installation. Installation appears to be successful, but an error displays when you open *VoiceConsole*.

Workaround: Stop and restart Apache Tomcat before upgrading to this version of *VoiceConsole*.

VVC-2653 You cannot import a *VoiceConsole* 3.0 or 3.0.1 license into a *VoiceConsole* 3.1 or 3.1.1 system. However, if you have previously installed *VoiceConsole* 3.0 or 3.0.1 and upgrade to *VoiceConsole* 3.1 or 3.1.1, a previously imported 3.0 or 3.0.1 license will work in your upgraded system.

VVC-2622 You cannot upgrade from *VoiceConsole* versions 2.2 - 2.4 to *VoiceConsole* 3.x on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into *VoiceConsole* 3.x.

Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the **installvariables.properties** file and **jdbc** file before running the upgrade to indicate a different database server name.

VVC-2056 When installing or upgrading, a database login error occurs if *VoiceConsole*'s database username and password is set to blank or contains the symbol \$.

& VVC-2071

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol \$.
2. If you are upgrading, update the jdbc.properties file in the system you are upgrading from and restart that system.
If you are installing, skip this step.
3. Install *VoiceConsole* 3.1.1.

VVC-2025 Installing or upgrading *VoiceConsole* using Linux with *Vocollect VoiceLink* 3.0 or newer installed on same server causes permissions error for two directories.

Workaround: After you install or upgrade *VoiceConsole*, change the ownership of

the storage directories to the vocollect user by running the command **chown -R vocollect <Install Directory>/Vocollect/VoiceConsole/VoiceConsole<version>/Files.**

Note: If you selected a user other than the default during installation, replace vocollect with the user you selected.

VVC-2012 When upgrading from a previous version of *VoiceConsole* to this version of *VoiceConsole* on a different computer, the ReadMappingFileAction fails and you receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole 2.x* database is present. This error does not affect *VoiceConsole*.

VVC-2000 When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application.

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

N/A When using *VoiceClient* 3.4 and upgrading to this version of *VoiceConsole* on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.

Workaround: Load a *VoiceClient* version other than 3.4 to the device.

N/A When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.

Considerations When Using Both *VoiceConsole* and *VoiceLink* 3.0 or newer

N/A When installing this version of *VoiceConsole* along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*

N/A When installing this version of *VoiceConsole* with Linux and *VoiceLink* 3.0 or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:

- o chown -R vocollect:vocollect <location of Vocollect Storage Files>
- o chown -R vocollect:vocollect <location of Vocollect Device Logs>

VVC-2576 Display Dialog functionality is not available in *VoiceConsole* using WebLogic.

VVC-1922 When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed.

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise

	Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.
--	---

VVC-1921	<p>When this version of <i>VoiceConsole</i> and <i>VoiceLink</i> 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility.</p> <p>Workaround: To uninstall <i>VoiceConsole</i>, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.</p>
-----------------	---

VVC-1899 & VCC-956	<p>If a USB hub is being used to serial load multiple devices, intermittent lockups may occur.</p> <p>Workaround: Close and reopen the browser to reinitialize the serial port.</p>
-------------------------------	--

VVC-1824	<p>When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete.</p>
-----------------	---

VVC-1370	<p>When comparing several operators or devices, the Compare Operators or Compare Devices pages display Loading indefinitely.</p> <p>Workaround: When comparing operators or devices, you can only compare up to six operators or devices at a time.</p>
-----------------	--

N/A	<p>If you are installing this version of <i>VoiceConsole</i> after <i>VoiceLink</i> 3.0 or newer has been installed, log files for <i>VoiceConsole</i> are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.</p>
------------	--

Release Notes for Vocollect VoiceConsole® 4.0.1

Installation

Refer to the *Vocollect VoiceConsole 4.0.1 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole 4.0.1*.

Release Highlights

Support for New Talkman Devices and Solutions

This release includes certified support for *Talkman A500 VMT Mobile Computers*.

Note: The *A500 VMT* is certified only in certain countries. Refer to Vocollect's Product Availability by Country list.

New Web Service: Load Operator to Device

Note: To use Web Services you should be familiar with object oriented concepts and have experience using web services in other applications.

This web service enables you to load an operator onto a device, optionally loading the operator when the device is put to sleep rather than placed in a charger.

Refer to the Web Services Interface Guide for *Vocollect VoiceConsole 4.0.1* for information on this new web service.

Fixed Issues

- If an operator was performing a task that contained words with multi-byte characters, for example, words containing accented letters, he/she may have had to retrain templates before starting a shift even if the templates were viewable for the operator in *VoiceConsole*. [VVC-3420]
- Bluetooth parameters set on in a device's profile, if different than what was set in *VoiceConsole*, were ignored and overridden by *VoiceConsole*. [VVC-3497]

The following issues were fixed in Emergency Customer Shipments (ECS) and included in this release:

VoiceConsole 3.1.1 ECS 004

- In *VoiceConsole 4.0* and *3.x*, operators were unassociated to operator teams if you clicked the **Reload/Refresh** or **Back** buttons on your browser from the **Edit Operator <Operator Name>** page after performing certain actions. [VVC-3464]

Upgrading

This version supports installations on certain operating system/database combinations for new installations only. Refer to the *Vocollect VoiceConsole* 4.0.1 Implementation Guide on the software DVD.

System Requirements

The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole* 4.0.1 Implementation Guide.

General Considerations/Limitations

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

- When using Mozilla Firefox®, opening multiple languages of the Vocollect Hardware Documentation file within *VoiceConsole* results in an error. [VVC-3335]

Workaround: If you must view the Hardware Documentation in multiple languages, increase Firefox's offline storage to 60MB.

- When upgrading from *VoiceConsole* 3.1, if the IP address of the machine running *VoiceConsole* has changed, the previous IP address may still be used during installation regardless of the IP address you enter during installation. Installation appears to be successful, but an error displays when you open *VoiceConsole*. [VVC-3231]

Workaround: Stop and restart Apache Tomcat before upgrading to this version of *VoiceConsole*.

- While importing operator lists with 246 or more operators, you cannot manually add operators to the list via the **Add operators to this list** link. [VVC-3237]
- When non-*VoiceConsole* tables exist in the same schema, upgrading from *VoiceConsole* 2.3 and earlier with SQL Server results in a database permission error. [VVC-277, VVC-3229]

Workaround: Ensure only *VoiceConsole* tables exist in the *VoiceConsole* database. Also, system tables should not be present in the database in which *VoiceConsole* is installed.

- When a database username for SQL Server contains a space, the installation continues even if an error is received. Additionally, only the text before the space is sent to the server. [VVC-3158]

Workaround: Do not use a space for the database username.

- In *VoiceConsole* 2.4 and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in *VoiceConsole* 3.0 and newer.
- If the SQL Server database collation is not set to be case-insensitive, *VoiceConsole* may not work properly. When creating a new SQL Server database, ensure you

choose the proper collation for the language the system is in with `_CI` included in the collation name. [VVC-826, VVC-2212]

- When installing or upgrading, a database login error occurs if *VoiceConsole*'s database username and password is set to blank or contains the symbol `$`. [VVC-2056, VVC-2071]

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol `$`.
2. If you are upgrading, update the `jdbc.properties` file in the system you are upgrading from and restart that system.

If you are installing, skip this step.

3. Install *VoiceConsole* 3.1.1.

- When loading a newly created or edited operator to a device from **View Device** page, the operator may not immediately appear in the list of operators or the updated operator information may not be displayed immediately in the drop-down list in the **Load Operator** dialog box. [VVC-2102, VVC-2104]

Workaround: Select the operator in the **View Operators** list. Select **Common Operator Actions | Assign devices to selected operator** and click the **change** link on the **Assign Devices** page to select a device.

- TaskBuilder task package information may not update if a task package is modified in *VoiceConsole*. [VVC-2245]

Workaround: Create a new task package with the correct information and delete the incorrect task package.

- In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the **Change Network Credentials** page, even though the page prompts the user to change his/her credentials. [VVC-2513]

Workaround: The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into *VoiceConsole* before they can be changed. So, after the initial set of credentials are entered into *VoiceConsole* the first time, the operator can re-enter the **Change Network Credentials** page via the operator login screen and change his/her credentials.

- After importing a *VoiceClient* 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another *VoiceClient* file. The voices cannot be used in the second site if the *VoiceClient* you imported in that site is earlier than version 3.5. [VVC-2523]
- When an operator is loaded onto a device with an associated task package and the device is moved and the operator is added to a different site, the task package remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site. [VVC-2593]
- When viewing a printable version of the **View Device Logs** page for one site, the device logs in other sites in the system are also viewable. [VVC-2615]

- You cannot upgrade from *VoiceConsole* versions 2.2 - 2.4 to *VoiceConsole* 3.x on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into *VoiceConsole* 3.x. [VVC-2622]

Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the **installvariables.properties** file and **jdbc** file before running the upgrade to indicate a different database server name.

- Reinstalling *VoiceConsole* on AIX with Oracle after you have uninstalled it may corrupt the database. [VVC-2648]

Workaround: Before reinstalling *VoiceConsole*, delete the database user associated with the previous *VoiceConsole* install, and create a new user for the reinstalled system.

- You cannot import a *VoiceConsole* 3.0 or 3.0.1 license into a *VoiceConsole* 3.1 or 3.1.1 system. However, if you have previously installed *VoiceConsole* 3.0 or 3.0.1 and upgrade to *VoiceConsole* 3.1 or 3.1.1, a previously imported 3.0 or 3.0.1 license will work in your upgraded system. [VVC-2653]

- If an operator team from one site is added to another site and an operator on the operator team in both sites is deleted from the second site, that operator is removed from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator 1 is in Site 1 and Operator Team 2 with Operator 2 is in Site 2. Operator Team 1 is added to Site 2 so now Operator 1 is in both sites. Then, Operator 1 is deleted from Site 2. Because of this issue, Operator 1 is removed from Operator Team 1 in Site 1, but is not deleted from Site 1. [VVC-2685]

Workaround: Add the operator back onto the operator team in the original site.

- If you are using *VoiceConsole* installed on a WebLogic machine with Java 1.5, the maximum number of operators you can import and export at one time is 550. [VVC-2669]
- If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once. [VVC-2700]
- When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified. [VVC-2720]
- You cannot use the database schema created for *VoiceConsole* for another application.
- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- You cannot use the voice management features of this version of *VoiceConsole* with *VoiceConsole* 2.4-compatible *VoiceClient* 3.5 or newer firmware. You must use the *VoiceConsole* 3.0 or newer-compatible version of *VoiceClient* 3.5 or newer.

- Only one version of *VoiceClient* 3.5 can exist in the system. If the *VoiceConsole* 2.4-compatible version is present, you must remove it and import the *VoiceConsole* 3.0 or newer-compatible version.
- When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application. [VVC-2000]

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

- After removing a device from view and turning the device on, the device might not associate itself with the correct device profile when the device reconnects to *VoiceConsole*. [VVC-2272]

Workaround: Select **Force Full Profile** as the **Profile Load Type** when loading the profile to a device.

- If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful. [VVC-2410]

Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.

- When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page. [VVC-2456]

Workaround: Change one of the devices to operator assignments, and then change it back to the original (correct) assignment.

- After uninstalling this version of *VoiceConsole* and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 or newer is installed again on the same machine. [VVC-1984]

Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.

- In Internet Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. [VVC-1235]

Workaround: Refresh the page, and select the correct file to upload.

- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. [VVC-1525]

Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

- When installing, you cannot use a UNC path (ex. \\ComputerName\Path) as the Storage Directory for the application files. When installing into a clustered environment, you cannot use a UNC path as the Shared Cluster Folder. [VVC-2878]

Installing or upgrading *VoiceConsole* using Linux with *Vocollect VoiceLink* 3.0 or newer installed on same server causes permissions error for two directories. [VVC-2025]

Workaround: After you install or upgrade *VoiceConsole*, change the ownership of the storage directories to the vocollect user by running the command **chown -R vocollect <Install Directory>/Vocollect/VoiceConsole/VoiceConsole<version>/Files.**

Note: If you selected a user other than the default during installation, replace vocollect with the user you selected.

- If device logging is disabled and you delete a previously captured device log before the logging action item is canceled, an NullPointerException occurs when the device communicates with *VoiceConsole*. [VVC-2808]

Workaround: After logging is disabled the first time, remove the device from view.

Upgrading

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, there will be an error in the log file stating the device cannot be migrated because the serial number already exists. This error is correct as you cannot have two devices with identical serial numbers in one site. [VVC-1573]
- When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.
- When upgrading from a previous version of *VoiceConsole* to this version of *VoiceConsole* on a different computer, the ReadMappingFileAction fails and you receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole* 2.x database is present. This error does not affect *VoiceConsole*. [VVC-2012]
- When using *VoiceClient* 3.4 and upgrading to this version of *VoiceConsole* on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.

Workaround: Load a *VoiceClient* version other than 3.4 to the device.

When using both this version of *VoiceConsole* and *VoiceLink* 3.0 or newer

- When installing this version of *VoiceConsole* along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- When installing this version of *VoiceConsole* with Linux and *VoiceLink* 3.0 or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:
 - o chown -R vocollect:vocollect <location of Vocollect Storage Files>
 - o chown -R vocollect:vocollect <location of Vocollect Device Logs>

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. [VVC-1921]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. [VVC-1922]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- If you are installing this version of *VoiceConsole* after *VoiceLink* 3.0 or newer has been installed, log files for *VoiceConsole* are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.
- If a USB hub is being used to serial load multiple devices, intermittent lockups may occur. [VVC-956, VVC-1899]

Workaround: Close and reopen the browser to reinitialize the serial port.

- When comparing several operators or devices, the **Compare Operators** or **Compare Devices** pages display Loading indefinitely. [VVC-1370]

Workaround: When comparing operators or devices, you can only compare up to six operators or devices at a time.

- When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete. [VVC- 1824]
- Display Dialog functionality is not available in *VoiceConsole* using WebLogic. [VVC-2576]

Release Notes for Vocollect VoiceConsole® 4.0

Installation

Refer to the *Vocollect VoiceConsole 4.0 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole* 4.0.

Release Highlights

Support for New Talkman® Devices and Solutions

This release includes certified support for *Talkman A500* devices.

The Pidion BM-170 peripheral is also supported for use as a display with A500 devices running *Vocollect VoiceCatalyst™*, and can be paired with an A500 through *VoiceConsole*.

Support for Vocollect VoiceArtisan™ Voice Applications

In addition to *Vocollect TaskBuilder™* tasks, this version of *VoiceConsole* supports *VoiceArtisan* voice applications. You can perform all the same actions on *VoiceArtisan* voice applications as you can on *TaskBuilder* tasks in *VoiceConsole*. Collectively, tasks and voice applications are referred to as tasks in *VoiceConsole*.

For more information on *VoiceArtisan*, see the *VoiceArtisan* release notes.

Edit Phonetic Substitutions and Embedded Training Prompts

When creating or editing a task package that contains a *VoiceArtisan* voice application, you can add, edit and delete phonetic substitutions and embedded training prompts to the voice application in *VoiceConsole*.

Support for Vocollect VoiceCatalyst

In addition to *Vocollect VoiceClient®*, this version of *VoiceConsole* supports *VoiceCatalyst*, which runs *VoiceArtisan* voice applications. You can perform all the same actions on *VoiceCatalyst* files as you can on *VoiceClient* files in *VoiceConsole*. Collectively, *VoiceClient* and *VoiceCatalyst* are referred to as *VoiceClient* in *VoiceConsole*.

For more information on *VoiceCatalyst*, see the *VoiceCatalyst* release notes.

Support for Virtual Environments

VMware® version ESX 3.5 with Microsoft® Windows® Server 2008 and the embedded database are the only tested and supported platforms for this release.

Microsoft Windows Server 2008 64-bit Support

Windows Server 2008 64-bit version is now supported with the following databases:

- Oracle 11g (Standard and Enterprise)
- Microsoft SQL Server 2005 with SP2 or SP3 (Standard and Enterprise)
- Microsoft SQL Server 2008 (Standard and Enterprise)
- embedded database

Update Hardware Documentation

In this version, you can update your version of the Vocollect Hardware Documentation by importing a .zip file containing a more recent version of the documentation, if available, from a *Vocollect VoiceClient* CD/DVD, Hardware CD/DVD or other location, such as your computer.

Localization of VoiceConsole Application

VoiceConsole 4.0 is available in the following languages:

- da_DA (Danish)
- de_DE (German)
- en_US (US English)
- es_ES (Spanish)
- es_MX (Latin American Spanish)
- fi_FI (Finnish)
- fr_CA (Canadian French)
- fr_FR (French)
- it_IT (Italian)
- ja_JA (Japanese)
- ko_KO (Korean)
- nl_NL (Dutch)
- no_NO (Norwegian)
- pl_PL (Polish)
- pt_BR (Brazilian Portuguese)
- pt_PT (Iberian Portuguese)
- ru_RU (Russian)
- sv_SE (Swedish)
- zh_CN (Chinese [PRC])
- zh_TW (Chinese [Taiwan])

Fixed Issues

- Some *VoiceConsole* pages may not have been translated into your preferred language.
- When installing *VoiceConsole* into a clustered environment, the FILE_BASE_DIR value in VOC_SYSTEM_PROPERTIES was not properly updated during the installation, and an error occurred in the installation log. The installation completes but you were not able to import a *VoiceClient* to create a device profile. [VVC-2878]

The following issues were fixed in Emergency Customer Shipments (ECS) and included in this release:

VoiceConsole 3.1.1 ECS 001

- When *VoiceConsole* 3.1.1 was configured for device-based EAP-TLS, the certificate and key were not uploaded to the FILE_BASE_DIR when you entered that information on *VoiceConsole*'s **Change Credentials** page. As a result, the changeCredential action item was not properly built and devices could not be used on the network. [VVC-3352]

VoiceConsole 3.1.1 ECS 002

- If you previously upgraded from *VoiceConsole* 2.4 to 3.1.1 and then from 3.1.1 to 3.2, importing a license into *VoiceConsole* 3.2 resulted in an error stating the license was invalid for the installed application. [VVC-3361]

VoiceConsole 3.1.1 ECS 003

- After upgrading from *VoiceConsole* 2.4 and successfully entering new device credentials for device-based EAP-TLS, upgrading from *VoiceClient* 3.5.1 to 3.7 resulted in the credentials no longer displaying in *VoiceConsole*, and some devices could not authenticate on the network. Devices that could authenticate still were not displaying credentials in *VoiceConsole*. [VVC-3380]

System Requirements

The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole* 4.0 Implementation Guide.

General Considerations/Limitations

- If an operator is performing a task that contains words with multi-byte characters, for example, words containing accented letters, he/she may have to retrain templates before starting every shift even if the templates are viewable for the operator in *VoiceConsole*. [VVC-3420]

Workaround: If your task must include non-English words, enter these in the task in English and edit the phonetic file to change the pronunciation to sound like the intended language. See *VoiceConsole* Online Help for information on how to edit phonetic files.

- When using Mozilla Firefox®, opening multiple languages of the Vocollect Hardware Documentation file within *VoiceConsole* results in an error. [VVC-3335]

Workaround: If you must view the Hardware Documentation in multiple languages, increase Firefox's offline storage to 60MB.

- When upgrading from *VoiceConsole* 3.1, if the IP address of the machine running *VoiceConsole* has changed, the previous IP address may still be used during installation regardless of the IP address you enter during installation. Installation appears to be successful, but an error displays when you open *VoiceConsole*. [VVC-3231]

Workaround: Stop and restart Apache Tomcat before upgrading to this version of *VoiceConsole*.

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

- While importing operator lists with 246 or more operators, you cannot manually add operators to the list via the **Add operators to this list** link. [VVC-3237]
- When non-*VoiceConsole* tables exist in the same schema, upgrading from *VoiceConsole* 2.3 and earlier with SQL Server results in a database permission error. [VVC-277, VVC-3229]

Workaround: Ensure only *VoiceConsole* tables exist in the *VoiceConsole* database. Also, system tables should not be present in the database in which *VoiceConsole* is installed.

- When a database username for SQL Server contains a space, the installation continues even if an error is received. Additionally, only the text before the space is sent to the server. [VVC-3158]

Workaround: Do not use a space for the database username.

- In *VoiceConsole* 2.4 and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in *VoiceConsole* 3.0 and newer.
- If the SQL Server database collation is not set to be case-insensitive, *VoiceConsole* may not work properly. When creating a new SQL Server database, ensure you choose the proper collation for the language the system is in with `_CI` included in the collation name. [VVC-826, VVC-2212]
- When installing or upgrading, a database login error occurs if *VoiceConsole*'s database username and password is set to blank or contains the symbol \$. [VVC-2056, VVC-2071]

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol \$.
 2. If you are upgrading, update the `jdbc.properties` file in the system you are upgrading from and restart that system.
If you are installing, skip this step.
 3. Install *VoiceConsole* 3.1.1.
- When loading a newly created or edited operator to a device from **View Device** page, the operator may not immediately appear in the list of operators or the

updated operator information may not be displayed immediately in the drop-down list in the **Load Operator** dialog box. [VVC-2102, VVC-2104]

Workaround: Select the operator in the **View Operators** list. Select **Common Operator Actions | Assign devices to selected operator** and click the **change** link on the **Assign Devices** page to select a device.

- TaskBuilder task package information may not update if a task package is modified in *VoiceConsole*. [VVC-2245]

Workaround: Create a new task package with the correct information and delete the incorrect task package.

- In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the **Change Network Credentials** page, even though the page prompts the user to change his/her credentials. [VVC-2513]

Workaround: The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into *VoiceConsole* before they can be changed. So, after the initial set of credentials are entered into *VoiceConsole* the first time, the operator can re-enter the **Change Network Credentials** page via the operator login screen and change his/her credentials.

- After importing a *VoiceClient* 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another *VoiceClient* file. The voices cannot be used in the second site if the *VoiceClient* you imported in that site is earlier than version 3.5. [VVC-2523]
- When an operator is loaded onto a device with an associated task package and the device is moved and the operator is added to a different site, the task package remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site. [VVC-2593]
- When viewing a printable version of the **View Device Logs** page for one site, the device logs in other sites in the system are also viewable. [VVC-2615]
- You cannot upgrade from *VoiceConsole* versions 2.2 - 2.4 to *VoiceConsole* 3.x on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into *VoiceConsole* 3.x. [VVC-2622]

Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the **installvariables.properties** file and **jdbc** file before running the upgrade to indicate a different database server name.

- Reinstalling *VoiceConsole* on AIX with Oracle after you have uninstalled it may corrupt the database. [VVC-2648]

Workaround: Before reinstalling *VoiceConsole*, delete the database user associated with the previous *VoiceConsole* install, and create a new user for the reinstalled system.

- You cannot import a *VoiceConsole* 3.0 or 3.0.1 license into a *VoiceConsole* 3.1 or 3.1.1 system. However, if you have previously installed *VoiceConsole* 3.0 or 3.0.1 and upgrade to *VoiceConsole* 3.1 or 3.1.1, a previously imported 3.0 or 3.0.1 license will work in your upgraded system. [VVC-2653]

- If an operator team from one site is added to another site and an operator on the operator team in both sites is deleted from the second site, that operator is removed from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator 1 is in Site 1 and Operator Team 2 with Operator 2 is in Site 2. Operator Team 1 is added to Site 2 so now Operator 1 is in both sites. Then, Operator 1 is deleted from Site 2. Because of this issue, Operator 1 is removed from Operator Team 1 in Site 1, but is not deleted from Site 1. [VVC-2685]

Workaround: Add the operator back onto the operator team in the original site.

- If you are using *VoiceConsole* installed on a WebLogic machine with Java 1.5, the maximum number of operators you can import and export at one time is 550. [VVC-2669]
- If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once. [VVC-2700]
- When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified. [VVC-2720]
- You cannot use the database schema created for *VoiceConsole* for another application.
- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- You cannot use the voice management features of this version of *VoiceConsole* with *VoiceConsole* 2.4-compatible *VoiceClient* 3.5 or newer firmware. You must use the *VoiceConsole* 3.0 or newer-compatible version of *VoiceClient* 3.5 or newer.
- Only one version of *VoiceClient* 3.5 can exist in the system. If the *VoiceConsole* 2.4-compatible version is present, you must remove it and import the *VoiceConsole* 3.0 or newer-compatible version.
- When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application. [VVC-2000]

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

- After removing a device from view and turning the device on, the device might not associate itself with the correct device profile when the device reconnects to *VoiceConsole*. [VVC-2272]

Workaround: Select **Force Full Profile** as the **Profile Load Type** when loading the profile to a device.

- If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful. [VVC-2410]

Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.

- When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page. [VVC-2456]

Workaround: Change one of the device to operator assignments, and then change it back to the original (correct) assignment.

- After uninstalling this version of *VoiceConsole* and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 or newer is installed again on the same machine. [VVC-1984]

Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.

- In Internet Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. [VVC-1235]

Workaround: Refresh the page, and select the correct file to upload.

- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. [VVC-1525]

Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

- When installing, you cannot use a UNC path (ex. \\ComputerName\Path) as the Storage Directory for the application files. When installing into a clustered environment, you cannot use a UNC path as the Shared Cluster Folder. [VVC-2878]

Installing or upgrading *VoiceConsole* using Linux with *Vocollect VoiceLink* 3.0 or newer installed on same server causes permissions error for two directories. [VVC-2025]

Workaround: After you install or upgrade *VoiceConsole*, change the ownership of the storage directories to the vocollect user by running the command **chown -R vocollect <Install Directory>/Vocollect/VoiceConsole/VoiceConsole<version>/Files.**

Note: If you selected a user other than the default during installation, replace vocollect with the user you selected.

- If device logging is disabled and you delete a previously captured device log before the logging action item is canceled, a NullPointerException occurs when the device communicates with *VoiceConsole*. [VVC-2808]

Workaround: After logging is disabled the first time, remove the device from view.

Upgrading

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, there will be an error in the log file stating the device cannot be migrated because the serial number already exists. This error is correct as you cannot have two devices with identical serial numbers in one site. [VVC-1573]
- When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.
- When upgrading from a previous version of *VoiceConsole* to this version of *VoiceConsole* on a different computer, the ReadMappingFileAction fails and you receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole* 2.x database is present. This error does not affect *VoiceConsole*. [VVC-2012]
- When using *VoiceClient* 3.4 and upgrading to this version of *VoiceConsole* on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.

Workaround: Load a *VoiceClient* version other than 3.4 to the device.

When using both this version of *VoiceConsole* and *VoiceLink* 3.0 or newer

- When installing this version of *VoiceConsole* along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- When installing this version of *VoiceConsole* with Linux and *VoiceLink* 3.0 or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:
 - o `chown -R vocollect:vocollect <location of Vocollect Storage Files>`
 - o `chown -R vocollect:vocollect <location of Vocollect Device Logs>`
- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. [VVC-1921]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. [VVC-1922]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- If you are installing this version of *VoiceConsole* after *VoiceLink* 3.0 or newer has been installed, log files for *VoiceConsole* are stored in

<InstallDirectory>\Vocollect\Logs in Windows and
<InstallDirectory>/Vocollect/Logs in Linux by default.

- If a USB hub is being used to serial load multiple devices, intermittent lockups may occur. [VVC-956, VVC-1899]

Workaround: Close and reopen the browser to reinitialize the serial port.

- When comparing several operators or devices, the **Compare Operators** or **Compare Devices** pages display Loading indefinitely. [VVC-1370]

Workaround: When comparing operators or devices, you can only compare up to six operators or devices at a time.

- When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete. [VVC- 1824]
- Display Dialog functionality is not available in *VoiceConsole* using WebLogic. [VVC-2576]

Release Notes for Vocollect VoiceConsole® 3.2

Installation

Refer to the *Vocollect VoiceConsole 3.2 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole 3.2*.

Release Highlights

Support for New Talkman Devices and Solutions

This release includes certified support for *Talkman T1* and *Talkman T5 VMT Mobile Computers*.

Embedded Database Support

Note: This feature is supported for new installations only and is not supported in clustered environments or during silent installation.

To simplify setup, configuration, and administration, this version supports an embedded database option for new installations. A backend database (for example, SQL Server or Oracle) is no longer required when this option is selected.

Display of Battery Information

Note: Compatible only *Talkman T5, T5m* and *T5 VMT* devices.

This version of *VoiceConsole* gives you the ability to view more information about batteries, such as manufacture date, last device it was used by, and approximate age, to aid in determining *Talkman* battery life maximization. You can also export data for a select battery or for all batteries and set up alerts and notifications to determine battery use to prompt battery rotation for maximum battery life.

Entering a Host Name when Creating and Editing Task Packages

Note: Compatible only with devices running *Vocollect VoiceClient 3.6.1* or newer.

You can specify a host name or an IP address for the host settings of a new or existing task package.

System Requirements

The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole 3.2 Implementation Guide*.

General Considerations/Limitations

- Some *VoiceConsole* pages may not be translated into your preferred language.
- While importing operator lists with 246 or more operators, you cannot manually add operators to the list via the **Add operators to this list** link. [VVC-3237]
- When non-*VoiceConsole* tables exist in the same schema, upgrading from *VoiceConsole* 2.3 and earlier with SQL Server results in a database permission error. [VVC-3229]

Workaround: Ensure only *VoiceConsole* tables exist in the *VoiceConsole* database. Also, system tables should not be present in the database in which *VoiceConsole* is installed.

When a database username for SQL Server contains a space, the installation continues even if an error is received. Additionally, only the text before the space is sent to the server. [VVC-3158]

Workaround: Do not use a space for the database username.

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

- In *VoiceConsole* 2.4 and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in *VoiceConsole* 3.0 and newer.
- If the SQL Server database collation is not set to be case-insensitive, *VoiceConsole* may not work properly. When creating a new SQL Server database, ensure you choose the proper collation for the language the system is in with `_CI` included in the collation name. [VVC-826, VVC-2212]
- When installing or upgrading, a database login error occurs if *VoiceConsole's* database username and password is set to blank or contains the symbol \$. [VVC-2056, VVC-2071]

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol \$.
2. If you are upgrading, update the `jdbc.properties` file in the system you are upgrading from and restart that system.
If you are installing, skip this step.
3. Install *VoiceConsole*.

- When loading a newly created or edited operator to a device from **View Device** page, the operator may not immediately appear in the list of operators or the updated operator information may not be displayed immediately in the drop-down list in the **Load Operator** dialog box. [VVC-2102, VVC-2104]

Workaround: Select the operator in the **View Operators** list. Select **Common Operator Actions | Assign devices to selected operator** and click the **change** link on the **Assign Devices** page to select a device.

- Task package information may not update if a task package is modified in *VoiceConsole*. [VVC-2245]

Workaround: Create a new task package with the correct information and delete the incorrect task package.

- In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the **Change Network Credentials** page, even though the page prompts the user to change his/her credentials. [VVC-2513]

Workaround: The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into *VoiceConsole* before they can be changed. So, after the initial set of credentials are entered into *VoiceConsole* the first time, the operator can re-enter the **Change Network Credentials** page via the operator login screen and change his/her credentials.

- After importing a *VoiceClient* 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another *VoiceClient* file. The voices cannot be used in the second site if the *VoiceClient* you imported in that site is earlier than version 3.5. [VVC-2523]
- When an operator is loaded onto a device with an associated task package and the device is moved and the operator is added to a different site, the task package remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site. [VVC-2593]
- When viewing a printable version of the **View Device Logs** page for one site, the device logs in other sites in the system are also viewable. [VVC-2615]
- You cannot upgrade from *VoiceConsole* versions 2.2 - 2.4 to *VoiceConsole* 3.x on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into *VoiceConsole* 3.x. [VVC-2622]

Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the **installvariables.properties** file and **jdbc** file before running the upgrade to indicate a different database server name.

- Reinstalling *VoiceConsole* on AIX with Oracle after you have uninstalled it may corrupt the database. [VVC-2648]

Workaround: Before reinstalling *VoiceConsole*, delete the database user associated with the previous *VoiceConsole* install, and create a new user for the reinstalled system.

- If an operator team from one site is added to another site and an operator on the operator team in both sites is deleted from the second site, that operator is removed from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator 1 is in Site 1 and Operator Team 2 with Operator 2 is in Site 2. Operator Team 1 is added to Site 2 so now Operator 1 is in both sites. Then, Operator 1 is deleted from Site 2. Because of this issue, Operator 1 is removed from Operator Team 1 in Site 1, but is not deleted from Site 1. [VVC-2685]

Workaround: Add the operator back onto the operator team in the original site.

- If you are using *VoiceConsole* installed on a WebLogic machine with Java 1.5, the maximum number of operators you can import and export at one time is 550. [VVC-2669]
- If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once. [VVC-2700]
- When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified. [VVC-2720]
- You cannot use the database schema created for *VoiceConsole* for another application.
- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- You cannot use the voice management features of this version of *VoiceConsole* with *VoiceConsole* 2.4-compatible *VoiceClient* 3.5 or newer firmware. You must use the *VoiceConsole* 3.0 or newer-compatible version of *VoiceClient* 3.5 or newer.
Only one version of *VoiceClient* 3.5 can exist in the system. If the *VoiceConsole* 2.4-compatible version is present, you must remove it and import the *VoiceConsole* 3.0 or newer-compatible version.
- When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application. [VVC-2000]

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

- After removing a device from view and turning the device on, the device might not associate itself with the correct device profile when the device reconnects to *VoiceConsole*. [VVC-2272]

Workaround: Select **Force Full Profile** as the **Profile Load Type** when loading the profile to a device.

- If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful. [VVC-2410]

Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.

- When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page. [VVC-2456]

Workaround: Change one of the device to operator assignments, and then change it back to the original (correct) assignment.

- After uninstalling this version of *VoiceConsole* and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 or newer is installed again on the same machine. [VVC-1984]

Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.

- In Internet® Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. [VVC-1235]

Workaround: Refresh the page, and select the correct file to upload.

- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. [VVC-1525]

Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

- When installing, you cannot use a UNC path (ex. \\ComputerName\Path) as the Storage Directory for the application files. When installing into a clustered environment, you cannot use a UNC path as the Shared Cluster Folder. [VVC-2878]

Installing or upgrading *VoiceConsole* using Linux with *Vocollect VoiceLink* 3.0 or newer installed on same server causes permissions error for two directories. [VVC-2025]

Workaround: After you install or upgrade *VoiceConsole*, change the ownership of the storage directories to the vocollect user by running the command **chown -R vocollect <Install Directory>/Vocollect/VoiceConsole/VoiceConsole<version>/Files**.

Note: If you selected a user other than the default during installation, replace vocollect with the user you selected.

- If device logging is disabled and you delete a previously captured device log before the logging action item is canceled, an NullPointerException occurs when the device communicates with *VoiceConsole*. [VVC-2808]

Workaround: After logging is disabled the first time, remove the device from view.

- If a USB hub is being used to serial load multiple devices, intermittent lockups may occur. [VVC-956, VVC-1899]

Workaround: Close and reopen the browser to reinitialize the serial port.

- When comparing several operators or devices, the **Compare Operators** or **Compare Devices** pages display Loading indefinitely. [VVC-1370]

Workaround: When comparing operators or device, you can only compare up to six operators or devices at a time.

- When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate

training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete. [VVC-1824]

- Display Dialog functionality is not available in *VoiceConsole* using WebLogic. [VVC-2576]

Upgrading

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, an error in the log file stating the device cannot be migrated because the serial number already exists. This error is correct as you cannot have two devices with identical serial numbers in one site. [VVC-1573]
- When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.
- When upgrading from a previous version of *VoiceConsole* to this version of *VoiceConsole* on a different computer, the ReadMappingFileAction fails and you receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole* 2.x database is present. This error does not affect *VoiceConsole*. [VVC-2012]
- When using *VoiceClient* 3.4 and upgrading to this version of *VoiceConsole* on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.

Workaround: Load a *VoiceClient* version other than 3.4 to the device.

When using both this version of *VoiceConsole* and *VoiceLink* 3.0 or newer

- When installing this version of *VoiceConsole* along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- When installing this version of *VoiceConsole* with Linux and *VoiceLink* 3.0 or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:

```
o chown -R vocollect:vocollect <location of Vocollect Storage Files>
```

```
o chown -R vocollect:vocollect <location of Vocollect Device Logs>
```

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. [VVC-1921]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. [VVC-1922]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- If you are installing this version of *VoiceConsole* after *VoiceLink* 3.0 or newer has been installed, log files for *VoiceConsole* are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.

Release Notes for Vocollect VoiceConsole® 3.1.1

Installation

Refer to the *Vocollect VoiceConsole 3.1.1 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole 3.1.1*.

Release Highlights

Localization of VoiceConsole 3.1 Application

VoiceConsole 3.1.1 is available in the following languages:

- cs_CZ (Czech)
- da_DA (Danish)
- de_DE (German)
- el_GR (Greek)
- en_US (US English)
- es_ES (Spanish)
- es_MX (Latin American Spanish)
- fi_FI (Finnish)
- fr_CA (Canadian French)
- fr_FR (French)
- hu_HU (Hungarian)
- it_IT (Italian)
- ja_JA (Japanese)
- ko_KO (Korean)
- nl_NL (Dutch)
- no_NO (Norwegian)
- pl_PL (Polish)
- pt_BR (Brazilian Portuguese)
- pt_PT (Iberian Portuguese)
- ru_RU (Russian)
- sv_SE (Swedish)
- zh_CN (Chinese [PRC])
- zh_TW (Chinese [Taiwan])

Fixed Issues

- When creating a task package, operator or operator team in *VoiceConsole* in some languages, you could not enter a space in some of the fields on these create pages. [VVC-2256]
- If a *VoiceClient* contains a voice that is the default voice for any device in the system, the *VoiceClient* could not be deleted. [VVC-2300]
- A user with any role other than Administrator could not assign operators on an operator team to devices from the **View Operator Team** page for a specific operator team. [VVC-2340]
- When upgrading on HP-UX from *VoiceConsole* 2.2.2 to *VoiceConsole* 3.x using different operating system users, some migrated data was associated to the *VoiceConsole* 2.2.2 operating system user instead of the *VoiceConsole* 3.x operating system user. This caused errors with the device logs and device profiles in *VoiceConsole* 3.x. [VVC-2675]
- An error occurred if you selected to filter with devices or operator criteria on the **View Operators** page. [VVC-2730]
- An error occurred if you clicked **Close and Apply** before clicking **Add to filter** when applying a filter on the **View Operators** page. [VVC-2733]
- If an operator who had trained the word "point" was imported into *VoiceConsole*, the "." may not have displayed on the **Manage Templates: <operator name>** page in the **Vocabulary Word** column. The version was also displayed incorrectly. The operator had to re-train the word "point," and the correct values displayed in *VoiceConsole* in addition to the incorrect information. If this operator was exported again, the export resulted in an error. [VVC-2746]
- When using multiple sites, if an operator was added to another site, the operator could not be loaded onto a device in the new site. [VVC-2755]
- A device group's default task package might not have loaded onto devices not in a charger even when you selected to load the task package to devices that enter the sleep state or devices placed in a charger. [VVC-2761]
- When using an Oracle database, editing the SMTP Configuration or User Authentication sections of the System Configuration resulted in a `NullPointerException`. [VVC-2819]

The following issues were fixed in Emergency Customer Shipments (ECS) and included in this release:

VoiceConsole3.0.1_001ECS

- If you did not enter a value for the Hosts when creating a task package, the property was sent to the database as blank string rather than NULL and the device would try to connect with the IP address 0.0.0.0. [VVC-2763]

System Requirements

The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole* 3.1.1 Implementation Guide.

General Considerations/Limitations

- When installing, you cannot use a UNC path (ex. \\ComputerName\Path) as the Storage Directory for the application files. When installing into a clustered environment, you cannot use a UNC path as the Shared Cluster Folder. [VVC-2878]

Installing or upgrading *VoiceConsole* using Linux with *Vocollect VoiceLink* 3.0 or newer installed on same server causes permissions error for two directories. [VVC-2025]

Workaround: After you install or upgrade *VoiceConsole*, change the ownership of the storage directories to the vocollect user by running the command **chown -R vocollect <Install Directory>/Vocollect/VoiceConsole/VoiceConsole<version>/Files.**

Note: If you selected a user other than the default during installation, replace vocollect with the user you selected.

- If device logging is disabled and you delete a previously captured device log before the logging action item is canceled, an `NullPointerException` occurs when the device communicates with *VoiceConsole*. [VVC-2808]

Workaround: After logging is disabled the first time, remove the device from view.

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

- In *VoiceConsole* 2.4 and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in *VoiceConsole* 3.0 and newer.
- If the SQL Server database collation is not set to be case-insensitive, *VoiceConsole* may not work properly. When creating a new SQL Server database, ensure you choose the proper collation for the language the system is in with `_CI` included in the collation name. [VVC-826, VVC-2212]
- When installing or upgrading, a database login error occurs if *VoiceConsole's* database username and password is set to blank or contains the symbol `$`. [VVC-2056, VVC-2071]

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol `$`.
 2. If you are upgrading, update the `jdbc.properties` file in the system you are upgrading from and restart that system.
If you are installing, skip this step.
 3. Install *VoiceConsole* 3.1.1.
- When loading a newly created or edited operator to a device from **View Device** page, the operator may not immediately appear in the list of operators or the updated operator information may not be displayed immediately in the drop-down list in the **Load Operator** dialog box. [VVC-2102, VVC-2104]

Workaround: Select the operator in the **View Operators** list. Select **Common Operator Actions | Assign devices to selected operator** and click the **change** link on the **Assign Devices** page to select a device.

- Task package information may not update if a task package is modified in *VoiceConsole*. [VVC-2245]

Workaround: Create a new task package with the correct information and delete the incorrect task package.

- In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the **Change Network Credentials** page, even though the page prompts the user to change his/her credentials. [VVC-2513]

Workaround: The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into *VoiceConsole* before they can be changed. So, after the initial set of credentials are entered into *VoiceConsole* the first time, the operator can re-enter the **Change Network Credentials** page via the operator login screen and change his/her credentials.

- After importing a *VoiceClient* 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another *VoiceClient* file. The voices cannot be used in the second site if the *VoiceClient* you imported in that site is earlier than version 3.5. [VVC-2523]
- When an operator is loaded onto a device with an associated task package and the device is moved and the operator is added to a different site, the task package remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site. [VVC-2593]
- When viewing a printable version of the **View Device Logs** page for one site, the device logs in other sites in the system are also viewable. [VVC-2615]
- You cannot upgrade from *VoiceConsole* versions 2.2 - 2.4 to *VoiceConsole* 3.x on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into *VoiceConsole* 3.x. [VVC-2622]

Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the **installvariables.properties** file and **jdbc** file before running the upgrade to indicate a different database server name.

- Reinstalling *VoiceConsole* on AIX with Oracle after you have uninstalled it may corrupt the database. [VVC-2648]

Workaround: Before reinstalling *VoiceConsole*, delete the database user associated with the previous *VoiceConsole* install, and create a new user for the reinstalled system.

- You cannot import a *VoiceConsole* 3.0 or 3.0.1 license into a *VoiceConsole* 3.1 or 3.1.1 system. However, if you have previously installed *VoiceConsole* 3.0 or 3.0.1 and upgrade to *VoiceConsole* 3.1 or 3.1.1, a previously imported 3.0 or 3.0.1 license will work in your upgraded system. [VVC-2653]
- If an operator team from one site is added to another site and an operator on the operator team in both sites is deleted from the second site, that operator is removed

from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator 1 is in Site 1 and Operator Team 2 with Operator 2 is in Site 2. Operator Team 1 is added to Site 2 so now Operator 1 is in both sites. Then, Operator 1 is deleted from Site 2. Because of this issue, Operator 1 is removed from Operator Team 1 in Site 1, but is not deleted from Site 1. [VVC-2685]

Workaround: Add the operator back onto the operator team in the original site.

- If you are using *VoiceConsole* installed on a WebLogic machine with Java 1.5, the maximum number of operators you can import and export at one time is 550. [VVC-2669]
- If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once. [VVC-2700]
- When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified. [VVC-2720]
- You cannot use the database schema created for *VoiceConsole* for another application.
- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- You cannot use the voice management features of this version of *VoiceConsole* with *VoiceConsole* 2.4-compatible *VoiceClient* 3.5 or newer firmware. You must use the *VoiceConsole* 3.0 or newer-compatible version of *VoiceClient* 3.5 or newer.
Only one version of *VoiceClient* 3.5 can exist in the system. If the *VoiceConsole* 2.4-compatible version is present, you must remove it and import the *VoiceConsole* 3.0 or newer-compatible version.
- When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application. [VVC-2000]

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

- After removing a device from view and turning the device on, the device might not associate itself with the correct device profile when the device reconnects to *VoiceConsole*. [VVC-2272]

Workaround: Select **Force Full Profile** as the **Profile Load Type** when loading the profile to a device.

- If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful. [VVC-2410]

Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.

- When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page. [VVC-2456]
Workaround: Change one of the device to operator assignments, and then change it back to the original (correct) assignment.
- After uninstalling this version of *VoiceConsole* and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 or newer is installed again on the same machine. [VVC-1984]
Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.
- In Internet® Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. [VVC-1235]
Workaround: Refresh the page, and select the correct file to upload.
- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. [VVC-1525]
Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

Upgrading

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, an error in the log file stating the device cannot be migrated because the serial number already exists. This error is correct as you cannot have two devices with identical serial numbers in one site. [VVC-1573]
- When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.
- When upgrading from a previous version of *VoiceConsole* to this version of *VoiceConsole* on a different computer, the ReadMappingFileAction fails and you receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole* 2.x database is present. This error does not affect *VoiceConsole*. [VVC-2012]
- When using *VoiceClient* 3.4 and upgrading to this version of *VoiceConsole* on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.
Workaround: Load a *VoiceClient* version other than 3.4 to the device.

When using both this version of *VoiceConsole* and *VoiceLink* 3.0 or newer

- When installing this version of *VoiceConsole* along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- When installing this version of *VoiceConsole* with Linux and *VoiceLink* 3.0 or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:

```
o chown -R vocollect:vocollect <location of Vocollect Storage Files>
```

```
o chown -R vocollect:vocollect <location of Vocollect Device Logs>
```

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. **[VVC-1921]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. **[VVC-1922]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- If you are installing this version of *VoiceConsole* after *VoiceLink* 3.0 or newer has been installed, log files for *VoiceConsole* are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.

The following are known limitations in *VoiceConsole* 3.1.1:

VVC-956, VVC-1899	If a USB hub is being used to serial load multiple devices, intermittent lockups may occur. Workaround: Close and reopen the browser to reinitialize the serial port.
VVC-1370	When comparing several operators or devices, the Compare Operators or Compare Devices pages display Loading indefinitely. Workaround: When comparing operators or device, you can only compare up to six operators or devices at a time.
VVC-1824	When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete.
VVC-2576	Display Dialog functionality is not available in <i>VoiceConsole</i> using WebLogic.

Release Notes for Vocollect VoiceConsole® 3.1

Installation

Refer to the *Vocollect VoiceConsole 3.1 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole 3.1*.

Release Highlights

Device Groups

You can place any number of devices within a device group, which allows you to work with devices as a unit, making any device-based actions easier to perform.

This feature was part of *Talkman Management System* and is introduced for *VoiceConsole* in this version.

Preload Operators to Devices

By creating and importing operator lists, you can now preload operators onto devices, sometimes called staging. You can quickly and efficiently create these loads before each shift and operators can begin their work with their assigned device quicker.

Ability to Load Task Packages, Operators and Voices onto Devices not in a Charger

Note: This feature is only supported on *Talkman T5m* and *T5* devices with *VoiceClient 3.6* or newer.

In previous releases of *VoiceConsole*, task packages, operators and voices were loaded onto a device when the device was placed in a charger. This version of *VoiceConsole* gives you the ability to load task packages, operators and voices onto devices when the devices are put to sleep rather than placed in a charger. This allows you to load task packages, operator data and voices onto devices before a shift starts so operators can begin a shift immediately rather than waiting for this information to load onto a device before they start working. This feature is enabled by selecting an option available when you load task packages, operators or voices to devices.

Load a Task Package to a Device Automatically

Note: This feature is only supported on *Talkman T5m* and *T5* devices with *VoiceClient 3.6* or newer.

A task package can be associated to an operator so when an operator is loaded onto *Talkman T5* or *T5m* device, in *VoiceConsole*, from the device menu or by connecting an associated headset to the device, the associated task package is loaded onto that device, and the operator can begin working without having to load a task by using the menu on the device.

If an operator does not have an associated task package, a task package is automatically loaded one of the following ways:

1. If the operator's device belongs to a device group, the default task package for the device group is loaded. However, if the operator has an associated task package, the operator's task package is loaded instead of the default task package for the device group.
2. If the device does not belong to a device group or the device group does not have a default task package, the last task package the operator loaded is loaded.

If a task package meeting one of these criteria is not available, a task package is not loaded automatically to the device and the operator must load a task using the device menu.

New Web Services

Five new Web services, which automate processes that previously could only be performed in the user interface, are available with this release. Refer to the Web Services Interface Guide for *Vocollect VoiceConsole 3.1* for more information.

Note: To use Web Services you should be familiar with object oriented concepts and have experience using web services in other applications.

The following new Web Services are:

- Create device group
- Create device profile
- Import firmware
- Fetch all device profiles
- Fetch all firmware

Configuring the Tomcat Log Directory Size

You can configure the number of log files and the maximum file size kept in the Tomcat log directory. This allows you to control how many Tomcat log files are stored on a server.

See the *Vocollect VoiceConsole 3.1* Implementation Guide for details.

Fixed Issues

- If a previously exported device profile was imported into another *VoiceConsole*, the UseSupplicant parameter set in the device profile would not be imported. [VVC-1703]
- Voice templates created on supported handheld devices with *SR*-series headsets and imported into *VoiceConsole* could not be successfully loaded onto the devices from *VoiceConsole* or newer because of file-naming limitations. [VVC-2044]
- A user with a role allowing the Device Management permissions was not able to move devices to a different site. [VVC-2309]
- A user with any role other than Administrator could not assign operators on an operator team to devices from the **View Operator Team** page for a specific operator team. [VVC-2340]

The following issues were fixed in Emergency Customer Shipments (ECS) and included in this release:

VoiceConsole3.0B_001ECS (included in *VoiceConsole* 3.0.1 and newer)

- Some drop-down lists in *VoiceConsole* 3.0 were not sorted properly. [VVC-2054]

VoiceConsole3.0B_002ECS (included in *VoiceConsole* 3.0.1 and newer)

- *VoiceConsole* 3.0 Revision B could not run on WebLogic 10.0 due to an incorrect version of JDK used by *VoiceConsole*. [VVC-2139]

VoiceConsole3.0B_003ECS

- The retrieval of descriptions of a selected device profile was failing in sites using EAP with an Oracle database. [VVC-2175]

VoiceConsole3.0B_004ECS

- Operators could not be loaded onto devices in sites using EAP with an Oracle database. [VVC-2287]

System Requirements

The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole* 3.1 Implementation Guide.

General Considerations/Limitations

- In *VoiceConsole* 2.4 and earlier, an idle session would timeout after 30 minutes. This timeout has been changed to four hours in *VoiceConsole* 3.0 and newer.
- If the SQL Server database collation is not set to be case-insensitive, *VoiceConsole* may not work properly. When creating a new SQL Server database, ensure you choose the proper collation for the language the system is in with `_CI` included in the collation name. [VVC-826, VVC-2212]
- When loading a newly created or edited operator to a device from **View Device** page, the operator may not immediately appear in the list of operators or the updated operator information may not be displayed immediately in the drop-down list in the **Load Operator** dialog box. [VVC-2102, VVC-2104]

Workaround: Select the operator in the **View Operators** list. Select **Common Operator Actions | Assign devices to selected operator** and click the **change** link on the **Assign Devices** page to select a device.

- Task package information may not update if a task package is modified in *VoiceConsole*. [VVC-2245]

Workaround: Create a new task package with the correct information and delete the incorrect task package.

- In an operator-based site, regardless of the EAP type used, the operator cannot change his/her credentials the first time on the **Change Network Credentials** page, even though the page prompts the user to change his/her credentials. [VVC-2513]

Workaround: The operator must enter the initial set of credentials given to him/her as they exist on the LDAP server. This is because the credentials for that operator must be entered into *VoiceConsole* before they can be changed. So, after the initial set of credentials are entered into *VoiceConsole* the first time, the operator can re-enter the **Change Network Credentials** page via the operator login screen and change his/her credentials.

- After importing a *VoiceClient* 3.5 or newer file and selecting to import all voices in one site, the voices may appear in another site after you import another *VoiceClient* file. The voices cannot be used in the second site if the *VoiceClient* you imported in that site is earlier than version 3.5. [VVC-2523]
- Display Dialog functionality is not available in *VoiceConsole* using WebLogic. [VVC-2576]
- When an operator is loaded onto a device with an associated task package and the device is moved and the operator is added to a different site, the task package remains associated to the device in the new site even though the task package does not exist in that site. Also, the task package is still associated to the device in the first site when the device does not exist in that site. [VVC-2593]
- When viewing a printable version of the **View Device Logs** page for one site, the device logs in other sites in the system are also viewable. [VVC-2615]
- You cannot upgrade from *VoiceConsole* versions 2.2 - 2.4 to *VoiceConsole* 3.1 on a different machine if you used localhost or 127.0.0.1 as the database server name for your previous installation. Errors occur and you are unable to log into *VoiceConsole* 3.1. [VVC-2622]

Workaround: If you used localhost or 127.0.0.1 as the database server name for your previous installation, modify the **installvariables.properties** file and **jdbc** file before running the upgrade to indicate a different database server name.

- Reinstalling *VoiceConsole* on AIX with Oracle after you have uninstalled it may corrupt the database. [VVC-2648]

Workaround: Before reinstalling *VoiceConsole*, delete the database user associated with the previous *VoiceConsole* install, and create a new user for the reinstalled system.

- You cannot import a *VoiceConsole* 3.0 or 3.0.1 license into a *VoiceConsole* 3.1 system. However, if you have previously installed *VoiceConsole* 3.0 or 3.0.1 and upgrade to *VoiceConsole* 3.1, a previously imported 3.0 or 3.0.1 license will work in your upgraded system. [VVC-2653]
- When upgrading on HP-UX from *VoiceConsole* 2.2.2 to *VoiceConsole* 3.1 using different operating system users, some migrated data will be associated to the *VoiceConsole* 2.2.2 operating system user instead of the *VoiceConsole* 3.1 operating system user. This causes errors with the device logs and device profiles in *VoiceConsole* 3.1. [VVC-2675]

Workaround: Use the same operating system user when setting up *VoiceConsole* 3.1 that was used to set up *VoiceConsole* 2.2.2 during the upgrade or, after upgrading, change the permissions of the device logs and *VoiceConsole* files (located under **<Install Directory>/vocollect/VoiceConsole31/DeviceLogs**, and **<Install Directory>/vocollect/VoiceConsole31/Firmware**) to be the same as the *VoiceConsole* 3.1 operating system user.

- If an operator team from one site is added to another site and an operator on the operator team in both sites is deleted from the second site, that operator is removed from the operator team in the original site. The operator is not deleted from the original site, though, just removed from the team. For example, Operator Team 1 with Operator 1 is in Site 1 and Operator Team 2 with Operator 2 is in Site 2. Operator Team 1 is added to Site 2 so now Operator 1 is in both sites. Then, Operator 1 is deleted from Site 2. Because of this issue, Operator 1 is removed from Operator Team 1 in Site 1, but is not deleted from Site 1. [VVC-2685]

Workaround: Add the operator back onto the operator team in the original site.

- If you are using *VoiceConsole* installed on a WebLogic machine with Java 1.5, the maximum number of operators you can import and export at one time is 550. [VVC-2669]
- If an operator message is sent to an operator before he/she had turned on his/her device or the device reboots before the operator hears the message, the operator will hear the message more than once. [VVC-2700]
- When setting up EAP, the searchable attribute and password attribute are only validated if a user is specified. [VVC-2720]
- An error occurs if you select to filter with devices or operator criteria on the **View Operators** page. [VVC-2730]

Workaround: Remove the filter and refresh the page.

- An error occurs if you click **Close and Apply** before clicking **Add to filter** when applying a filter on the **View Operators** page. [VVC-2733]

Workaround: After selecting the filter criteria, click **Add to filter** and then **Close and Apply**.

- If an operator who has trained the word "point" is imported into *VoiceConsole*, the "." may not display on the **Manage Templates: <operator name>** page in the **Vocabulary Word** column. The version is also displayed incorrectly. The operator will have to re-train the word "point," and the correct values will display in *VoiceConsole* in addition to the incorrect information. If this operator is exported again, the export results in an error. [VVC-2746]

Workaround: Before you export the operator, delete the template with **Vocabulary Word** column that is blank. The operator will have to re-train the word if the operator is imported into *VoiceConsole* again.

- When using multiple sites, if an operator is added to another site, the operator cannot be loaded onto a device in the new site. [VVC-2755]

Workaround: Move the operator to the desired site (the operator will no longer be available in the original site).

If you want the operator to be available in two or more sites, you must export the operator from the original site and import him/her into the desired site(s) for the operator load to be successful in that site.

- A device group's default task package may not load onto devices not in a charger even when you selected to load the task package to devices that enter the sleep state or devices placed in a charger. [VVC-2761]

Workaround: Place all the devices in the device group into chargers and load the default task package. If you want the ability to load the default task package to devices not in a charger, select the device group and click **Common device group actions | Load task package to selected device groups** action. Select the default task package for the device group and select the **Load when the devices enter the Sleeping state or when placed in a charger** check box.

Previously Reported Issues

The following issues occurred in previous releases and may still occur in this release:

- You cannot use the database schema created for *VoiceConsole* for another application.
- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- You cannot use the voice management features of this version of *VoiceConsole* with *VoiceConsole* 2.4-compatible *VoiceClient* 3.5 or newer firmware. You must use the *VoiceConsole* 3.0 or newer-compatible version of *VoiceClient* 3.5 or newer.
Only one version of *VoiceClient* 3.5 can exist in the system. If the *VoiceConsole* 2.4-compatible version is present, you must remove it and import the *VoiceConsole* 3.0 or newer-compatible version.
- When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application. [VVC-2000]

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

- When installing or upgrading, a database login error occurs if *VoiceConsole*'s database username and password is set to blank or contains the symbol \$. [VVC-2056, VVC-2071]

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol \$.
2. If you are upgrading, update the `jdbc.properties` file in the system you are upgrading from and restart that system.
If you are installing, skip this step.
3. Install *VoiceConsole*.

- After removing a device from view and turning the device on, the device might not associate itself with the correct device profile when the device reconnects to *VoiceConsole*. [VVC-2272]

Workaround: Select **Force Full Profile** as the **Profile Load Type** when loading the profile to a device.

- If a *VoiceClient* contains a voice that is the default voice for any device in the system, the *VoiceClient* cannot be deleted. [VVC-2300]
Workaround: Choose another voice not part of the *VoiceClient* as the default voice and then delete the *VoiceClient*.
- If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful. [VVC-2410]
Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.
- When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page. [VVC-2456]
Workaround: Change one of the device to operator assignments, and then change it back to the original (correct) assignment.
- After uninstalling this version of *VoiceConsole* and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 or newer is installed again on the same machine. [VVC-1984]
Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.
- In Internet® Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. [VVC-1235]
Workaround: Refresh the page, and select the correct file to upload.
- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. [VVC-1525]
Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

Upgrading

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, an error in the log file stating the device cannot be migrated because the serial number already exists. This error is correct as you cannot have two devices with identical serial numbers in one site. [VVC-1573]
- When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.
- When upgrading from a previous version of *VoiceConsole* to this version of *VoiceConsole* on a different computer, the ReadMappingFileAction fails and you

receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole 2.x* database is present. This error does not affect *VoiceConsole*. [VVC-2012]

- When using *VoiceClient 3.4* and upgrading to this version of *VoiceConsole* on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.

Workaround: Load a *VoiceClient* version other than 3.4 to the device.

When using both this version of *VoiceConsole* and *VoiceLink 3.0* or newer

- When installing this version of *VoiceConsole* along with *VoiceLink 3.0* or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- When installing this version of *VoiceConsole* with Linux and *VoiceLink 3.0* or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:

```
o chown -R vocollect:vocollect <location of Vocollect Storage Files>
```

```
o chown -R vocollect:vocollect <location of Vocollect Device Logs>
```

- When this version of *VoiceConsole* and *VoiceLink 3.0* or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. [VVC-1921]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- When this version of *VoiceConsole* and *VoiceLink 3.0* or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. [VVC-1922]

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- If you are installing this version of *VoiceConsole* after *VoiceLink 3.0* or newer has been installed, log files for *VoiceConsole* are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.

The following are known limitations in *VoiceConsole 3.1*:

VVC-956, If a USB hub is being used to serial load multiple devices, intermittent lockups may occur.

VVC-1899 **Workaround:** Close and reopen the browser to reinitialize the serial port.

VVC-1370 When comparing several operators or devices, the **Compare Operators** or **Compare Devices** pages display Loading indefinitely.

Workaround: When comparing operators or device, you can only compare up to six operators or devices at a time.

VVC-1824 When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete.

Release Notes for Vocollect VoiceConsole® 3.0.1

Installation

Refer to the *Vocollect VoiceConsole 3.0.1 Implementation Guide* provided on the software DVD for installation instructions for *VoiceConsole 3.0.1*.

System Requirements

This release introduces support for MySQL® Community Server 5.0 and CentOS Linux® 5.2. The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole 3.0.1 Implementation Guide*.

Release Highlights

Localization of VoiceConsole 3.0 Application

VoiceConsole 3.0.1 is available in the following languages:

- cs_CZ (Czech)
- da_DA (Danish)
- de_DE (German)
- el_GR (Greek)
- en_US (US English)
- es_ES (Spanish)
- es_MX (Latin American Spanish)
- fi_FI (Finnish)
- fr_CA (Canadian French)
- fr_FR (French)
- hu_HU (Hungarian)
- it_IT (Italian)
- ja_JA (Japanese)
- ko_KO (Korean)
- nl_NL (Dutch)
- no_NO (Norwegian)
- pl_PL (Polish)
- pt_BR (Brazilian Portuguese)
- pt_PT (Iberian Portuguese)
- ru_RU (Russian)

- sv_SE (Swedish)
- zh_CN (Chinese [PRC])
- zh_TW (Chinese [Taiwan])

Version Viewable in VoiceConsole

You can now view the version of *VoiceConsole* you are using on the About page by clicking the **About** link under **Need Some Help?** in the navigation bar.

Fixed issues

The following previously reported general considerations and limitations in *VoiceConsole* 3.0 have been fixed in this release:

- If an invalid directory was entered when upgrading *VoiceConsole* 3.0 on non-local computer, the upgrade would appear as though it was successful when it was not. [VVC-1995]
- When upgrading from *VoiceConsole* 2.2 on a Linux machine using Oracle XE as your database to *VoiceConsole* 3.0, you had to first upgrade to *VoiceConsole* 2.4 and then to *VoiceConsole* 3.0 for your database to remain intact. [VVC-1982]
- When upgrading from *VoiceConsole* 2.4 to *VoiceConsole* 3.0 on Linux, *VoiceConsole* would not startup if the default directories were not used during the installation. [VVC-2013]
- When upgrading from *VoiceConsole* 2.4 to *VoiceConsole* 3.0 when *Vocollect VoiceLink*® 3.0 or newer is installed on the same machine, the upgrade would fail. [VVC-2004]
- When upgrading from *VoiceConsole* 2.4 to *VoiceConsole* 3.0, the admin password may have changed making the admin password used in the *VoiceConsole* 2.4 system invalid in the *VoiceConsole* 3.0 system. [VVC-2019]
- If you attempted to delete a *VoiceClient* that had been loaded to a device, you were incorrectly notified the *VoiceClient* was still loading and the *VoiceClient* could not be deleted. [VVC-2021]
- Missing keys reported in the drop-down boxes on the **Import Task** page have been fixed. [VVC-2022]
- In *VoiceConsole* 3.0, certain device-related records were not properly cleared from the database. This accumulation of data caused the server response to slow down over time. [VVC-2036] In this version of *VoiceConsole*, older records are now cleared when new records arrive.
- Some drop-down lists in *VoiceConsole* 3.0 were not sorted properly. [VVC-2054]
- After assigning operators to devices and returning to the **Assign Devices To Operators** page, previously assigned devices were not pre-selected in the corresponding operator drop-down list. [VVC-2055] In this version of *VoiceConsole*, devices previously assigned to an operator on the **Assign Devices To Operators** page are pre-selected when you return to the **Assign Device To Operators** page.
- After upgrading from *VoiceConsole* 2.4 to *VoiceConsole* 3.0, existing devices might not have been viewable and you may have received a message that data had stopped updating. [VVC-2065]

- When upgrading from *VoiceConsole* 2.4 to *VoiceConsole* 3.0, the existing database for a specific *VoiceConsole* 2.4 was not being upgraded to *VoiceConsole* 3.0. [VVC-2068]

General Considerations/Limitations

- When upgrading from a previous version of *VoiceConsole* when *VoiceLink* 3.0 or newer is installed on the same computer using the default log directory causes the default logging directories for each application to merge. Therefore, *VoiceConsole* and *VoiceLink* logs are visible in each application. [VVC-2000]

Workaround: Choose a location other than the default for the log file directory when upgrading *VoiceConsole*.

- When installing or upgrading, a database login error occurs if *VoiceConsole*'s database username and password is set to blank or contains the symbol \$. [VVC-2056, VVC-2071]

Workaround:

1. Set the *VoiceConsole* database username and password to a non-blank value that does not contain the symbol \$.
2. If you are upgrading, update the jdbc.properties file in the system you are upgrading from and restart that system.
If you are installing, skip this step.
3. Install *VoiceConsole* 3.0.1.

- After removing a device from view and turning the device on, the device might not associate itself with the correct device profile when the device reconnects to *VoiceConsole*. [VVC-2272]

Workaround: Select **Force Full Profile** as the **Profile Load Type** when loading the profile to a device.

- If a *VoiceClient* contains a Voice that is the default Voice for any device in the system, the *VoiceClient* cannot be deleted. [VVC-2300]

Workaround: Choose another Voice not part of the *VoiceClient* as the default Voice and then delete the *VoiceClient*.

- A user with a role allowing the Device Management permissions is not able to move devices to a different site. [VVC-2309]

Workaround: Users with the role of Administrator can perform this action.

- A user with any role other than Administrator cannot assign operators on an operator team to devices from the **View Operator Team** page for a specific operator team. [VVC-2340]

Workaround: Perform this action by selecting the operator team from the list on the **View Operator Teams** page and, under **Operator Team Actions**, selecting **Common operator team actions | Assign selected operator teams to devices**.

- If you attempt to pair a device that was previously paired with a Bluetooth device to a different Bluetooth device, the pairing is not successful. [VVC-2410]

Workaround: Clear the existing pairing before attempting to pair a device to a different Bluetooth device.

- When assigning devices to operators, the **Save Changes** button is disabled on the **Assign Devices** page. [VVC-2456]

Workaround: Change one of the device to operator assignments, and then change it back to the original (correct) assignment.

The following issues occurred in previous releases and may still occur in this release:

- You cannot use the database schema created for *VoiceConsole* for another application.
- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- You cannot use the Voice management features of this version of *VoiceConsole* with *VoiceConsole* 2.4-compatible *VoiceClient* 3.5 or newer firmware. You must use the *VoiceConsole* 3.0 or newer-compatible version of *VoiceClient* 3.5 or newer.
Only one version of *VoiceClient* 3.5 can exist in the system. If the *VoiceConsole* 2.4-compatible version is present, you must remove it and import the *VoiceConsole* 3.0 or newer-compatible version.
- After uninstalling this version of *VoiceConsole* and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 or newer is installed again on the same machine. [VVC-1984]

Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.

- In Internet® Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. [VVC-1235]

Workaround: Refresh the page, and select the correct file to upload.

- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. [VVC-1525]

Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

Upgrading

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, an error in the log file stating the device cannot be migrated because the serial number already exists. This error is correct as you cannot have two devices with identical serial numbers in one site. **[VVC-1573]**
- When upgrading from *VoiceConsole* 2.4 to this version of *VoiceConsole*, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to this version of *VoiceConsole* in the event you may need to go back to version 2.4.
- When upgrading from a previous version of *VoiceConsole* to this version of *VoiceConsole* on a different computer, the ReadMappingFileAction fails and you receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole* 2.x database is present. This error does not affect *VoiceConsole*. **[VVC-2012]**
- When using *VoiceClient* 3.4 and upgrading to this version of *VoiceConsole* on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.

Workaround: Load a *VoiceClient* version other than 3.4 to the device.

When using both this version of *VoiceConsole* and *VoiceLink* 3.0 or newer

- When installing this version of *VoiceConsole* along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- When installing this version of *VoiceConsole* with Linux and *VoiceLink* 3.0 or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:
 - o `chown -R vocollect:vocollect <location of Vocollect Storage Files>`
 - o `chown -R vocollect:vocollect <location of Vocollect Device Logs>`
- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. **[VVC-1921]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at `<InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products`. In Linux, run the uninstall application at `<InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products`.

- When this version of *VoiceConsole* and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. **[VVC-1922]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at `<InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products`. In Linux, run the uninstall application at `<InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products`.

- If you are installing this version of *VoiceConsole* after *VoiceLink* 3.0 or newer has been installed, log files for *VoiceConsole* are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.

The following are known limitations in *VoiceConsole*:

VVC-956, If a USB hub is being used to serial load multiple devices, intermittent lockups may occur.

VVC-1899 **Workaround:** Close and reopen the browser to reinitialize the serial port.

VVC-1370 When comparing several operators or devices, the **Compare Operators** or **Compare Devices** pages display Loading indefinitely.

Workaround: When comparing operators or device, you can only compare up to six operators or devices at a time.

VVC-1824 When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete.

Release Notes for Vocollect VoiceConsole® 3.0 Revision B

Note: This version of *VoiceConsole* 3.0 has been updated to include enhancements to the installation application.

Installation

Refer to the *Vocollect VoiceConsole* 3.0 Implementation Guide provided on the software CD for installation instructions for *VoiceConsole* 3.0.

Release Highlights

VoiceConsole 3.0 has been redesigned! The user interface is completely different than *VoiceConsole* 2.X. As a web-based application, most of the features are accessed by navigation and action links displayed in a navigation bar on the left side of the page layout. Breadcrumb navigation is also available at the top of each page. Similar to previous versions, most of the data is displayed in lists.

In addition to a new look, *VoiceConsole* 3.0 has all the features from *VoiceConsole* 2.X and the following new features:

Vocollect Voice Integration Platform

VoiceConsole 3.0 is now built on the *Vocollect Voice Integration Platform*. *VVIP* offers improved navigation and organization by displaying data in three sections, or application pages, called **Home**, **Administration** and **VoiceConsole**. You can view and manage data in these sections simply by clicking a tab.

VVIP also introduces many administration features and the **Home** page, which provides a dashboard of information on the status of your system.

Home Page

The new design of the *VoiceConsole* application presents summaries of certain data on a **Home** page. Notifications, sites, devices, device profiles, peripheral pairings, operators and task packages are available to view on the **Home** page. The **Home** page is configurable in that you can select from this data what you want to view on the **Home** page.

Administration

Licensing

Language and country code were removed from the license information for this release. Licensing is now based on device type and *VoiceClient* version only.

Schedules

You can now specify when purging data should occur. You can also view the history of when this process has run and the results.

Displaying and Emailing Critical Notifications

Notifications are displayed in *VoiceConsole* when errors occur. *VoiceConsole* can be set up to automatically e-mail specific users when critical notifications occur.

Configurable Security Roles

You can create and customize roles based on your security needs. You determine the level of access and permissions users have within *VoiceConsole*. Almost every action in the user interface is secured separately. Users can be validated via LDAP eliminating the need for separate usernames and passwords for *VoiceConsole* and LDAP.

VoiceConsole

Segregation of Operator and Device Management

Data and actions related to operators, including operator information and operator teams, are displayed on the **Operator Management** tab. Those related to devices, including device information, device profiles, device logs, VoiceClients and Voices, are displayed on the **Device Management** tab. Task and task package data and actions are displayed on both tabs.

Web Services

Web services, which automate processes that previously could only be performed in the user interface, are available with this release. Refer to the Web Services Interface Guide for *Vocollect VoiceConsole 3.0* for more information.

Note: To use Web Services you should be familiar with object oriented concepts and have experience using web services in other applications.

The following Web Services are available:

- | | |
|--|-----------------------------------|
| • Create operator | • Import task |
| • Import templates | • Create task package |
| • Fetch operator by ID | • Fetch all tasks |
| • Fetch all operators | • Fetch all task packages |
| • Fetch templates by operator | • Fetch all devices |
| • Create operator team | • Fetch all operator teams |
| • Delete operator & templates | • Modify operator ID |
| • Send message to operator(s) or operator team(s) | |

Data Display

List Views

List views are configurable in that you can easily add and remove columns, change the order in which columns are displayed, or apply filters to the data. You can also copy selected data rows and paste the data to a text editor and other applications.

All list views are searchable, refresh automatically and display the total number of rows in each list making it easy to determine the total number of certain data in a list.

Dual-List Pages

Some related data, such as operator teams and operators that are members of those teams, is displayed on one page in a dual-list view rather than two separate pages.

Voice Management

If you are running *VoiceConsole* 3.0 and *VoiceClient* 3.5, you can now select and deploy a preferred Voice to specific devices or associate a preferred Voice with an operator. Voices are a combination of a text-to-speech (TTS) engine, a language and country code, and a given person/gender. You can choose which Voice you prefer operators to hear when using devices or associate a specific operator with a preferred Voice that automatically loads when the operator's headset is connected to a *Talkman T5* or *T5m* device.

With this feature, you are no longer limited to one voice option per language/country code on *T5m*, *T5* and *T2x* devices and support from Vocollect to make these changes is no longer necessary. You have multiple voice options for most supported languages.

Note: Vocollect recommends the choice of a default language be made at the IT or corporate level and be applied site wide.

Import/Export of Operator Templates

You can transfer operator data and operator templates from one installation of *VoiceConsole* to another. This process eliminates the need for operators to retrain templates when they're moved from one *VoiceConsole* system to another.

Device Dialog Display

The Device Dialog Display feature displays the dialog between a device and an operator in real time for training and troubleshooting purposes. This feature is similar to a feature called Display Manager, which was part of *Talkman Management System*.

Serial Loading Enhancements

In this release, you can:

- load a configuration only device profile to update parameter settings on a device, reducing the time it takes to connect devices to *VoiceConsole* from several minutes to seconds

- force the reload of a device profile to clear out the flash file memory on a device, which has been known to resolve some obscure issues
- force the reload of a configuration to clear out existing Voices associated with a device, which has also been known to resolve some obscure issues

These enhancements significantly reduce the time it takes to prepare devices for use.

Task Update

You can replace an existing task across multiple sites more efficiently than in previous versions with the update task feature. You select which task should be updated and the new task. The system automatically searches for any task packages, across sites, containing the task that should be updated. You can then replace the task in all of the sites or select a subset of sites.

Task Package Creation

To enhance speech recognition, the setting Enable Secondary Dot Wait Mechanism has been replaced with the Ideal Dot Wait Timer setting as a common setting when creating task packages. Enabling this setting causes the task to evaluate .wait conditions every 0.1 seconds, providing a more accurate timeout calculation.

Move Data

Enhancements were made to make it easier and faster to move data, such as operators or devices, from one site to another. These actions are now performed in the context you are in, rather than segregated to a separate area. For example, you move an operator from the **View Operators** page, a device from the **View Devices** page, etc.

Context-Sensitive Online Help

In addition to the full online help system, users can access context-sensitive help that applies to the page they are currently viewing.

System Requirements

The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole 3.0 Implementation Guide*.

General Considerations/Limitations

- You cannot use the database schema created for *VoiceConsole* for another application.
- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- You cannot use the Voice management features of *VoiceConsole* 3.0 with *VoiceConsole* 2.4-compatible *VoiceClient* 3.5 or newer firmware. You must use the *VoiceConsole* 3.0-compatible version of *VoiceClient* 3.5 or newer.

Only one version of *VoiceClient* 3.5 can exist in the system. If the *VoiceConsole* 2.4-compatible version is present, you must remove it and import the *VoiceConsole* 3.0-compatible version.

- After uninstalling *VoiceConsole* 3.0 and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 is installed again on the same machine.

[VVC-1984]

Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* 3.0 folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.

- In Internet® Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. **[VVC-1235]**

Workaround: Refresh the page, and select the correct file to upload.

- The setting Secondary Dot Wait Mechanism has been replaced by Ideal Dot Wait Timer within the task package common settings for *VoiceConsole* 3.0. The previous setting, which toggled the parameter EnableSecondaryDotWaitMechanism, will now permanently be enabled and the new common setting will toggle the parameter UseLegacyDotWait. Enabling the ideal dot wait timer improves recognition responsiveness, however could result in unexpected behavior depending on task design. It is strongly recommended you consult the *VoiceConsole* 3.0 help before enabling this setting. **[VVC-1506]**
- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. **[VVC-1525]**

Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

- If you enable Bluetooth in the user interface of *VoiceConsole* while a device is powered off and the device's current state has Bluetooth disabled, the Bluetooth settings will revert back to disabled when the device is powered on. This is an expected behavior. **[VVC-1537]**

Workaround: Always enable Bluetooth for the device in the user interface of *VoiceConsole* when the device is powered on.

- When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete. **[VVC- 1824]**

Upgrading

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, an error in the log file stating the device cannot be migrated because the serial number already exists. This error is correct as you cannot have two devices with identical serial numbers in one site. **[VVC-1573]**
- When upgrading from *VoiceConsole* 2.4 to *VoiceConsole* 3.0, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to *VoiceConsole* 3.0 in the event you may need to go back to version 2.4.
- When upgrading from *VoiceConsole* 2.2 on a Linux machine using Oracle XE as your database, you must first upgrade to *VoiceConsole* 2.4 and then to *VoiceConsole* 3.0 for your database to remain intact. For details on upgrading, refer to the *Vocollect VoiceConsole* 3.0 Implementation Guide. **[VVC-1982]**
- When upgrading from a previous version of *VoiceConsole* to *VoiceConsole* 3.0 on a different computer, the ReadMappingFileAction fails and you receive an installation error in the Install Complete window indicating some errors occurred during the install. This error results from the installer not outputting a status file when the installer attempts to verify that the existing *VoiceConsole* 2.x database is present. This error does not affect *VoiceConsole* 3.0. **[VVC-2012]**
- When using *VoiceClient* 3.4 and upgrading to *VoiceConsole* 3.0 on a different computer, the configuration file in *VoiceConsole* is not replaced during the upgrade.

Workaround: Load a *VoiceClient* version other than 3.4 to the device.

When using both *VoiceConsole* 3.0 and *VoiceLink* 3.0 or newer

- When installing *VoiceConsole* 3.0 along with *VoiceLink* 3.0 or newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- When installing *VoiceConsole* 3.0 with Linux and *VoiceLink* 3.0 or newer installed, you must change the permissions to the Device Logs and Files folders after installing *VoiceConsole*. Run the following commands in the terminal prompt to change the permissions:

```
o chown -R vocollect:vocollect <location of Vocollect Storage Files>
```

```
o chown -R vocollect:vocollect <location of Vocollect Device Logs>
```

- When *VoiceConsole* 3.0 and *VoiceLink* 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. **[VVC-1921]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- When *VoiceConsole* 3.0 and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. **[VVC-1922]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In

Linux, run the uninstall application at
<InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- If you are installing *VoiceConsole* after *VoiceLink* 3.0 or newer has been installed, log files for *VoiceConsole* are stored in <InstallDirectory>\Vocollect\Logs in Windows and <InstallDirectory>/Vocollect/Logs in Linux by default.

The following are known limitations in *VoiceConsole* 3.0:

VVC-956, If a USB hub is being used to serial load multiple devices, intermittent lockups
VVC-1899 may occur.

Workaround: Close and reopen the browser to reinitialize the serial port.

VVC-1370 When comparing several operators or devices, the **Compare Operators** or
Compare Devices pages display Loading indefinitely.

Workaround: When comparing operators or device, you can only compare up to six operators or devices at a time.

Release Notes for Vocollect VoiceConsole® 3.0

Installation

Refer to the *Vocollect VoiceConsole 3.0 Implementation Guide* provided on the software CD for installation instructions for *VoiceConsole 3.0*.

Release Highlights

VoiceConsole 3.0 has been redesigned! The user interface is completely different than *VoiceConsole 2.X*. As a web-based application, most of the features are accessed by navigation and action links displayed in a navigation bar on the left side of the page layout. Breadcrumb navigation is also available at the top of each page. Similar to previous versions, most of the data is displayed in lists.

In addition to a new look, *VoiceConsole 3.0* has all the features from *VoiceConsole 2.X* and the following new features:

Vocollect Voice Integration Platform

VoiceConsole 3.0 is now built on the *Vocollect Voice Integration Platform*. *VVIP* offers improved navigation and organization by displaying data in three sections, or application pages, called **Home**, **Administration** and **VoiceConsole**. You can view and manage data in these sections simply by clicking a tab.

VVIP also introduces many administration features and the **Home** page, which provides a dashboard of information on the status of your system.

Home Page

The new design of the *VoiceConsole* application presents summaries of certain data on a **Home** page. Notifications, sites, devices, device profiles, peripheral pairings, operators and task packages are available to view on the **Home** page. The **Home** page is configurable in that you can select from this data what you want to view on the **Home** page.

Administration

Licensing

Language and country code were removed from the license information for this release. Licensing is now based on device type and *VoiceClient* version only.

Schedules

You can now specify when purging data should occur. You can also view the history of when this process has run and the results.

Displaying and Emailing Critical Notifications

Notifications are displayed in *VoiceConsole* when errors occur. *VoiceConsole* can be set up to automatically e-mail specific users when critical notifications occur.

Configurable Security Roles

You can create and customize roles based on your security needs. You determine the level of access and permissions users have within *VoiceConsole*. Almost every action in the user interface is secured separately. Users can be validated via LDAP eliminating the need for separate usernames and passwords for *VoiceConsole* and LDAP.

VoiceConsole

Segregation of Operator and Device Management

Data and actions related to operators, including operator information and operator teams, are displayed on the **Operator Management** tab. Those related to devices, including device information, device profiles, device logs, VoiceClients and Voices, are displayed on the **Device Management** tab. Task and task package data and actions are displayed on both tabs.

Web Services

Web services, which automate processes that previously could only be performed in the user interface, are available with this release. Refer to the Web Services Interface Guide for *Vocollect VoiceConsole 3.0* for more information.

Note: To use Web Services you should be familiar with object oriented concepts and have experience using web services in other applications.

The following Web Services are available:

- | | |
|--|-----------------------------------|
| • Create operator | • Import task |
| • Import templates | • Create task package |
| • Fetch operator by ID | • Fetch all tasks |
| • Fetch all operators | • Fetch all task packages |
| • Fetch templates by operator | • Fetch all devices |
| • Create operator team | • Fetch all operator teams |
| • Delete operator & templates | • Modify operator ID |
| • Send message to operator(s) or operator team(s) | |

Data Display

List Views

List views are configurable in that you can easily add and remove columns, change the order in which columns are displayed, or apply filters to the data. You can also copy selected data rows and paste the data to a text editor and other applications.

All list views are searchable, refresh automatically and display the total number of rows in each list making it easy to determine the total number of certain data in a list.

Dual-List Pages

Some related data, such as operator teams and operators that are members of those teams, is displayed on one page in a dual-list view rather than two separate pages.

Voice Management

If you are running *VoiceConsole* 3.0 and *VoiceClient* 3.5, you can now select and deploy a preferred Voice to specific devices or associate a preferred Voice with an operator. Voices are a combination of a text-to-speech (TTS) engine, a language and country code, and a given person/gender. You can choose which Voice you prefer operators to hear when using devices or associate a specific operator with a preferred Voice that automatically loads when the operator's headset is connected to a *Talkman T5* or *T5m* device.

With this feature, you are no longer limited to one voice option per language/country code on *T5m*, *T5* and *T2x* devices and support from Vocollect to make these changes is no longer necessary. You have multiple voice options for most supported languages.

Note: Vocollect recommends the choice of a default language be made at the IT or corporate level and be applied site wide.

Import/Export of Operator Templates

You can transfer operator data and operator templates from one installation of *VoiceConsole* to another. This process eliminates the need for operators to retrain templates when they're moved from one *VoiceConsole* system to another.

Device Dialog Display

The Device Dialog Display feature displays the dialog between a device and an operator in real time for training and troubleshooting purposes. This feature is similar to a feature called Display Manager, which was part of *Talkman Management System*.

Serial Loading Enhancements

In this release, you can:

- load a configuration only device profile to update parameter settings on a device, reducing the time it takes to connect devices to *VoiceConsole* from several minutes to seconds

- force the reload of a device profile to clear out the flash file memory on a device, which has been known to resolve some obscure issues
- force the reload of a configuration to clear out existing Voices associated with a device, which has also been known to resolve some obscure issues

These enhancements significantly reduce the time it takes to prepare devices for use.

Task Update

You can replace an existing task across multiple sites more efficiently than in previous versions with the update task feature. You select which task should be updated and the new task. The system automatically searches for any task packages, across sites, containing the task that should be updated. You can then replace the task in all of the sites or select a subset of sites.

Task Package Creation

To enhance speech recognition, the setting Enable Secondary Dot Wait Mechanism has been replaced with the Ideal Dot Wait Timer setting as a common setting when creating task packages. Enabling this setting causes the task to evaluate .wait conditions every 0.1 seconds, providing a more accurate timeout calculation.

Move Data

Enhancements were made to make it easier and faster to move data, such as operators or devices, from one site to another. These actions are now performed in the context you are in, rather than segregated to a separate area. For example, you move an operator from the **View Operators** page, a device from the **View Devices** page, etc.

Context-Sensitive Online Help

In addition to the full online help system, users can access context-sensitive help that applies to the page they are currently viewing.

System Requirements

The *VoiceConsole* system requirements are described in detail in the *Vocollect VoiceConsole 3.0 Implementation Guide*.

General Considerations/Limitations

- When loading device profiles serially to multiple devices at once, you may receive an error stating the COM port you are loading through is in use. Vocollect has seen this occur when loading to 15 or more devices.

Workaround: Ensure that you have set up the serial load correctly in *VoiceConsole* and that the port is not in use. If this issue still occurs, close and reopen all browser windows to reinitialize the serial port.

- When upgrading from *VoiceConsole* 2.4 to *VoiceConsole* 3.0, Vocollect strongly recommends you backup the database you are using for *VoiceConsole* 2.4 before upgrading to *VoiceConsole* 3.0 in the event you may need to go back to version 2.4.
- When upgrading from *VoiceConsole* 2.2 on a Linux machine using Oracle XE as your database, you must first upgrade to *VoiceConsole* 2.4 and then to *VoiceConsole* 3.0 for your database to remain intact. For details on upgrading, refer to the *Vocollect VoiceConsole 3.0 Implementation Guide*. [VVC-1982]
- After uninstalling *VoiceConsole* 3.0 and choosing the option to keep data, device logs are not created when *VoiceConsole* 3.0 is installed again on the same machine. [VVC-1984]

Workaround: Create a new folder called **DeviceLogs** in the *VoiceConsole* 3.0 folder located, by default, at <InstallDirectory>\VoiceConsole, in Windows, and <InstallDirectory>/VoiceConsole, in Linux.

- When installing *VoiceConsole* 3.0 along with *VoiceLink* 3.0 and newer, use a different database for *VoiceConsole* than what you are using for *VoiceLink*.
- In Internet® Explorer®, you can only apply up to six filters on one list at a time. In Mozilla® Firefox®, you can only apply up to 30 filters on one list at a time.
- You should not use the back button on the navigation bar of the web browser.
- When importing a task in Internet Explorer 6, if an invalid file name is entered, a message stating "Your request is being processed" is still displayed and all buttons on the page are disabled. [VVC-1235]

Workaround: Refresh the page, and select the correct file to upload.

- The setting Secondary Dot Wait Mechanism has been replaced by Ideal Dot Wait Timer within the task package common settings for *VoiceConsole* 3.0. The previous setting, which toggled the parameter EnableSecondaryDotWaitMechanism, will now permanently be enabled and the new common setting will toggle the parameter UseLegacyDotWait. Enabling the ideal dot wait timer improves recognition responsiveness, however could result in unexpected behavior depending on task design. It is strongly recommended you consult the *VoiceConsole* 3.0 help before enabling this setting. [VVC-1506]
- If you activate the **Discoverable** and **Enable manual pairings** of headsets check boxes in the **Bluetooth** section on the **Device Properties** page and create a pairing with any device, these check boxes do not remain active (checked) when you return to the **Device Properties** page. [VVC-1525]

Workaround: Re-activate (check) these check boxes and click **Apply** on the **Device Properties** page.

- If you enable Bluetooth in the user interface of *VoiceConsole* while a device is powered off and the device's current state has Bluetooth disabled, the Bluetooth settings will revert back to disabled when the device is powered on. This is an expected behavior. [VVC-1537]

Workaround: Always enable Bluetooth for the device in the user interface of *VoiceConsole* when the device is powered on.

- While executing a *TMS* migration, if the same device exists in the *VoiceConsole* system and in the *TMS* you are migrating from, an error in the log file stating the device cannot be migrated because the serial number already exists. This error is

correct as you cannot have two devices with identical serial numbers in one site.
[VVC-1573]

- When viewing dialog between a device and an operator while the operator is template training, the progress bar may display the training time incorrectly. The progress bar may indicate the training has not started, when it has, or indicate training is complete, when it has not completed. This does not affect training. The device will alert the operator when training is complete. **[VVC- 1824]**
- When *VoiceConsole* 3.0 and *VoiceLink* 3.0 or newer are installed on the same machine, only the first application installed can be uninstalled by Windows Add or Remove Programs utility. **[VVC-1921]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

- When *VoiceConsole* 3.0 and *VoiceLink* 3.0 or newer are installed on the same machine, running the Vocollect Enterprise Products uninstaller only uninstalls *VoiceLink*. *VoiceConsole* remains installed. **[VVC-1922]**

Workaround: To uninstall *VoiceConsole*, in Windows, run the uninstall application at <InstallDirectory>\VoiceConsole\Uninstall_Vocollect Enterprise Products. In Linux, run the uninstall application at <InstallDirectory>/VoiceConsole/Uninstall_Vocollect Enterprise Products.

The following are known limitations in *VoiceConsole* 3.0:

VVC-956, If a USB hub is being used to serial load multiple devices, intermittent lockups
VVC-1899 may occur.

Workaround: Close and reopen the browser to reinitialize the serial port.

VVC-1370 When comparing several operators or devices, the **Compare Operators** or **Compare Devices** pages display Loading indefinitely.

Workaround: When comparing operators or device, you can only compare up to six operators or devices at a time.

Release Notes for Vocollect VoiceConsole® 2.4 Revision B

Installation

Refer to the *Implementation Guide* provided on the software CD for installation instructions for Vocollect *VoiceConsole* 2.4.

Release Highlights

EAP Support for T2x Devices

The Extensible Authentication Protocol support that was available in version 2.3 is now also available for T2x devices.

Support for WPA-2

The 2.4 release of *VoiceConsole* provides support for WiFi Protected Access 2 (WPA-2).

Advanced Encryption Standard (AES) is used in WPA-2. AES provides the following:

- A stronger encryption algorithm than used in WPA
- A calculated checksum to verify integrity
- Encryption that occurs at the hardware level

To use this feature, edit the device profile to use WPA-2 by selecting that option in the **Create Profile: Configure Profile** page, which is the third step of the **Create Profile** wizard.

If you have devices using WPA-2 encryption and your network uses both WPA and WPA-2 encryption, activate the check box labeled **Mixed Mode** in the **Advanced Settings** section of the **Create Profile: Configure Profile** page.

In a mixed WPA/WPA-2 network, the device will accept *group messages* from the access point using WPA/TKIP encryption and messages that are *only between the access point and the device* using WPA-2/AES encryption

Warning: Do not activate this check box if the access points are configured to use only one or the other. Some devices will fail to connect to the network.

Load the WPA-2-enabled profile onto the devices.

System Requirements

The *VoiceConsole* system requirements are described in detail in the *VoiceConsole Implementation Guide*.

Limitations/General Considerations

The following are known limitations in *VoiceConsole 2.4*:

The Vocollect Hardware Online Help is now included in the *VoiceConsole* Online Help.

If you are running the Portuguese or Brazilian versions of *VoiceConsole*, you can access this help when you open the help from within the *VoiceConsole* application. If, however, you access the help from outside of the application, some of the Table of Contents entries for the Vocollect Hardware Online Help may not open the expected topic when you click on them.

If you attempt to run the Talkman Management System (TMS) migration after upgrading to *VoiceConsole 2.4* and you receive a runtime error, do the following:

1. Close your browser window.
 2. Navigate to **C:\WINDOWS\Downloaded Program Files** and delete the following file:
 - CopyTMS.ctlCopyTMS

 3. Navigate to **C:\WINDOWS\SYSTEM32** and delete the following files, if they exist:
 - CopyTMSctl.ocx
 - PocketHttp.dll
 - psDime.dll
 - pSOAP.dll
 - soapTypes.dll
-

Release Notes for Vocollect VoiceConsole® 2.3.1 Revision B

Installation

Refer to the *Implementation Guide* provided on the software CD for installation instructions for Vocollect *VoiceConsole* 2.3.1.

Release Highlights

Support for WPA-2

The 2.3.1 release of *VoiceConsole* provides support for WiFi Protected Access 2 (WPA-2).

Advanced Encryption Standard (AES) is used in WPA-2. AES provides the following:

- A stronger encryption algorithm than used in WPA
- A calculated checksum to verify integrity
- Encryption that occurs at the hardware level

To use this feature, edit the device profile to use WPA-2 by selecting that option in the **Create Profile: Configure Profile** page, which is the third step of the **Create Profile** wizard.

If you have devices using WPA-2 encryption and your network uses both WPA and WPA-2 encryption, activate the check box labeled **Mixed Mode** in the **Advanced Settings** section of the **Create Profile: Configure Profile** page.

In a mixed WPA/WPA-2 network, the device will accept *group messages* from the access point using WPA/TKIP encryption and messages that are *only between the access point and the device* using WPA-2/AES encryption

Warning: Do not activate this check box if the access points are configured to use only one or the other. Some devices will fail to connect to the network.

Load the WPA-2-enabled profile onto the devices.

New Supported Language

VoiceConsole now supports traditional Chinese.

System Requirements

The *VoiceConsole* system requirements are described in detail in the *VoiceConsole Implementation Guide*.

Limitations/General Considerations

The following are known limitations in *VoiceConsole 2.3.1*:

If you upgrade to Version 2.3.1 from Version 2.3, an **UninstallVoiceConsole 2.3.1** folder will be created in the installation directory, but the upgrade procedure will not remove the existing **UninstallVoiceConsole 2.3** directory. If you upgrade from Version 2.3 and need to uninstall the application, be sure to use the uninstaller in the **UninstallVoiceConsole 2.3.1** folder.

The Vocollect Hardware Online Help is now included in the *VoiceConsole* Online Help.

If you are running the Portuguese or Brazilian versions of *VoiceConsole*, you can access this help when you open the help from within the *VoiceConsole* application. If, however, you access the help from outside of the application, some of the Table of Contents entries for the Vocollect Hardware Online Help may not open the expected topic when you click on them.

If you attempt to run the Talkman Management System (TMS) migration after upgrading to VoiceConsole 2.3.1 Revision B and you receive a runtime error, do the following:

1. Close your browser window.
 2. Navigate to **C:\WINDOWS\Downloaded Program Files** and delete the following file:
 - CopyTMS.ctlCopyTMS

 3. Navigate to **C:\WINDOWS\SYSTEM32** and delete the following files, if they exist:
 - CopyTMSctl.ocx
 - PocketHttp.dll
 - psDime.dll
 - pSOAP.dll
 - soapTypes.dll
-

Release Notes for Vocollect VoiceConsole® 2.3.1

Installation

Refer to the *Implementation Guide* provided on the software CD for installation instructions for Vocollect *VoiceConsole* 2.3.1.

Release Highlights

Support for WPA-2

The 2.3.1 release of *VoiceConsole* provides support for WiFi Protected Access 2 (WPA-2).

Advanced Encryption Standard (AES) is used in WPA-2. AES provides the following:

- A stronger encryption algorithm than used in WPA
- A calculated checksum to verify integrity
- Encryption that occurs at the hardware level

To use this feature, edit the device profile to use WPA-2 by selecting that option in the **Create Profile: Configure Profile** page, which is the third step of the **Create Profile** wizard.

If you have devices using WPA-2 encryption and your network uses both WPA and WPA-2 encryption, activate the check box labeled **Mixed Mode** in the **Advanced Settings** section of the **Create Profile: Configure Profile** page.

In a mixed WPA/WPA-2 network, the device will accept *group messages* from the access point using WPA/TKIP encryption and messages that are *only between the access point and the device* using WPA-2/AES encryption

Warning: Do not activate this check box if the access points are configured to use only one or the other. Some devices will fail to connect to the network.

Load the WPA-2-enabled profile onto the devices.

System Requirements

The *VoiceConsole* system requirements are described in detail in the *VoiceConsole Implementation Guide*.

Limitations/General Considerations

The following are known limitations in *VoiceConsole* 2.3.1:

If you upgrade to Version 2.3.1 from Version 2.3, an **UninstallVoiceConsole 2.3.1** folder will be created in the installation directory, but the upgrade procedure will not remove the existing

UninstallVoiceConsole 2.3 directory. If you upgrade from Version 2.3 and need to uninstall the application, be sure to use the uninstaller in the **UninstallVoiceConsole 2.3.1** folder.

Release Notes for Vocollect VoiceConsole™ 2.3

Installation

Refer to the *Implementation Guide* provided on the software CD for installation instructions for Vocollect *VoiceConsole 2.3*.

Release Highlights

The 2.3 version of *VoiceConsole* includes the following new features and enhancements. These features are described in depth in the *VoiceConsole* online help. To open the online help, select **Contents and Overview** in *VoiceConsole*'s navigation bar.

Extensible Authentication Protocol

To meet increasing security requirements, we added the ability to configure one of five different Extensible Authentication Protocol methods on a site, operator or device basis. The supported methods are:

- EAP-TLS
- EAP-TTLS/MSCHAPv2
- PEAPv0/EAP-MSCHAPv2
- PEAPv1/EAP-GTC
- LEAP

See the topic *Configuring Extensible Authentication Protocol Settings* under **Administration | Manage Sites** in the online help for more information on this feature.

This feature requires that you are running VoiceClient version 3.2.

This feature is only available with Talkman® T5 devices.

Note that this configuration requires a complete IT infrastructure outside of the standard VoiceConsole installation to support it. For information on what you need to configure EAP, see *Notes to the System Administrator*.

Clustered Server Support

VoiceConsole can now be installed into server environments that have been clustered for failover or load balancing purposes.

See the *VoiceConsole 2.3 Implementation Guide* for more information on how to install into a clustered server environment.

Device Messaging

You can send spoken messages to operators through their devices. You can enter a message and specify how long the device will retain the unheard message before it expires, and then you can send it to any number of operator teams and operators.

This feature requires that you are running VoiceClient version 3.2.

See the topics *Sending Messages to Operators* and *Sending Messages to Operator Teams* under **Operators** and **Operator Teams** in the online help for more information on this feature.

Network Printing

You can now pair printers on the wireless network to a device, either manually through the user interface, or in bulk by importing a flat file. This expands on the Bluetooth® functionality available as of the last release.

This feature requires that you are running VoiceClient version 3.2.

See the topic *Pairing a Device With Peripheral Hardware* under **Devices** in the online help for more information on this feature.

Modifiable Operator ID

The **Operator Properties** page was modified so the **Operator ID** field is editable. To change an operator ID, enter the new value in this field.

Warning: Use caution when changing operator IDs. Applications used at your site other than *VoiceConsole* may depend on the operator ID, and changing it may have serious consequences, resulting in work delays.

Fixes and Enhancements

VVC-202 In the previous release, if you migrated a *VoiceConsole* database that contained pending action items, it was possible to receive Java errors related to action items not being found. This has been fixed.

VVC-345 With this release, the *VoiceConsole* installer checks that ports 9080, 8009, 8443 and 8005 are available. If they are not, a message to this effect appears, and you will not be able to continue with the installation until the ports become available.

VVC-486 With this release, we made changes to improve performance when loading device profiles onto devices.

VVC-179

System Requirements

The *VoiceConsole* system requirements are described in detail in the *VoiceConsole Implementation Guide*.

Limitations/General Considerations

The following are known limitations in *VoiceConsole 2.3*:

VVC-58 If a device's configuration (.cci) file is distributed to the device via the T5 Combination Charger, when you view that device's profile in *VoiceConsole*, it will display the old profile and not the new one. Note that this is only a display issue; the device will function according to the configuration file loaded on it.

VVC-114 When you import tasks, you should import them into all sites to which you have access. If you import a task into a site other than the one you are currently viewing, and that site contains a task with the same name as the one being imported, two tasks with the same name will exist in that site.

VVC-284 If your browser has cookies disabled or the *VoiceConsole* hostname does not adhere to the TCP/IP naming standard (for example, the hostname contains an underscore), when you attempt to run the TMS migration tool from within the online help, a *VoiceConsole* login window will appear rather than the migration window. If you intend to migrate TMS data into *VoiceConsole*, you must enable cookies in your browser.

VVC-288 When you install *VoiceConsole*, if you enter a named instance of a database in the **Database Server Settings** window, you must enter two backslashes in front of the named instance in order for *VoiceConsole* to connect. Note that the installer will not detect an error with a single backslash, so you must verify that the string is entered correctly, as in the example below:

```
jdbc:sqlserver://<host>\\<named_instance>:<port>;DatabaseName=<database>
```

VVC-318 If you install into a clustered server environment in which the nodes are in different timezones, the following issues will occur:

- Data Maintenance will run at different times on the different nodes
- Devices will resync their clocks each time they are serviced by the different nodes

VVC-545 If you have configured a site to use EAP-TLS in an Operator Based configuration, after operators log into *VoiceConsole* initially, they can enter certificates that do not match their usernames. Operators must use the same certificate files they used when logging in when they re-enter credentials on the **Change Credentials** page.

VVC-547 If you enter a single quote (') in the **Search Base** field in the **Set Up EAP: Directory Server** page, then return to that page, none of the settings will appear in that page. Note that this is only a display issue; the settings entered will be used by the application and they will appear in the **Summary** page.

VVC- If you create a pairing of a device and network printer in *VoiceConsole* and attempt to

253 print a test page, if that print job fails for any reason, the only error you will receive is *Connection to printer failed*. You must do further research to determine the exact cause of the problem.

VVC-254 If you create a pairing of a device and network printer in *VoiceConsole* and attempt to print a test page, you are prompted to select a file to send. *VoiceConsole* does not validate that it is a valid type for your printer, so you must select the correct type.

VVC-373 If you are using Lightweight Directory Access Protocol (LDAP) with an Extensible Authentication Protocol configuration and you attempt to change the password, you may see the following error:

EAP Settings have been saved to VoiceConsole but some credentials may not have been saved to the LDAP Server due to errors.

In spite of the message, the device does obtain the new credentials. The device is then able to log back onto the network with these new credentials.

Release Notes for Vocollect VoiceConsole™ 2.2

Installation

Refer to the *Implementation Guide* for installation instructions for *Vocollect VoiceConsole™ 2.2*.

Release Highlights

The 2.2 version of *VoiceConsole* includes the following new features and enhancements:

- One installation of *VoiceConsole* can now be used to remotely manage voice system components and multiple sites. This change results in the following:
 - Sites can be created, modified, and deleted from *VoiceConsole*. When administering sites, you can specify the time zone in which a site is located, and you can associate voice system components, such as operators, and *Vocollect Voice Clients*, to multiple sites.
 - There are now three user roles: Administrator, Site Administrator, and User. Only Administrators can create, modify, or delete sites. Site Administrators can create Users or other Site Administrators at the sites they are allowed to view. Users can be assigned access rights to view more than one site.
 - Data, such as operator, operator team, and device data, that previously had to be unique in the system now only has to be unique within a site. Individual data items, such as operators, are created for a single site; however, once created, data items can be assigned to multiple sites.
 - The user can now elect to import tasks and *Voice Clients* into multiple sites. Note that the user can only select sites that the user is allowed to view.
 - Searches are now performed across all sites that a user is allowed to view. If a search returns results from multiple sites, the results are segregated by site.
- *VoiceConsole* now facilitates pairing between a Bluetooth®-enabled voice device and the SRX Vocollect® Wireless Headset with Bluetooth® Wireless Technology. Pairing between a device and the SRX headset may be performed via the *VoiceConsole* user interface or manually by pairing the hardware.
- *VoiceConsole* now features expanded database support to include Microsoft SQL Server 2000®, SQL Server 2005®, Oracle® 10g Enterprise, and Oracle® 10g Express.
- The application now uses flat file-based logging, which reduces the time it takes to export log files. This feature also enables logging to be enabled for a number of devices without affecting system performance.
- *VoiceConsole* now supports the following languages:
 - French-Canadian
 - Czech
 - Greek

- Hungarian
- Polish
- Japanese
- Simplified Chinese
- With this release, if you have Bluetooth®-enabled devices paired to peripherals in *VoiceConsole*, then later perform Bluetooth configurations in bulk by importing a file, if that file contains no Bluetooth pairings for the currently paired devices, those pairings will be cleared within *VoiceConsole*.
- When you upgrade to this version from an earlier version, the database settings of the installer will be populated with the settings for the existing version. If you choose to change this information, you will now be warned that changing these settings will delete existing data.

System Requirements

The system requirements necessary for optimal voice system management performance with *VoiceConsole* include the following areas:

- [Hardware Requirements](#)
- [Software Requirements](#)
- [Network Bandwidth Requirements](#) (when managing voice system components remotely)
- [VoiceConsole Client Requirements](#)

Hardware Requirements

VoiceConsole requires the following hardware components to operate effectively.

Total Number of Devices Being Managed	Minimum Requirements
300	CPU - 2.6GHz Memory - 1GB DDR Hard Drive - 40 GB
300-600	CPU - 3.4GHz Memory - 2GB DDR Hard Drive - 80 GB
600-2500	CPU - 3.4GHz Memory - 4GB DDR Hard Drive - 120 GB

Note: A fully functioning *VoiceConsole* system requires at least 700MB of disk space on the installation drive. The actual installation requires approximately 300MB, and another 400MB is needed for system setup and regular use. When logging is enabled for a particular device, debug output is captured at a rate of approximately 500KB to 1.5MB per hour, depending on the task. The average size of the debug output is typically 800KB to 1MB per hour. It is important to allocate an appropriate amount of disk space based upon the amount of debug output you expect to collect.

Software Requirements

The following Operating Systems are supported with *VoiceConsole*:

- Microsoft® Windows® Server 2003 with service pack 1
- Microsoft Windows 2000 Server with service pack 4
- Red Hat® Enterprise Linux® version 4

The following Database Configurations are supported with *VoiceConsole*:

- Oracle 10g Express Edition (Windows and Linux)
- Oracle 10g Enterprise Editions (Windows and Linux)
- SQL Server 2000 with Service Pack 4 (Windows only)
- SQL Server 2005 (Windows Only)

Note: The Oracle 10g Express Edition Database is available for installation from the VoiceConsole 2.2 CD.

Network Bandwidth Requirements (when managing voice system components remotely)

Bandwidth Required from Site(s)		
Number of Active Devices per Site (or Shift)	Minimum Bandwidth Required (Mb/sec)	Minimum Line Type Required
10	.076Mb	Partial T1
50	.384Mb	Partial T1
100	.768Mb	T1
200	1.536Mb	T3
300(+)	2.304Mb	T3

Note: VoiceConsole bandwidth requirements depend on the network traffic generated during peak times. The peak times for VoiceConsole are characterized by shift startup activities such as, Operators and Voice Applications loading to devices. Bandwidth requirements can be estimated by using the following data multiplied by the number of devices per shift:

Typical Operator Load Transfer = 232KB (1856kbits) of data per device

Typical Voice Application Load Transfer = 288KB (2304 kbits) of data per device

VoiceConsole Client Requirements

The following Operating Systems are supported for *VoiceConsole* clients:

- Microsoft Windows 98, 2000, XP service pack 1, XP service pack 2;
- Red Hat Linux Workstation ES for Intel processors

The following Browsers are supported for *VoiceConsole* clients:

- Microsoft Internet Explorer 5.5, 6.0 with service pack 2
- Mozilla Firefox® 1.5

Limitations/General Considerations

The following are known limitations in *VoiceConsole 2.2*.

VoiceConsole 2.2 upgrade limitations:

- An upgrade install for Linux Operating System is not provided with this release. If you are using *VoiceConsole 2.0* or *2.1* and want to upgrade to Linux, there are some special steps you must do to achieve this. See the *Implementation Guide* for these steps.
- A data migration utility for customers who are currently running *VoiceConsole* in a decentralized architecture to install *2.2* and migrate the data from their disparate instances of *VoiceConsole* into *2.2* is not provided with this release.
- [SPR 16236] When the **Operator Name** in **Operators** page is alphabetically sorted, Japanese names get sorted in descending order while English names get sorted in ascending order.
- [SPR 16232] Time zone will always be displayed in *VoiceConsole* in the **Date Created** column of the **Device Profiles** page, even in cases where a country does not have time zones. This information is populated by JAVA and not the *VoiceConsole* application itself.
- [SPR 15334] Removing a device from view with logging enabled, then changing the state of the device by powering on or putting it in a charger, results in an active log with logging not enabled. You must disable logging before removing a device from view.
- [SPR 15619] If your browser is configured to display text in an unsupported language code, the language in which *VoiceConsole* will be controlled is by the server's operating system configuration.
- [SPR 15086] Daylight Savings Time is always applied by default even when it is turned off on the host or when the host is set to a non-DST time zone. In order for non-DST time zone settings to take effect, you must stop and restart the **VoiceConsole 2.2** service.
- [SPR 14417] If a user attempts to install multiple instances of the same version of *VoiceConsole* onto a Linux server, the subsequent installation attempts (that is, all installation attempts after the first installation) will fail to uninstall the previous instance of the application. The previous instance must be uninstalled manually before the application is installed on the server again.

- [SPR 13627] If a space is inadvertently placed before the IP Address in the URL that enables devices to connect to *VoiceConsole* (for example, "VoiceConsoleURL"="http://<inadvertent space here>10.1.2.345:8080/VoiceConsole"), the devices will be able to connect to the application, however, they will not be able to send log data to the application in the event that logging is enabled.
- [SPR 13238] When creating a device profile using a .cci file that contains multiple radio types with different settings, users may experience an error if the browser's **Back** button is used to navigate back to step 2 of the device profile creation process after the specific radio type has been chosen.
- [SPR 11733] When importing a task into *VoiceConsole*, the user may experience an error when browsing to the task file if the path to the folder into which the task file has been placed is extremely long.
- [SPR 10955] If a user is viewing a properties page (for example, a particular operator's properties page) in *VoiceConsole*, and then that user opens the same properties page in another browser (so that the user now has two browsers pointing to the same page), an error may occur when attempting to go back to the main view in the original browser.
- [SPR 10494] When using *VoiceConsole* with Microsoft® Internet Explorer 6.0 running on Windows® XP, the scroll bars associated with text areas, description fields, and note fields may exhibit some unexpected behavior. Users may experience erratic results when clicking the up arrow on those types of scroll bars (for example, the cursor may jump to the bottom of the text or the cursor may simply fail to scroll up).
- [WC-81] When a user is associated with more than one site and you perform the procedure for deleting that user, the user is deleted only from the site you are currently viewing, but the application incorrectly reports that the user was deleted. Before a user can be completely deleted, he must be removed from all sites.
- [WC-111] If you create a site in *VoiceConsole* then attempt to view that site from another open instance of a web browser, that web browser will not display the new site. You must log out of and back into *VoiceConsole* in that browser to see the added site.
- [WC-208] When *VoiceConsole* is installed on a server running a native Japanese or Chinese operating system and only Japanese or Chinese is selected in Internet Explorer, the date and time stamp at the bottom right of the window is displayed twice and the month is shown in English.
- [WC-216] The **Browse** button on the **Manage License**, **Import Task** and **Import Voice Client** pages will only be translated properly if they are viewed from a native operating system.

Release Notes for Vocollect VoiceConsole 2.1

Release Highlights

The 2.1 version of Vocollect *VoiceConsole*[™] includes the following new features and enhancements:

- This version of *VoiceConsole* is the first version of Vocollect's device management software that supports the latest and greatest hardware device offering from Vocollect, the Talkman ® T5.
- This version of *VoiceConsole* supports the use of voice on the Symbol ® MC9060 hardware device.
- *VoiceConsole* now supports the ability to associate an operator with a Vocollect SR-series headset for the purpose of having that operator's templates automatically load onto a T5 device when the headset is connected to the device. For information about this feature, refer to the **Automatic Operator Loading** topic in the *VoiceConsole* online help.
- *VoiceConsole* now supports wireless connectivity between T5 devices and certain peripheral devices. For information about this feature, refer to the **Bluetooth Functionality** topic in the *VoiceConsole* online help.
- Information about the battery that is connected to a T5 device is now displayed in *VoiceConsole* on the device's properties page.
- This version of *VoiceConsole* includes a feature that enables operators to load their templates onto devices by using the device's keypad to enter an operator number. An operator number is simply a user-defined or system-generated number that is assigned to an operator (either on a per-operator basis or in bulk) within *VoiceConsole*.
- This version of *VoiceConsole* enables users to view the application in the following languages: English, French, German, Italian, Spanish, Latin American Spanish, Dutch, Finnish, Portuguese, Swedish, and Danish. Users can change the language in which the application is viewed by changing the locale in their Web browser.

Supported Product Configurations

Microsoft® Windows® Configuration

- Operating System: Microsoft® Windows® Server 2000 with service pack 4; Microsoft® Windows® Server 2003 with current service pack
- Recommended Hardware: Intel Pentium processor at 2.4GHz or faster; 1GB RAM
- Minimum Disk Space Requirement: 700MB*
- Installation Process: CD with standard Windows ® installer
- Client Workstations: Windows ® 98, 2000, XP service pack 1, XP service pack 2
- Web Browsers: Internet Explorer 5.0, 5.5, 6.0; Netscape 7.0

- Talkman ® Mobile Computers: Talkman OPEN, T2, T2 x , T5
- Third-party Devices: Symbol ® MC9060

Red Hat ® Linux ® Configuration

- Operating System: Red Hat ® Linux ® version 3.0 with update 1
- Recommended Hardware: Intel Pentium processor at 2.4GHz or faster; 1GB RAM
- Minimum Disk Space Requirement: 700MB*
- Installation Process: CD with Linux RPM installer
- Client Workstations: Windows ® 98, 2000, XP service pack 1, XP service pack 2; Red Hat ® Linux ® Workstation for Intel processors
- Web Browsers: Internet Explorer 5.0, 5.5, 6.0; Netscape 7.0
- Talkman ® Mobile Computers: Talkman OPEN, T2, T2 x , T5
- Third-party Devices: Symbol ® MC9060

* A fully functioning *VoiceConsole* system requires at least 700MB of disk space on the installation drive. The actual installation requires approximately 300MB, and another 400MB is needed for system setup and regular use. This disk space requirement is meant to accommodate a system that has 500 operators with 100 vocabulary word templates per operator. This requirement also assumes that only a limited amount of terminal debug is being collected at any point in time. When logging is enabled for a particular terminal, debug output is captured at a rate of approximately 500KB to 1.5MB per hour, depending on the task. The average size of the debug output is typically 800KB to 1MB per hour. It is important to allocate an appropriate amount of disk space based upon the amount of debug output you expect to collect. It should also be noted that once the *VoiceConsole* database reaches a size of 1GB, an internal database maintenance feature will begin cleaning out older debug output (terminal logs) in order to keep the size of the database from utilizing all available disk space.

Permissions for New Windows ® User

A new Windows ® user, **vocollect-db**, is created during the installation of *VoiceConsole*. This user, created in conjunction with the installation of PostgreSQL, is used to initialize the database and run the PostgreSQL service. The **vocollect-db** user is created as a restricted Windows ® user, and its creation is required in order for PostgreSQL to function properly. The **vocollect-db** user **MUST HAVE ACCESS** to the drive where *VoiceConsole* is being installed. If that user is unable to access that drive, the installation of PostgreSQL will fail.

Installation Details

The following information details the changes that are made to your computer/server when *VoiceConsole* 2.1 is installed.

Microsoft ® Windows ® Installation

- A new Windows ® registry key is created. This key is as follows:
HKEY_LOCAL_MACHINE\SOFTWARE\Vocollect\VoiceConsole

This key contains information about the current *VoiceConsole*, JBoss, and PostgreSQL versions and installation paths as well as a timestamp for the current installation.

- The Sun Microsystems Java Development Kit (JDK) 1.4.2 is installed in the following directory:
<installation directory>/jre
- A new Windows user, **vocollect-db**, is created.
PostgreSQL is installed in the following directories:
 - <installation directory>/tools/PostgreSQL
 - <installation directory>/tools/PostgresData
 The following additional file is installed in the PostgresData directory
 - PostgresData/data/pg_hba.conf
- The JBoss 3.2.5 archive is expanded and stored in the following directory:
<installation directory>/tools/jboss-3.2.5
- The following *VoiceConsole*-specific file is installed in the jboss-3.2.5 directory:
jboss-3.2.5/server/default/deploy/VoiceConsole2.1.ear
- Installation logs and the *VoiceConsole*uninstall program are stored in the <installation directory>.
- Shortcuts to *VoiceConsole*are created on the desktop and in the Start/Programs/Vocollect/VoiceConsole menu.
- A standalone copy of the US-English version of the *VoiceConsole*online help is installed in the <installation directory>.
A shortcut to the standalone online help is created in the Start/Programs/Vocollect/VoiceConsole menu.

Red Hat ® Linux ® Installation

- A file called voiceconsole.version is placed into the following directory:
/etc/Vocollect

This file contains information about the current *VoiceConsole*, JBoss, and PostgreSQL versions and installation paths as well as a timestamp for the current installation.

- The Sun Microsystems Java Development Kit (JDK) 1.4.2 is installed in the following directory:
<installation directory>/jre
- The *VoiceConsole* database is created in the following directory:
<installation directory>/tools/pgsql/data
- The following additional files are installed with PostgreSQL:
 - postgres/data/pg_hba.conf

- postgres/init/postgres_create_voice_console_db.sql
- postgres/init/postgres_populate_voice_console_db.sql
- postgres/init/populate_voice_console_db.sql
- postgres/init/updateSettings.sql
- The following JBoss and PostgreSQL Daemon files are installed:
 - /etc/rc.d/init.d/jboss
 - /etc/rc.d/init.d/postgres
 - /etc/init.d/postgres /etc/rc3.d/S83postgres
 - /etc/init.d/postgres /etc/rc5.d/S83postgres
 - /etc/init.d/postgres /etc/rc4.d/S83postgres
 - /etc/init.d/postgres /etc/rc6.d/K16postgres
 - /etc/init.d/postgres /etc/rc0.d/K16postgres
 - /etc/init.d/postgres /etc/rc1.d/K16postgres
 - /etc/init.d/postgres /etc/rc2.d/K16postgres
 - /etc/init.d/jboss /etc/rc3.d/S84jboss
 - /etc/init.d/jboss /etc/rc5.d/S84jboss
 - /etc/init.d/jboss /etc/rc4.d/S84jboss
 - /etc/init.d/jboss /etc/rc6.d/K15jboss
 - /etc/init.d/jboss /etc/rc0.d/K15jboss
 - /etc/init.d/jboss /etc/rc1.d/K15jboss
 - /etc/init.d/jboss /etc/rc2.d/K15jboss
- The JBoss 3.2.5 archive is expanded and stored in the following directory:
<installation directory>/tools/jboss-3.2.5
 - The following *VoiceConsole*-specific files are also installed:
jboss-3.2.5/server/default/deploy/VoiceConsole2.1

.ear /root/.vocollect
 - Installation logs and the *VoiceConsole* uninstall program are stored in the <installation directory>.
 - A standalone copy of the US-English version of the *VoiceConsole* online help is installed in the <installation directory>.

Limitations/General Considerations

The following is \IMPORTANT INFORMATION for sites that are upgrading from *VoiceConsole* 2.0 to *VoiceConsole* 2.1 :

If you have upgraded to *VoiceConsole* 2.1 and you are experiencing any problems with that version of the product, DO NOT uninstall 2.1 in an attempt to revert to the 2.0 version of the product. Instead, use the following instructions to revert to *VoiceConsole* 2.0 :

1. Go to: **Start >> Settings >> Control Panel >> Administrative Tools >> Services**
2. In the **Services** window, locate the JBOSSVC2.1 service.
3. Right-click on the JBOSSVC2.1 service, and select **Stop** from the pop-up menu.
4. In the **Services** window, locate the JBOSS service.
5. Right-click on the JBOSS service, and select **Start** from the pop-up menu. Note that it may take a few minutes for the JBOSS service to start.

You can now use *VoiceConsole* 2.0 just as it was being used before the upgrade to *VoiceConsole* 2.1 . However, please contact your *VoiceConsole* vendor to resolve the problems with the 2.1 installation.

The following are known limitations in *VoiceConsole* 2.1 .

- During the upgrade process from *VoiceConsole* 2.0 to *VoiceConsole* 2.1 , if the installation of the PostgreSQL database fails, certain DLLs that are shared between the 2.0 database and the 2.1 database are automatically removed from the system. This situation presents a problem because the removal of those DLLs renders *VoiceConsole* 2.0 inoperable (and you are going to need to use the 2.0 version of the application due to the failure during the installation of *VoiceConsole* 2.1). To account for this situation, copies of the DLLs are placed into a directory called **BackupDlls**. This directory can be found in the install location that was chosen during the installation of *VoiceConsole* 2.1 . To restore these DLLs and get *VoiceConsole* 2.0 running again, copy the DLLs from the **BackupDlls** directory into the operating system's **system32** directory.
- [SPR 15324] When creating a device profile for Talkman ® OPEN, T2, T2 x , or T5, an application error will occur if, on the second step of the creation wizard, the user selects to copy the configuration from an existing profile, and the profile that is selected is a configuration-only profile (that is, a profile that was created for use with third-party devices).
- [SPR 14756] When entering operator numbers in *VoiceConsole*, the application allows the user to enter a number that is up to 64 digits in length. However, the terminal can only handle numbers up to 11 digits in length.
- [SPR 14417] If a user attempts to install multiple instances of the same version of *VoiceConsole* onto a Linux server, the subsequent installation attempts (that is, all installation attempts after the first installation) will fail to uninstall the previous instance of the application. The previous instance must be uninstalled manually before the application is installed on the server again.
- [SPR 14311] When using *VoiceConsole* with Microsoft ® Windows ® 2000 server and XP, the instructions that appear on the page when using a serial cable to load a profile onto a device are cut off because all of the instructions appear in bold text (only the page header is supposed to be bold).
- [SPR 14260] *VoiceConsole* is not able to be installed over Windows ® 2000 Remote Desktop Connection due to a known limitation with the PostgreSQL database.
- [SPR 13779] When using *VoiceConsole* with Microsoft ® Windows ® 2000 and Internet Explorer 5.0, users are unable to load firmware onto devices via the serial loading feature because the ActiveX™ control associated with that feature does not work on that system configuration.
- [SPR 15428] When using *VoiceConsole* with Microsoft ® Windows ® XP, the information on the serial load page is displayed in the language of the installed

operating system, regardless of the locale set in your Web browser. For example, if you have an English version of Windows ® XP, but your Web browser's locale is set to French, the information on the serial load page will be displayed in English, as opposed to the rest of the application, which will be displayed in French.

- [SPR 13627] If a space is inadvertently placed before the IP Address in the URL that enables devices to connect to *VoiceConsole* (for example, "VoiceConsoleURL"="http://<inadvertent space here>10.1.2.345:8080/VoiceConsole"), the devices will be able to connect to the application, however, they will not be able to send log data to the application in the event that logging is enabled.
- [SPR 13291] When assigning terminals to operators, users will notice that the terminals that have already been selected on the **Assign Terminals: Set Assignments** page will be shaded in gray in the terminal drop-down list boxes on that page. However, when using *VoiceConsole* with Microsoft ® Internet Explorer, users may notice some erratic behavior with regard to the gray shading. It is possible that the selected terminals may not be shaded when a drop-down is selected the first time.
- [SPR 13238] When creating a terminal profile using a .cci file that contains multiple radio types with different settings, users may experience an error if the browser's **Back** button is used to navigate back to step 2 of the terminal profile creation process after the specific radio type has been chosen.
- [SPR 12624] In the event of a browser session timeout when using *VoiceConsole*, the user is presented with the main login page when any button or link is clicked after the timeout has occurred. When the user logs back into the application, he is presented with the page that was being viewed when the timeout occurred. The application functions in this manner for all pages except for those associated with creating an entity (such as the **Create Operator** page, the **Create Task Package** page, etc). If the user is viewing one of those pages when the timeout occurs, he will be presented with the application's default home page (**Operator Team View**) upon logging in after the timeout.
- [SPR 12548] When using *VoiceConsole* with Microsoft ® Internet Explorer 5.0, the plus (+) icons on the navigation bar do not function properly. In order to expand the different sections of the navigation bar, the user must click directly on the menu item name rather than clicking the plus icon.
- [SPR 12535] If a user is creating a terminal profile using a .cci file that contains multiple radio types with different settings, and the user decides to cancel the creation process after the specific radio type has been chosen, the particular *Vocollect Voice™ Client* that was being used to create the profile may not be able to be deleted from the application at a later time. The application may report that the *Voice Client* cannot be deleted because it is being used in the creation of a terminal profile.
- [SPR 11733] When importing a task into the application, the user may experience an error when browsing to the task file if the path to the folder into which the task file has been placed is extremely long.
- [SPR 11483] When using *VoiceConsole* with Microsoft ® Internet Explorer 5.0 running on Windows ® 98 or 2000, the application's JavaScript functionality does not work properly. For example, the application's navigation bar will not expand and contract as expected (rather, it will always appear fully expanded).
- [SPR 10955] If a user is viewing a properties page (for example, a particular operator's properties page) in the application, and then that user opens the same properties page in another browser (so that the user now has two browsers pointing

to the same page), an error may occur when attempting to go back to the main view in the original browser.

- [SPR 10876] When the display name of a task package that has already been loaded onto one or more devices is changed, the display of that name in relation to the devices (that is, the display of the task package name on the main device view page and on a device's properties page) is not updated to the new name. The application displays the old name with an asterisk that states that the task package is not found in the system.
- [SPR 10733] It is possible to create multiple operators who appear to have the same spoken name. When creating operators in the application, validation is done to make sure that two operators do not have the same spoken name. However, it is possible, via the use of creative phonetic spellings, to create two different spoken names that sound exactly the same when spoken by the terminal. If this situation occurs, an operator may have trouble selecting the correct operator name when performing an operator load from the terminal.
- [SPR 10494] When using *VoiceConsole* with Microsoft® Internet Explorer 6.0 running on Windows® XP, the scroll bars associated with text areas, description fields, and note fields may exhibit some unexpected behavior. Users may experience erratic results when clicking the up arrow on those types of scroll bars (for example, the cursor may jump to the bottom of the text or the cursor may simply fail to scroll up).
- [SPR 15627] If you are installing the application on Linux and a desktop shortcut is not created during the installation, you may receive the following error: "...some warnings have occurred during the install. Please see the installation log at for details."
- [SPR 15619] If your browser is configured to display text in an unsupported language code, the language in which *VoiceConsole* is controlled by the server's operating system configuration.
- [SPR 15632] If your browser is configured to a non-supported country code (regardless of the language code specified), the online help will be displayed in English.

Release Notes for Vocollect VoiceConsole™ 2.0.1

Release Highlights

The 2.0.1 version of Vocollect *VoiceConsole*™ is not vastly different from the 2.0 version of the product (which was the initial market offering of the product).

The one major enhancement to the 2.0.1 version of *VoiceConsole* is the inclusion of a feature that enables operators to load their templates onto terminals by using the terminal's keypad to enter an operator number. An operator number is simply a user-defined or system-generated number that is assigned to an operator (either on a per-operator basis or in bulk) within *VoiceConsole*.

Supported Product Configurations

Microsoft® Windows® Configuration

- Web Application Server: JBOSS v3.2.5
- Operating System: Microsoft® Windows® Server 2000 with service pack 4; Microsoft® Windows® Server 2003 with current service pack
- Recommended Hardware: Intel Pentium processor at 2.4GHz or faster; 1GB RAM
- Minimum Disk Space Requirement: 700MB*
- Database: PostgreSQL 8.0
- Installation Process: CD with standard Windows® installer
- Client Workstations: Windows® 98, 2000, XP service pack 1, XP service pack 2
- Web Browsers: Internet Explorer 5.0, 5.5, 6.0; Netscape 7.0
- Talkman® Mobile Computers: Talkman OPEN, T2, T2 x

Red Hat® Linux® Configuration

- Web Application Server: JBOSS v3.2.5
- Operating System: Red Hat® Linux® version 3.0 with update 1
- Recommended Hardware: Intel Pentium processor at 2.4GHz or faster; 1GB RAM
- Minimum Disk Space Requirement: 700MB*
- Database: PostgreSQL 7.3.6
- Installation Process: CD with Linux RPM installer
- Client Workstations: Windows® 98, 2000, XP service pack 1, XP service pack 2; Red Hat® Linux® Workstation for Intel processors
- Web Browsers: Internet Explorer 5.0, 5.5, 6.0; Netscape 7.0
- Talkman® Mobile Computers: Talkman OPEN, T2, T2 x

* A fully functioning *VoiceConsole* system requires at least 700MB of disk space on the installation drive. The actual installation requires approximately 300MB, and another 400MB is needed for system setup and regular use. This disk space requirement is meant to accommodate a system that has 500 operators with 100 vocabulary word templates per operator. This requirement also assumes that only a limited amount of terminal debug is being collected at any point in time. When logging is enabled for a particular terminal, debug output is captured at a rate of approximately 500KB to 1.5MB per hour, depending on the task. The average size of the debug output is typically 800KB to 1MB per hour. It is important to allocate an appropriate amount of disk space based upon the amount of debug output you expect to collect. It should also be noted that once the *VoiceConsole* database reaches a size of 1GB, an internal database maintenance feature will begin cleaning out older debug output (terminal logs) in order to keep the size of the database from utilizing all available disk space.

Permissions for New Windows ® User

A new Windows ® user, **vocollect-db**, is created during the installation of *VoiceConsole*. This user, created in conjunction with the installation of PostgreSQL, is used to initialize the database and run the PostgreSQL service. The **vocollect-db** user is created as a restricted Windows ® user, and its creation is required in order for PostgreSQL to function properly. The **vocollect-db** user MUST HAVE ACCESS to the drive where *VoiceConsole* is being installed. If that user is unable to access that drive, the installation of PostgreSQL will fail.

Installation Details

The following information details the changes that are made to your computer/server when *VoiceConsole* 2.0.1 is installed.

Microsoft ® Windows ® Installation

- A new Windows ® registry key is created. This key is as follows:

HKEY_LOCAL_MACHINE\SOFTWARE\Vocollect\VoiceConsole

This key contains information about the current *VoiceConsole*, JBoss, and PostgreSQL versions and installation paths as well as a timestamp for the current installation.

- The Sun Microsystems Java Development Kit (JDK) 1.4.2 is installed in the following directory:

<installation directory>/jre

- A new Windows user, **vocollect-db**, is created.
- PostgreSQL is installed in the following directories:

<installation directory>/tools/PostgreSQL

<installation directory>/tools/PostgresData

The following additional file is installed in the PostgresData directory:

PostgresData/data/pg_hba.conf

- The JBoss 3.2.5 archive is expanded and stored in the following directory:

<installation directory>/tools/jboss-3.2.5

- The following *VoiceConsole*-specific file is installed in the jboss-3.2.5 directory:
jboss-3.2.5/server/default/deploy/VoiceConsole2.0.1.ear
- Installation logs and the *VoiceConsole*uninstall program are stored in the <installation directory>.
- Shortcuts to VoiceConsole are created on the desktop and in the Start/Programs/Vocollect/VoiceConsole menu.
- A standalone version of the *VoiceConsole*online help is installed in the <installation directory>.
- A shortcut to the standalone online help is created in the Start/Programs/Vocollect/VoiceConsole menu.

Red Hat ® Linux ® Installation

- A file called voiceconsole.version is placed into the following directory:
/etc/Vocollect

This file contains information about the current *VoiceConsole*, JBoss, and PostgreSQL versions and installation paths as well as a timestamp for the current installation.

- The Sun Microsystems Java Development Kit (JDK) 1.4.2 is installed in the following directory:
<installation directory>/jre
- The *VoiceConsole*database is created in the following directory:
<installation directory>/tools/pgsql/data

The following additional files are installed with PostgreSQL:

- postgres/data/pg_hba.conf
- postgres/init/postgres_create_voice_console_db.sql
- postgres/init/postgres_populate_voice_console_db.sql
- postgres/init/populate_voice_console_db.sql
- postgres/init/updateSettings.sql
- The following JBoss and PostgreSQL Daemon files are installed:
 - /etc/rc.d/init.d/jboss
 - /etc/rc.d/init.d/postgres
 - /etc/init.d/postgres /etc/rc3.d/S83postgres
 - /etc/init.d/postgres /etc/rc5.d/S83postgres
 - /etc/init.d/postgres /etc/rc4.d/S83postgres
 - /etc/init.d/postgres /etc/rc6.d/K16postgres
 - /etc/init.d/postgres /etc/rc0.d/K16postgres
 - /etc/init.d/postgres /etc/rc1.d/K16postgres

- /etc/init.d/postgres /etc/rc2.d/K16postgres
 - /etc/init.d/jboss /etc/rc3.d/S84jboss
 - /etc/init.d/jboss /etc/rc5.d/S84jboss
 - /etc/init.d/jboss /etc/rc4.d/S84jboss
 - /etc/init.d/jboss /etc/rc6.d/K15jboss
 - /etc/init.d/jboss /etc/rc0.d/K15jboss
 - /etc/init.d/jboss /etc/rc1.d/K15jboss
 - /etc/init.d/jboss /etc/rc2.d/K15jboss
- The JBoss 3.2.5 archive is expanded and stored in the following directory:
<installation directory>/tools/jboss-3.2.5
 - The following *VoiceConsole*-specific files are also installed:jboss-3.2.5/server/default/deploy/VoiceConsole2.0.1.ear/root/.vocollect
 - Installation logs and the *VoiceConsole*uninstall program are stored in the <installation directory>.
 - A standalone version of the *VoiceConsole*online help is installed in the <installation directory>.

Limitations/General Considerations

The following are known limitations in *VoiceConsole* 2.0.1 .

- [SPR 14756]When entering operator numbers in *VoiceConsole*, the application allows the user to enter a number that is up to 64 digits in length. However, the terminal can only handle numbers up to 11 digits in length.
- [SPR 14260]*VoiceConsole* is not able to be installed over Windows ® 2000 Remote Desktop Connection due to a known limitation with the PostgreSQL database.
- [SPR 10494]When using *VoiceConsole* with Microsoft ® Internet Explorer 6.0 running on Windows ® XP, the scroll bars associated with text areas, description fields, and note fields may exhibit some unexpected behavior. Users may experience erratic results when clicking the up arrow on those types of scroll bars (for example, the cursor may jump to the bottom of the text or the cursor may simply fail to scroll up).
- [SPR 10733]It is possible to create multiple operators who appear to have the same spoken name. When creating operators in the application, validation is done to make sure that two operators do not have the same spoken name. However, it is possible, via the use of creative phonetic spellings, to create two different spoken names that sound exactly the same when spoken by the terminal. If this situation occurs, an operator may have trouble selecting the correct operator name when performing an operator load from the terminal.
- [SPR 10955]If a user is viewing a properties page (for example, a particular operator's properties page) in the application, and then that user opens the same properties page in another browser (so that the user now has two browsers pointing to the same page), an error may occur when attempting to go back to the main view in the original browser.
- [SPR 11483]When using *VoiceConsole* with Microsoft ® Internet Explorer 5.0 running on Windows ® 98 or 2000, the application's JavaScript functionality does

not work properly. For example, the application's navigation bar will not expand and contract as expected (rather, it will always appear fully expanded).

- [SPR 11733]When importing a task into the application, the user may experience an error when browsing to the task file if the path to the folder into which the task file has been placed is extremely long.
- [SPR 12535]If a user is creating a terminal profile using a .cci file that contains multiple radio types with different settings, and the user decides to cancel the creation process after the specific radio type has been chosen, the particular Vocollect Voice Client that was being used to create the profile may not be able to be deleted from the application at a later time. The application may report that the VoiceClient cannot be deleted because it is being used in the creation of a terminal profile.
- [SPR 12548]When using *VoiceConsole* with Microsoft ® Internet Explorer 5.0, the plus (+) icons on the navigation bar do not function properly. In order to expand the different sections of the navigation bar, the user must click directly on the menu item name rather than clicking the plus icon.
- [SPR 12624]In the event of a browser session timeout when using *VoiceConsole*, the user is presented with the main login page when any button or link is clicked after the timeout has occurred. When the user logs back into the application, he is presented with the page that was being viewed when the timeout occurred. The application functions in this manner for all pages except for those associated with creating an entity (such as the **Create Operator** page, the **Create Task Package** page, etc). If the user is viewing one of those pages when the timeout occurs, he will be presented with the application's default home page (**Operator Team View**) upon logging in after the timeout.
- [SPR 13238]When creating a terminal profile using a .cci file that contains multiple radio types with different settings, users may experience an error if the browser's **Back** button is used to navigate back to step 2 of the terminal profile creation process after the specific radio type has been chosen.
- [SPR 13291]When assigning terminals to operators, users will notice that the terminals that have already been selected on the **Assign Terminals: Set Assignments** page will be shaded in gray in the terminal drop-down list boxes on that page. However, when using *VoiceConsole* with Microsoft ® Internet Explorer, users may notice some erratic behavior with regard to the gray shading. It is possible that the selected terminals may not be shaded when a drop-down is selected the first time.

Release Notes for Vocollect VoiceConsole 2.0

Release Highlights

This release is the initial product and market offering of Vocollect *VoiceConsole*.

VoiceConsole is Vocollect's next-generation, web-based enterprise management solution for the Vocollect voice system. *VoiceConsole* provides comprehensive voice system setup and management in an easy to use, web-based interface. *VoiceConsole* enables quick and easy voice system implementation and management to reduce the total cost of ownership of the voice system.

The following is a high-level overview of the *VoiceConsole* application:

- Java®-enabled and Web-based application architecture.
- Runs on the Microsoft® Windows® and Red Hat® Linux® operating systems.
- Extensive feature set that includes complete operator and terminal management functionality, role-based user login security, and robust sorting and searching functionality.
- Elegantly simple and intuitive graphical user interface.
- Installation on client workstations is not necessary; application is accessible using only a standard Web browser and appropriate network access.

Supported Product Configurations

Microsoft® Windows® Configuration

- Web Application Server: JBOSS v3.2.5
- Operating System: Microsoft® Windows® Server 2000 with service pack 4; Microsoft® Windows® Server 2003 with current service pack
- Recommended Hardware: Intel Pentium processor at 2.4GHz or faster; 1GB RAM
- Minimum Disk Space Requirement: 700MB*
- Database: PostgreSQL 8.0
- Installation Process: CD with standard Windows® installer
- Client Workstations: Windows® 98, 2000, XP service pack 1, XP service pack 2
- Web Browsers: Internet Explorer 5.0, 5.5, 6.0; Netscape 7.0
- Talkman® Mobile Computers: Talkman OPEN, T2, T2x

Red Hat® Linux® Configuration

- Web Application Server: JBOSS v3.2.5
- Operating System: Red Hat® Linux® version 3.0 with update 1

- Recommended Hardware: Intel Pentium processor at 2.4GHz or faster; 1GB RAM
- Minimum Disk Space Requirement: 700MB*
- Database: PostgreSQL 7.3.6
- Installation Process: CD with Linux RPM installer
- Client Workstations: Windows® 98, 2000, XP service pack 1, XP service pack 2; Red Hat® Linux® Workstation for Intel processors
- Web Browsers: Internet Explorer 5.0, 5.5, 6.0; Netscape 7.0
- Talkman® Mobile Computers: Talkman OPEN, T2, T2x

* A fully functioning VoiceConsole system requires at least 700MB of disk space on the installation drive. The actual installation requires approximately 300MB, and another 400MB is needed for system setup and regular use. This disk space requirement is meant to accommodate a system that has 500 operators with 100 vocabulary word templates per operator. This requirement also assumes that only a limited amount of terminal debug is being collected at any point in time. When logging is enabled for a particular terminal, debug output is captured at a rate of approximately 500KB to 1.5MB per hour, depending on the task. The average size of the debug output is typically 800KB to 1MB per hour. It is important to allocate an appropriate amount of disk space based upon the amount of debug output you expect to collect. It should also be noted that once the *VoiceConsole* database reaches a size of 1GB, an internal database maintenance feature will begin cleaning out older debug output (terminal logs) in order to keep the size of the database from utilizing all available disk space.

Permissions for New Windows® User

A new Windows® user, **vocollect-db**, is created during the installation of *VoiceConsole*. This user, created in conjunction with the installation of PostgreSQL, is used to initialize the database and run the PostgreSQL service. The **vocollect-db** user is created as a restricted Windows® user, and its creation is required in order for PostgreSQL to function properly. The **vocollect-db** user MUST HAVE ACCESS to the drive where *VoiceConsole* is being installed. If that user is unable to access that drive, the installation of PostgreSQL will fail.

Installation Details

The following information details the changes that are made to your computer/server when *VoiceConsole* 2.0 is installed.

Microsoft® Windows® Installation

- A new Windows® registry key is created. This key is as follows:
HKEY_LOCAL_MACHINE\SOFTWARE\Vocollect\VoiceConsole

This key contains information about the current *VoiceConsole*, JBoss, and PostgreSQL versions and installation paths as well as a timestamp for the current installation.

- The Sun Microsystems Java Development Kit (JDK) 1.4.2 is installed in the following directory:
<installation directory>/jre

- A new Windows user, vocollect-db, is created.
- PostgreSQL is installed in the following directories:
 - <installation directory>/tools/PostgreSQL
 - <installation directory>/tools/PostgresData
- The following additional file is installed in the PostgresData directory:
PostgresData/data/pg_hba.conf
- The JBoss 3.2.5 archive is expanded and stored in the following directory:
<installation directory>/tools/jboss-3.2.5
- The following *VoiceConsole*-specific file is installed in the jboss-3.2.5 directory:
jboss-3.2.5/server/default/deploy/VoiceConsole2.0.ear
- Installation logs and the *VoiceConsole* uninstall program are stored in the
<installation directory>.
- Shortcuts to *VoiceConsole* are created on the desktop and in the
Start/Programs/Vocollect/VoiceConsole menu.
- A standalone version of the *VoiceConsole* online help is installed in the <installation
directory>.
- A shortcut to the standalone online help is created in the
Start/Programs/Vocollect/VoiceConsole menu.

Red Hat® Linux® Installation

- A file called voiceconsole.version is placed into the following directory:
/etc/Vocollect

This file contains information about the current VoiceConsole , JBoss, and PostgreSQL versions and installation paths as well as a timestamp for the current installation.
- The Sun Microsystems Java Development Kit (JDK) 1.4.2 is installed in the following directory:
<installation directory>/jre
- The *VoiceConsole* database is created in the following directory:
<installation directory>/tools/pgsql/data
- The following additional files are installed with PostgreSQL:
 - postgres/data/pg_hba.conf
 - postgres/init/postgres_create_voice_console_db.sql
 - postgres/init/postgres_populate_voice_console_db.sql
 - postgres/init/populate_voice_console_db.sql
 - postgres/init/updateSettings.sql
- The following JBoss and PostgreSQL Daemon files are installed:
 - /etc/rc.d/init.d/jboss

- `/etc/rc.d/init.d/postgres`
- `/etc/init.d/postgres /etc/rc3.d/S83postgres`
- `/etc/init.d/postgres /etc/rc5.d/S83postgres`
- `/etc/init.d/postgres /etc/rc4.d/S83postgres`
- `/etc/init.d/postgres /etc/rc6.d/K16postgres`
- `/etc/init.d/postgres /etc/rc0.d/K16postgres`
- `/etc/init.d/postgres /etc/rc1.d/K16postgres`
- `/etc/init.d/postgres /etc/rc2.d/K16postgres`
- `/etc/init.d/jboss /etc/rc3.d/S84jboss`
- `/etc/init.d/jboss /etc/rc5.d/S84jboss`
- `/etc/init.d/jboss /etc/rc4.d/S84jboss`
- `/etc/init.d/jboss /etc/rc6.d/K15jboss`
- `/etc/init.d/jboss /etc/rc0.d/K15jboss`
- `/etc/init.d/jboss /etc/rc1.d/K15jboss`
- `/etc/init.d/jboss /etc/rc2.d/K15jboss`
- The JBoss 3.2.5 archive is expanded and stored in the following directory:
<installation directory>/tools/jboss-3.2.5
- The following *VoiceConsole*-specific files are also installed:
jboss-3.2.5/server/default/deploy/VoiceConsole2.0.ear /root/.vocollect
- Installation logs and the *VoiceConsole* uninstall program are stored in the <installation directory>.
- A standalone version of the *VoiceConsole* online help is installed in the <installation directory>.

Limitations/General Considerations

The following are known limitations in *VoiceConsole* 2.0 .

- [SPR 14260]*VoiceConsole* is not able to be installed over Windows® 2000 Remote Desktop Connection due to a known limitation with the PostgreSQL database.
- [SPR 10494]When using *VoiceConsole* with Microsoft® Internet Explorer 6.0 running on Windows® XP, the scroll bars associated with text areas, description fields, and note fields may exhibit some unexpected behavior. Users may experience erratic results when clicking the up arrow on those types of scroll bars (for example, the cursor may jump to the bottom of the text or the cursor may simply fail to scroll up).
- [SPR 10733]It is possible to create multiple operators who appear to have the same spoken name. When creating operators in the application, validation is done to make sure that two operators do not have the same spoken name. However, it is possible, via the use of creative phonetic spellings, to create two different spoken names that sound exactly the same when spoken by the terminal. If this situation occurs, an operator may have trouble selecting the correct operator name when performing an operator load from the terminal.

- [SPR 10955]If a user is viewing a properties page (for example, a particular operator's properties page) in the application, and then that user opens the same properties page in another browser (so that the user now has two browsers pointing to the same page), an error may occur when attempting to go back to the main view in the original browser.
- [SPR 11483]When using *VoiceConsole* with Microsoft® Internet Explorer 5.0 running on Windows® 98 or 2000, the application's JavaScript functionality does not work properly. For example, the application's navigation bar will not expand and contract as expected (rather, it will always appear fully expanded).
- [SPR 11733]When importing a task into the application, the user may experience an error when browsing to the task file if the path to the folder into which the task file has been placed is extremely long.
- [SPR 12535]If a user is creating a terminal profile using a .cci file that contains multiple radio types with different settings, and the user decides to cancel the creation process after the specific radio type has been chosen, the particular *Vocollect Voice Client* that was being used to create the profile may not be able to be deleted from the application at a later time. The application may report that the Voice Client cannot be deleted because it is being used in the creation of a terminal profile.
- [SPR 12548]When using *VoiceConsole* with Microsoft® Internet Explorer 5.0, the plus (+) icons on the navigation bar do not function properly. In order to expand the different sections of the navigation bar, the user must click directly on the menu item name rather than clicking the plus icon.
- [SPR 12624]In the event of a browser session timeout when using *VoiceConsole*, the user is presented with the main login page when any button or link is clicked after the timeout has occurred. When the user logs back into the application, he is presented with the page that was being viewed when the timeout occurred. The application functions in this manner for all pages except for those associated with creating an entity (such as the **Create Operator** page, the **Create Task Package** page, etc). If the user is viewing one of those pages when the timeout occurs, he will be presented with the application's default home page (**Operator Team View**) upon logging in after the timeout.
- [SPR 13238]When creating a terminal profile using a .cci file that contains multiple radio types with different settings, users may experience an error if the browser's **Back** button is used to navigate back to step 2 of the terminal profile creation process after the specific radio type has been chosen.
- [SPR 13291]When assigning terminals to operators, users will notice that the terminals that have already been selected on the **Assign Terminals: Set Assignments** page will be shaded in gray in the terminal drop-down list boxes on that page. However, when using *VoiceConsole* with Microsoft® Internet Explorer, users may notice some erratic behavior with regard to the gray shading. It is possible that the selected terminals may not be shaded when a drop-down is selected the first time.